MAY 1994

ISSN 0921-4534

PHYSICA C
SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 202–218
NOV. 1992–DEC. 1993

PHYCE6 MASTER INDEX VOLS. 202–218

NORTH-HOLLAND

PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D are published by North-Holland (Elsevier Science B.V.), Amsterdam.

PHYSICA C

Editors:
M.B. BRODSKY, Argonne National Laboratory, Argonne, Illinois, USA
G.W. CRABTREE, Argonne National Laboratory, Argonne, Illinois, USA
B.D. DUNLAP, Argonne National Laboratory, Argonne, Illinois, USA
R.P. GRIESSEN, Natuurkundig Laboratorium, Vrije Universiteit, Amsterdam, The Netherlands
S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, Japan
Yu.A. OSIPYAN, Institute of Solid State Physics, Russian Academy of Sciences, Chernogolovka, Russia
H.R. OTT, Laboratorium für Festkörperphysik, ETH, Zürich, Switzerland
S. TANAKA, Superconductivity Research Laboratory, ISTEC, Tokyo, Japan
(*see preliminary pages for full addresses*)

Desk editors:
P.J. HOFF, Elsevier Science Publishers B.V., P.O. Box 103, 1000 AC Amsterdam, The Netherlands, Telephone: (020) 5862 568, Telefax: (020) 5862 704, Telex: 10704 espom nl
P.F. BAKKER, as above, Telephone: (020) 5862 681

Subscription data

Physica A (ISSN 0378-4371). For 1994, volumes 201–211 are scheduled for publication. Physica A is published semimonthly.
Physica B (ISSN 0921-4526). For 1994, volumes 192–202 are scheduled for publication. Physica B is published monthly.
Physica C (ISSN 0921-4534). For 1994, volumes 219–236 are scheduled for publication. Physica C is published two to three times per month.
Physica D (ISSN 0167-2789). For 1994, volumes 70–78 are scheduled for publication. Physica D is published semimonthly.
Subscription prices are available upon request from the publisher. A combined subscription to Physica A, Physica B, Physica C and Physica D is available at a reduced rate.

Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery via SAL is ensured: Argentina, Australia, Brazil, Canada, China, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request.
Please address all your requests regarding orders and subscription queries to: Elsevier Science B.V., Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Telephone: +31-20-5803642, Telefax: +31-20-5803598. Claims for issues not received should be made within six months of our publication (mailing) date.

Elsevier Science B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521 1000 AMAmsterdam, The Netherlands.
Special regulations for authors. Upon acceptance of an article by the journal, the author (s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center. Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

US mailing notice – Physica C (ISSN 0921–4534) is published three times per month (for eight months of the year) and semimonthly (in January, August, October and December) by Elsevier Science B.V., Molenwerf 1, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Annual subscription price in the USA is US $7578 (valid in North, Central and South America only), including air speed delivery. Second class postage paid at Jamaica, NY 11431.
USA POSTMASTERS: Send address changes to Physica C, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Airfreight and mailing in the USA by Publications Expediting.

Printed in The Netherlands

PHYSICA C

MAY 1994

PHYSICA C
SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 202–218
NOV. 1992–DEC. 1993

NORTH-HOLLAND

©ELSEVIER SCIENCE B.V. (NORTH-HOLLAND) 1994

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for authors - Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA - This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or integral use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Published semimonthly

Printed in The Netherlands

This volume is printed on acid-free paper

NOTE TO AUTHORS

PHYSICA is published in four sections:

PHYSICA A (*Statistical and theoretical physics*) contains papers on theoretical physics, with emphasis on statistical mechanics. Papers on experimental work on the statistical or collective behaviour of matter in the gaseous and liquid states also belong to this section. Theoretical physics is to be understood as the study of the theory itself and not as the interpretation of specific experimental results.

PHYSICA B (*Condensed matter*) contains papers and review articles in the realm of physics of condensed matter. Both experimental and theoretical contributions are invited, although theoretical papers should preferably be related to experimental results. (For example "A theory on nuclear spin relaxation in metals" would be more suitable for Physica B, while a theoretical discussion on "Screening effects in the electron gas" is more fitting for Physica A.)

PHYSICA C (*Superconductivity*) serves as a rapid channel for publications on superconductivity and related subjects. This includes theoretical papers on the fundamental issues raised by high-T_c superconductivity, reports on measurements of a wide variety of physical properties of high-T_c superconductors, on new materials and new preparation techniques, on thin-film and device-oriented work and on theoretical results pertinent to such experiments. New results in the traditional areas of superconductivity as well as on novel phenomena (e.g. heavy-electron superconductivity) will also be included.

PHYSICA D (*Nonlinear phenomena*) contains papers and review articles reporting experiments, techniques and ideas which, although they may be derived and explained in the context of a particular field, advance the understanding of nonlinear phenomena in general. Contributions of this type in the recent literature have dealt with: wave motion in physical, chemical and biological systems; chaotic motion in models relevant to turbulence; quantum and statistical mechanics governed by nonlinear field equations; instability, bifurcation, pattern formation and cooperative phenomena.

PHYSICA C serves as an exclusive, rapid channel of the journal PHYSICA for publications on superconductivity and related subjects. PHYSICA C is published semimonthly; to ensure rapid publication, authors are requested to follow closely the instructions given below (especially **submission**).

Publication speed. The latest technology is used in editorial handling, typesetting and printing of the articles, so that publication within **eight to ten weeks is guaranteed**. All papers will be refereed. To speed up publication, proofs will be read by the Publisher, unless the author – upon submission of the paper – specifically requests proofs to be sent to him. The above guarantee holds for papers that have been accepted unconditionally and have been proofread by the Publisher.

Nature of publication. As stated above, PHYSICA C aims at very short publication times. Rapid publications should not be confused with short communications, however, and it should be emphasized that PHYSICA C is not to be considered as a letters journal. While for the sake of efficient communication authors are requested to formulate their results in a concise and compact form, there is no length limit on papers. Each paper must be self-contained, properly introduced with references to published work and fully documented with adequate source material. The breathless style of some letters journals, claims to be substantiated in future publications and references to inaccessible work are to be avoided.

Submission. Manuscripts should be sent **simultaneously** to one of the Editors and to the Publisher. Two copies should be sent to the Editor. These copies are used for refereeing so that readability is the only technical requirement and the use of telefax is encouraged. For the complete addresses of the Editors see overleaf. The original manuscript, with figures suitable for reproduction, should be sent to:

Elsevier Science B.V.
c/o P.J. Hoff
P.O. Box 103
1000 AC Amsterdam
The Netherlands

Submission of a paper will be taken to imply that it represents original work not previously published, that it is not being considered elsewhere for publication, and that if accepted for publication it will not be published elsewhere in the same form, in any language without the consent of the Publisher.

Manuscripts should be written in English and typed with double spacing, wide margins and on one side of the page only.

The *title* should be concise and specific. When the length of the title exceeds 45 characters, a *running title* should be indicated. The name of the institute where the research was carried out should be stated with each author's name.

An *abstract* of not more than 150 words should be provided in English, summarizing the new information and the author's conclusions.

Keywords. Physica C regularly publishes Subject Indexes. Appropriate index terms are of vital importance, as these will be also used in electronic information retrieval. Authors are requested to select three to five keywords and write those on the title page of their article. Preferably, the selection should be made from the list printed on the page following the publication schedule, but terms not appearing on the list should be added if necessary. The list is being regularly updated, using such added terms. Chemical symbols can be provided, if appropriate, for use in the Materials Index.

References in the text should be numbered (e.g. "Jones and Smith [1] have reported that ...") and listed on a separate sheet stating the author, journal, volume and the year of publication (in brackets) and the number of the first page. Example: [1] S. Jones and P. Smith, Phys. Rev. 190 (1984) 2016.

Formulae should be clearly written. Vectors will be printed in bold-face italics (heavy, slanting type), and should be indicated by a wavy underlining in the manuscript.

Special attention should be paid to characters that can be easily misread, such as i (lower case), I (cap.), l (el), 1 (one), ′ (prime); o (lower case), O (cap.), 0 (zero), ° (degree); u, v (vee), ν (Greek nu), V (cap.); $\times$, x, X; z, Z; p, P, ρ (Greek rho); etc.

Figures *should be numbered, each figure on a separate sheet.* Captions should be listed on a separate sheet.

The *Publisher* requires a set of good quality drawings and photographs to produce the printed line figures and half-tone plates in the journal. Photographic copies ("glossy prints") of drawings are also acceptable for the line figures if they have been sharply focused and evenly exposed.

Line figures. Drawings and any lettering should be done in Indian ink. Lines should be bold, the frame lines of graphs slightly finer than those of the plotted curves.

The drawings or glossy prints supplied for the line figures should be 1.5–3 times larger than the printed size of the figures and should contain all the required lettering.

Figures are preferably reduced to a single column width (7.6 cm) unless their complexity, large width-to-height ratio, or need to display special detail makes a larger format necessary (max. printed width $\approx$ 20 cm). Inappropriately sized lettering on a figure may prevent its reduction to the size optimum for its information content. The lettering used on a drawing should be chosen so that after reduction, the height of numbers and (capital) letters falls within the range 1.2–2.4 mm. Care should be exercised in choosing the pen width of machine-plotted graphs. Frequently lines in these figures are too fine compared to the area of the figure.

Shaded areas in line figures should be shown by means of cross-hatching (or a matrix of dots) rather than a continuous grey "wash". Cross-hatching, after reduction, of density less than $\sim$25 lines/cm is satisfactory.

Half-tone plates: The photographs supplied for reproduction should be unmounted unless they form part of a composite figure and they should have a somewhat greater contrast than is desired in the printed figure. It is important that the photographs supplied are not already screened (overprinted with the point-matrix used by printers) or moiré patterns will form when they are screened for a second time. When necessary, the top side of a photograph should be marked. A reduction factor should be recommended for a photo when it is not obvious what detail in the photo is of interest.

Proofs and alterations. Proofs will be read by the Publisher unless otherwise requested by the author. In the latter case, please note that alterations in the text cannot be permitted once the paper has been typeset. Authors may be charged for extra corrections resulting from their inattention.

Refereeing. All papers are subjected to refereeing, and in case a paper cannot be accepted in the form it was submitted, the submitting author will be informed about the referee's comments.

Acceptance. Acceptance forms will be sent by the Editor. There is *no* page charge. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information. The master copy and original drawings will be returned to the author(s) in case their paper is not accepted for publication.

Reprints and free copy. Fifty reprints and a copy of the issue will be offered free of charge to authors. After the paper has been accepted for publication, an order form for reprints will be sent to the author(s) together with the copyright transfer form mentioned above. Both should be returned to the Publisher within three days.

Editorial addresses

M.B. BRODSKY ***Physica C Editorial Office***, Bldg. 223, Rm. S-231, Argonne National Laboratory, 9700 South Cass Avenue,
G.W. CRABTREE Argonne, IL 60439, USA
B.D. DUNLAP Telephone: (708) 252 3300; Telex: 910 258 3285 USA; Telefax: (708) 252 3308

R.P. GRIESSEN, new address from Dec. 28, 1992: Emmaweg 29B, NL-1241 LG Kortenhoef
Numbers per June 1: Telephone: (035) 561 451; telefax: (035) 562 989

S. MAEKAWA, Department of Applied Physics, Nagoya University, Nagoya, 464-01, Japan
Telephone: (052) 781 5111 extn. 4445; Telex: 4477355 ENUNAG-J; Telefax: (052) 782 2129

Yu.A. OSIPYAN, Institute of Solid State Physics, Russian Academy of Sciences, Chernogolovka, Moscow district 142432, Russia
Telephone: (095) 237 6803; Telefax: (095) 237 9862

H.R. OTT, Laboratorium für Festkörperphysik, ETH-Hönggerberg/HPF, CH-8093 Zürich, Switzerland
Telephone: (01) **633 2311/2315**; Telex: 823474 EHPZ CH; Telefax: (01) 371 59 89

S. TANAKA, Superconductivity Research Laboratory (SRL), International Superconductivity Technology Center (ISTEC), 1-10-13 Shinonome, Koto-ku, Tokyo 135, Japan
Telephone: (03) 3536 5700; Telefax: (03) 3536 5714

Publication and submission schedule for 1994, Volumes 219–236

Volume/ Issue	Date of publication	Period of receipt	Volume/ Issue	Date of publication	Period of receipt
219.1&2	1 January	16 Oct–31 Oct	227.1&2	20 June	11 April–20 April
3&4	15 January	1 Nov–15 Nov	3&4	1 July	21 April–30 April
220.1&2	1 February	16 Nov–30 Nov	228.1&2	10 July	1 May–10 May
3&4	10 February	1 Dec–10 Dec	3&4	20 July	11 May–20 May
221.1&2	20 February	11 Dec–20 Dec	229.1&2	1 August	21 May–31 May
3&4	1 March	21 Dec–31 Dec	3&4	15 August	1 June–15 June
222.1&2	10 March	1 Jan–10 Jan	230.1&2	1 September	16 June–30 June
3&4	20 March	11 Jan–20 Jan	3&4	10 September	1 July–10 July
223.1&2	1 April	21 Jan–31 Jan	231.1&2	20 September	11 July–20 July
3&4	10 April	1 Febr–10 Febr	3&4	1 October	21 July–31 July
224.1&2	20 April	11 Febr–20 Febr	232.1&2	15 October	1 Aug–15 Aug
3&4	1 May	21 Febr–28 Febr	3&4	1 November	16 Aug–31 Aug
225.1&2	10 May	1 March–10 March	233.1&2	10 November	1 Sept–10 Sept
3&4	20 May	11 March–20 March	3&4	20 November	11 Sept–20 Sept
226.1&2	1 June	21 March–31 March	234.1&2	1 December	21 Sept–30 Sept
3&4	10 June	1 April–20 April	3&4	15 December	1 Oct–15 Oct
			235/236,	Dec. 1994, Proc. M^{2}S-HTSC IV, Grenoble, July 5–9, 1994	

Instructions to Authors – Special Features

For the sake of rapid publication, Physica C authors are requested to follow a somewhat unusual procedure in submitting manuscripts:

- Three copies of your article should be submitted: two copies to ***one*** of the editors and one, accompanied by the original figures, to the publisher: Elsevier Science B.V., c/o P.J. Hoff, P.O. Box 103, 1000 AC Amsterdam, The Netherlands
- Telefax is to be used in all communications as far as practicable. The editors may be able to speed up the reviewing process if a copy of your paper reaches them by fax. However, in all cases, two hard copies must follow. Please note that the Publisher cannot work with a fax copy. Small changes or additions can be communicated by fax or telephone (***telefax: 31-20-5862 704; telephone: 31-20-5862 568***).
- All submissions must be accompanied by a covering letter giving affiliation, full address, telephone and fax number of the submitting author. The Publisher must be informed of the identity of the receiving editor.
- Do not send figures with your revised manuscript ***unless*** those figures have been changed. Revised figures should be identified as such.

Contents

Master Index Physica C, Volumes 202–218 (1992/93)

Note to Authors	v
Index of Authors and Papers	1
Analytic Subject Index	57
Materials Index	69

Physica C 202–218 (1992/1993) 1–56
North-Holland

PHYSICA C

Author Index to Volumes 202–218

Abaliosheva, I.S., see P.N. Mikheenko **214**, 393

Abbas, F., L.E. Davis and J.C. Gallop, Field solution for a thin-film superconducting parallel-plate transmission line **215**, 132

Abell, J.S., see A. Marshall **210**, 518

Abell, J.S., see T.C. Shields **213**, 338

Abraham, R., see J.L. Jorda **205**, 177

Abraham, R., see C. Opagiste **205**, 247

Abrashev, M.V., V.N. Hadjimitov, E. Dinolova and L.N. Bozukov, Micro-Raman, SEM and X-ray characterization of $(Pb_{0.6}Cu_{0.5})LaSrCa_{n-1}Cu_nO_x$ $(n=1, 2)$ ceramics **215**, 421

Abrikosov, A.A., J.C. Campuzano and K. Gofron, Experimentally observed extended saddle point singularity in the energy spectrum of $YBa_2Cu_3O_{6.9}$ and $YBa_2Cu_4O_8$ and some of the consequences **214**, 73

Abrikosov, A.A., Influence of the gap anisotropy on superconducting properties **214**, 107

Abulafia, Y., see A. Reiderman **209**, 145

Acha, C., see P. Levy **214**, 111

Achutharaman, V.S., see N. Chandrasekhar **205**, 161

Acquarone, M. and M. Paiusco, Can electronic interactions alone explain the diamagnetic impurity effects on antiferromagnetism in La_2CuO_4 and related materials? **209**, 327

Acquarone, M. and M. Paiusco, Diamagnetic impurity effects on the Néel temperature in La_2CuO_4 and related materials **210**, 373

Adachi, H., see K. Fukushima **207**, 119

Adachi, S., T. Sakurai, Y. Yaegashi, N. Seiji, A. Fukuoka and H. Yamauchi, Increase of the Meissner volume fraction in O_2-HIP processed $La_{1.85}Ca_{1.15}Cu_2O_6$ samples **206**, 329

Adachi, S., N. Watanabe, N. Seiji, N. Koshizuka and H. Yamauchi, Structural and superconducting properties of $(Y/Pr)Ba_2Cu_4O_8$ prepared by using O_2-HIP technique **207**, 127

Adachi, S., H. Yamauchi, S. Tanaka and N. Môri, High-pressure synthesis of superconducting Sr–Ca–Cu–O samples **208**, 226

Adachi, S., H. Yamauchi, S. Tanaka and N. Môri, New superconducting cuprates in the Sr–Ca–Cu–O system **212**, 164

Adachi, S., see M. Itoh **212**, 271

Adachi, S., A. Tokiwa-Yamamoto, M. Itoh, K. Isawa and H. Yamauchi, Annealing effects on the Meissner signals from Hg–Ba–Ca–Cu–O superconductors **214**, 313

Adachi, S., see A. Tokiwa-Yamamoto **216**, 250

Adachi, S., see K. Isawa **217**, 11

Adachi, S., see H. Takahashi **218**, 1

Adam, R., see M. Mahel **202**, 243

Adelerhof, D.J., M.E. Bijlsma, P.B.M. Fransen, T. Weiman, J. Flokstra and H. Rogalla, Fabrication of Nb/Al,AlO_x/Al/Nb Josephson tunnel junctions using reactive ion etching in SF_6 **209**, 477

Adhikari, K., see A.K. Pradhan **216**, 169

Adrian, F.J., see J. Bohandy **203**, 139

Adrian, H., see C. Stölzel **204**, 15

Adrian, H., see C.M. Fu **205**, 111; **206**, 110

Adrian, H., see C.L. Jia **210**, 1

Adrian, H., see M. Serwe **213**, 370

Adrian, H., see P. Wagner **215**, 123

Affronte, M., see C. Escribe-Filippini **210**, 133

Agarwal, S.K., see B.R. Sekhar **206**, 139

Agassi, D. and R.D. Bardo, Pinning properties of a disordered planar defect **210**, 114

Agassi, D. and R.D. Bardo, Flux pinning and critical currents in a disordered grain boundary model **210**, 127

Agnihotry, S.A., S. Chandra, P.P. Bakare and S.K. Date, Superconductivity in an Sb-incorporated Bi–Sr–Ca–Cu–O (BSSCCO) system **212**, 381

Agostinelli, J.A., J.M. Chwalek, C.J. Baron, G. Lubberts and C.D. Dowell, YBCO-based ramp-edge Josephson junctions and DC SQUIDs with a cubic-YBCO barrier layer **207**, 203

Agrawal, V., see N. Chandrasekhar **205**, 161

Aharoni, E., G. Koren, D. Cohen and D. Cohen, Flux focusing in all high-T_c Josephson edge junctions and SQUIDs **202**, 263

Aharoni, E., G. Koren, E. Polturak and D. Cohen, Barrier and electrode properties of high-T_c Josephson junctions formed by a plasma discharge process **209**, 215

Ahrens, E.T., A.P. Reyes, P.C. Hammel, J.D. Thompson, P.C. Canfield, Z. Fisk and J.E. Schirber, Thermal history-dependent superconductivity and local structure in $La_2CuO_{4+\delta}$ **212**, 317

Ahrens, R., see Th. Schreiner **204**, 161

Aihara, K., see O.F. Schilling **204**, 109

Ajaykumar, K.S., see L.S. Grigoryan **205**, 296

Akhtar, M.J., Z.N. Akhtar and C.R.A. Catlow, X-ray absorption studies of $La_{2-x}(Ba,Sr)_xCuO_4$ high-T_c superconductors **209**, 373

Akhtar, Z.N., see M.J. Akhtar **209**, 373

Akimenko, A.I., G. Goll, H. V. Löhneysen and V.A. Gudimenko, Gap anisotropy and gapless superconductivity in Zn-doped $YBa_2Cu_3O_{7-\delta}$ **213**, 399

Akimitsu, J., see Y. Miyazaki **202**, 162

Akimitsu, J., see T. Den **208**, 351

Akimitsu, J., see H. Takahashi **210**, 485

Akimitsu, J., see M. Uehara **213**, 51; **216**, 453

Akimitsu, J., see S. Katano **215**, 92

Akimitsu, J., see Y. Matsui **217**, 287
Akimitsu, J., see T. Ekino **218**, 387
Aksenova, T.D., P.V. Bratukhin, S.V. Shavkin, V.L. Melnikov, E.V. Antipova, N.E. Khlebova and A.K. Shikov, Texture formation in $Bi_2Sr_2Ca_1Cu_2O_x$/Ag tapes prepared by partial melt process **205**, 271
Aleksashin, B.A., see A.M. Bogdanovich **215**, 253
Alexander, K.B., see A. Goyal **210**, 197
Alexandrov, A.S., A.M. Bratkovsky, N.F. Mott and E.K.H. Salje, Near-infrared absorption of $YBa_2Cu_3O_{7-\delta}$. Evidence for Bose–Einstein condensation of small bipolarons **215**, 359
Aligia, A.A., see M.E. Simón **206**, 297
Alimoussa, A., M.J. Casanove, M. Schwerdtfeger, C. Villard and J.C. Villegier, Microstructure and electrical properties of $La_{2-x}Sr_xCuO_4$–$YBa_2Cu_3O_{7-\delta}$ multilayers deposited by laser ablation **202**, 23
Allgeier, C., see A.E. Schlögl **216**, 417
Alloul, H., see H. Casalta **204**, 331
Altorfer, F., see W. Marti **206**, 158
Amann, A., see K. Aupke **209**, 255
Amelinckx, S., see T. Krekels **210**, 439
Amelinckx, S., see O. Milat **217**, 444
Amitin, E.B., N.V. Bausck, S.A. Gromilov, S.G. Kozlova, N.K. Moroz, L.N. Mazalov, V.N. Naumov, P.P. Samoilov, S.A. Slobodjan, M.A. Starikov, V.E. Fedorov, G.I. Frolova and S.B. Erenburg, The electron and lattice properties of superconducting ceramics YBCO–Cl **209**, 407
Anczykowski, B., see H.M. Appelboom **214**, 323
Andersen, J.N., see M. Qvarford **214**, 119
Andersen, J.V., N.H. Andersen, O.G. Mouritsen and H.F. Poulsen, Effects of Co, Fe, and Al doping on the oxygen disordering and superconducting transition temperature of $YBa_2Cu_3O_{6+x}$ **214**, 143
Andersen, J.V., see T. Fiig **217**, 34
Andersen, N.H., see I. Mangelschots **203**, 369
Andersen, N.H., see J.V. Andersen **214**, 143
Andersen, N.H., see T. Fiig **217**, 34
Andersen, N.H., see J.-E. Jørgensen **218**, 43
Andersen, O.K., see I.I. Mazin **209**, 125
Andersson, B.M. and B. Sundqvist, Thermal conductivity of $YBa_2Cu_4O_8$ under high pressure **216**, 187
Andersson, M., Ö. Rapp and R. Tellgren, Neutron diffraction studies of Ca–Pr doped $YBa_2Cu_3O_{7-\delta}$ **205**, 105
Andrä, W., R. Hergt, R. Hiergeist, J. Taubert, M. Zeisberger, K. Winzer, J. Bernhard and K.F. Renk, Magnetization anomaly in TBCCO high-T_c superconductors **213**, 471
André, M.-O., see G. D'Anna **218**, 238
Andreev, A.V., Triplet superconductive pairing in the lowest Landau level **213**, 394
Andreone, D., see F. Pavese **204**, 1
Andres, K., see M. Kund **205**, 32
Andrikidis, C., see Y. Zhao **212**, 451
Andrikidis, C., see J.A. Xia **215**, 152
Andronov, A., I. Gordion, V. Kurin, I. Nefedov and I. Shereshevsky, Kinematic vortices and phase slip lines in the dynamics of the resistive state of narrow superconductive thin film channels **213**, 193
Andrzejewski, B., see J. Stankowski **215**, 167
Anselmetti, D., see M. Boekholt **203**, 180
Anselmi-Tamburini, U., see G. Spinolo **217**, 347
Antipov, E.V., see S.N. Putilin **212**, 266
Antipov, E.V., S.M. Loureiro, C. Chaillout, J.J. Capponi, P. Bordet, J.L. Tholence, S.N. Putilin and M. Marezio, The synthesis and characterization of the $HgBa_2Ca_2Cu_3O_{8+\delta}$ and $HgBa_2Ca_3Cu_4O_{10+\delta}$ phases **215**, 1
Antipov, E.V., see S.M. Loureiro **217**, 253
Antipov, E.V., see O. Chmaissem **217**, 265
Antipov, E.V., J.J. Capponi, C. Chaillout, O. Chmaissem, S.M. Loureiro, M. Marezio, S.N. Putilin, A. Santoro and J.L. Tholence, Synthesis and neutron powder diffraction study of the superconductor $HgBa_2CaCu_2O_{6+\delta}$ before and after heat treatment **218**, 348
Antipova, E.V., see T.D. Aksenova **205**, 271
Antokhina, V.U., see P.J. King **215**, 67
Antokhina, V.U., see Yu.I. Latyshev **216**, 471
Aoki, H., see S. Uji **207**, 112
Aoki, T., see M. Kato **217**, 189
Aomine, T., see T. Fukami **202**, 167; **215**, 375
Aomine, T., see T. Nishizaki **204**, 305
Apaja, V. and A. Kallio, Acoustic plasmon velocity from Raman scattering lineshapes **209**, 519
Appelboom, H.M., V.C. Matijasevic, F. Mathu, G. Rietveld, B. Anczykowski, W.J.A.M. Peterse, F. Tuinstra, J.E. Mooij, W.G. Sloof, H.A. Rijken, S.S. Klein and L.J. Van IJzendoorn, Sm–Ba–Cu–O films grown at low temperature and pressure **214**, 323
Apte, P.R., see R. Pinto **207**, 13
Arai, J., S. Ogawa and K. Umezawa, Local destruction of antiferromagnetic spin correlation in high-T_c superconductor $(La_{1-x}Sr_x)_2Cu_{0.99}M_{0.01}O_{4-z}$ (M=Ga,Fe) **206**, 257
Arai, K., see H. Nonaka **217**, 280
Arciprete, F., see A. Balzarotti **218**, 301
Arndt, T., W. Schauer and J. Reiner, A new extended critical state model including the lower critical field and screening **210**, 417
Arnold, J., A. Pfuch, J. Borck, K. Zach and P. Seidel, Preparation and characterization of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ thin films made by LPVD **213**, 71
Asadov, A.K., Yu.A. Genenko, G.G. Levchenko, V.I. Marcoviĉ, Yu.V. Medvedev, A.V. Pashenko and I.M. Phita, Controllable dimensional crossover of magnetic behavior in single-crystal GdBaCuO with variable oxygen content **206**, 119
Asaf, U., O. Cohen, I. Felner and U. Yaron, Superconducting oxyfluorides $Nd_2CuO_{4-x}F_x$; $Nd_{2-z}Gd_zCuO_{4-x}F_x$ and $Pr_2CuO_{4-x}F_x$ **209**, 183
Asaf, U., see I. Felner **210**, 55; **214**, 169
Asaf, U., I. Felner and U. Yaron, Combinations of anion and cation doping The $Nd_{2-x}Ce_xCuO_{4-y}F_y$ superconductor **211**, 45
Asayama, K., see G.-Q. Zheng **208**, 339
Asayama, K., see T. Nishikawa **209**, 553

Aselage, T.L., E.L. Venturini, S.B. Van Deusen, T.J. Headley, M.O. Eatough and J.A. Voigt, Phase stability and properties of near-equilibrium Tl–Ca–Ba–Cu–O superconductors **203**, 25
Askenazy, S., see E.G. Haanappel **209**, 39
Askenazy, S., see C. Escribe-Filippini **210**, 133
Aupke, K., T. Teruzzi, P. Visani, A. Amann, A.C. Mota and V.N. Zavaritsky, Quantum creep in a $Bi_2Sr_2CaCu_2O_x$ single crystal **209**, 255
Aurisicchio, C., see L. Dimesso **203**, 403
Ausloos, M., see Yu.M. Yarmoshenko **211**, 29
Ausloos, M. and M. Houssa, Thermal conductivity of an untwinned $YBa_2Cu_3O_{7-\delta}$ single crystal. An alternative interpretation in terms of carrier condensation. **218**, 15
Awaji, S., see Y. Muraoka **215**, 402
Awana, V.P.S., see B.R. Sekhar **206**, 139
Azami, M. and T. Matsuura, The localized excited state in a superconductor due to magnetic impurity **214**, 385
Azbel, M.Y., see B.A. Malomed **209**, 103
Azoulay, J., see A. Verdyan **209**, 307
Azoulay, J., see M. Pekala **209**, 311
Azuma, M., see Z. Hiroi **208**, 286
Azuma, M., see N. Ikeda **210**, 367

Baak, J., S.I. Mukhin, H.B. Brom, M.J.V. Menken and A.A. Menovsky, The nuclear contribution to the specific heat of single crystals of $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ **210**, 391
Babichenko, V.S. and M.N. Kiselev, On the excitonic mechanism of superconductivity **209**, 133
Babu, T.G.N. and C. Greaves, Critical hole density for superconductivity in Sr-containing phases related to $YBa_2Cu_3O_7$. Structure, superconductivity and cation substitutions in $YSr_2Cu_{2.8}Cr_{0.2}O_7$ **207**, 44
Bach, H., see M. Brinkmann **217**, 418
Badía, A., see J.M. González-Calbet **203**, 223
Baenitz, M., see J. Freytag **209**, 59
Bærendtsen, H.D., see J.G. Larsen **217**, 135
Baert, M., see C.M. Fu **206**, 110
Baggio-Saitovitch, E., R.B. Scorzelli, I. Souza Azevedo, F.J. Litterst and H. Micklitz, Oxygen re-arrangement and desorption in ^{57}Fe:Y–Ba–Cu–O **215**, 77
Bajorek, A., see M. Bałanda **205**, 280
Bąk, T., see J. Molenda **207**, 147
Bakare, P.P., see S.A. Agnihotry **212**, 381
Bakker, S.J.M., see T.G.M. Oosterlaken **214**, 359
Balachandran, U., see P. Krishnaraj **215**, 305
Balakrishnan, G., D.M. Paul, M.R. Lees and A.T. Boothroyd, Single crystal growth of $Bi_2Sr_2CaCu_2O_8$ using an infra-red image furnace **206**, 148
Bałanda, M., A. Bajorek, A. Szytuła and Z. Tomkowicz, Flux creep in Pr-substituted systems. A comparative study of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ and $Y_{1-x}Pr_xBa_2Cu_4O_8$ **205**, 280
Baldha, G.J., see R.G. Kulkarni **217**, 175
Balestrino, G., E. Milani and A.A. Varlamov, Effects of redox thermal treatments on the transverse resistance peak at the edge of the superconducting transition in $Bi_2Sr_2CaCu_2O_{8+x}$ **210**, 386
Baliña, M., see M.E. Simón **206**, 297
Baltrusch, R., see H.H. Otto **215**, 205
Balzarotti, A., F. Arciprete, S. Colonna, M. Diociaiuti, F. Patella and M. De Crescenzi, Angular dependence of the oxygen K-edge fine structure in electron-energy loss spectra of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ **218**, 301
Bando, Y., see T. Nishizaki **204**, 305
Bando, Y., see N. Ikeda **210**, 367
Bandyopadhyay, S.K., see P. Barat **218**, 63
Bang, Y., Raman scattering in a t–J model: slave boson large-N technique **218**, 251
Bansil, A., see M. Lindroos **212**, 347
Barabanov, A.F., L.A. Maksimov and L.E. Zhukov, Hole spectrum of adjacent CuO_2 planes in the two-band model and the non-monotonic T_c dependence on the external parameters **212**, 375
Baram, J., see N. Froumin **209**, 315
Baram, J.C., see Y. Massalker **209**, 295
Baranov, M.A., D.V. Efremov and M.Yu. Kagan, The enhancement of the superconductive transition temperature in quasi-2D materials in a parallel magnetic field **218**, 75
Barat, P., S.K. Bandyopadhyay, P. Dasgupta, P. Sen, U. De, S.K. Kar, P.K. Mukhopadhyay and C.K. Majumdar, Effect of pelletization pressure on texturing of a $YBa_2Cu_3O_{7-\delta}$ sample **218**, 63
Baratoff, A., see J. Mannhart **216**, 401
Barbiellini, B., M. Gauthier, L. Hoffmann, T. Jarlborg, A.A. Manuel, S. Massidda, M. Peter, W. Sadowski, A. Shukla and E. Walker, Positron annihilation in $YBa_2Cu_3O_{7-\delta}$: a clearer picture **209**, 75
Barczyński, R., see M. Gazda **207**, 300
Bardal, A. and O. Eibl, The interfacial atomic structure of epitaxial YBCO thin films on Y_2O_3 **216**, 365
Bardo, R.D., see D. Agassi **210**, 114, 127
Barkay, Z., D. Racah, N. Hass, B. Dwir, E. Grünbaum and G. Deutscher, Study of cathodoluminescence in high-T_c superconductors **209**, 81
Barner, J.B., see R.P. Vasquez **207**, 266
Barner, J.B., B.D. Hunt, M.C. Foote, W.T. Pike and R.P. Vasquez, $YBa_2Cu_3O_{7-\delta}$-based, edge-geometry SNS Josephson junctions with low-resistivity $PrBa_2Cu_3O_{7-\delta}$ barriers **207**, 381
Barnes, C.L., see M. Lelental **217**, 79
Baron, C.J., see J.A. Agostinelli **207**, 203
Barone, A. and E. Sarnelli, High-T_c Josephson junctions: achievements and perspectives **209**, 219
Barry, J.C., see S.J. Golden **217**, 313
Baudenbacher, F., see K. Hirata **214**, 272
Bauer, M., see H.-U. Habermeier **209**, 89
Bauer, M.J., see J.A. Schlueter **216**, 305
Bäuerle, D., see W. Lang **209**, 71
Bäuerle, D., see P. Schwab **214**, 257
Bauernfeind, L., see W. Widder **217**, 121
Bauminger, E.R., see I. Nowik **209**, 151
Bauminger, E.R., see I. Felner **210**, 55

Bausck, N.V., see E.B. Amitin **209**, 407
Bayless, W.R., see J.E. Schirber **213**, 190
Bayya, S.S. and R.L. Snyder, Growth of anisotropic shaped superconducting particles in the Tl–Ba–Ca–Cu–O system **208**, 69
Bayya, S.S. and R.L. Snyder, Synthesis of thallium superconducting phases via melt quenching **214**, 25
Bazhenov, A.V., A.V. Gorbunov, K.B. Rezchikov, T.N. Fursova, A.A. Zakharov and M.B. Tsetlin, Electron transitions at 0.1–0.6 eV and DC-conductivity in the semiconducting phase of La_2CuO_{4+x} single crystals **208**, 197
Bazhenov, A.V., K.B. Rezchikov, T.N. Fursova, A.A. Zakharov and M.B. Tsetlin, Infrared spectra of optical phonons in semiconducting La_2CuO_{4+x} single crystals **214**, 45
Beales, T.P., W.G. Freeman, S.R. Hall, M.R. Harrison and J.M. Parberry, Synthesis and properties of a series of layered copper oxide superconductors with a $(Pb_{0.5}Cd_{0.5})$ rock-salt dopant layer **205**, 383
Beales, T.P., C. Dineen, S.R. Hall, M.R. Harrison and J. M Parberry, New cuprates with the "1212" structure. (M′, M)Sr_2(Y, Ca)Cu_2O_7 where M′ = Ce, Bi and M = Cd, Zn, Cu **207**, 1
Beasley, M.R., Recent penetration depth measurements of the high-T_c superconductors and their implications **209**, 43
Beauvais, L., see L. Gao **213**, 261
Beauvais, L., see R.L. Meng **216**, 21
Beck, H., see T. Schneider **216**, 432
Becker, W., see S. Elschner **202**, 407
Bedekar, M.M., A. Safari and W. Wilber, Superconducting thin films of Bi–Sr–Ca–Cu–O by laser ablation **202**, 42
Bedford, R.G., see C.E. Violet **207**, 347
Bednarczyk, P.J., see J.A. DeLuca **205**, 21
Beeli, C., see S. Tao **204**, 117
Behera, S.N., see D. Sa **203**, 347
Behner, H., K. Rührnschopf, G. Wedler and W. Rauch, Surface reactions and long time stability of YBCO thin films **208**, 419
Behner, H., see W. Rauch **211**, 234
Behner, H., K. Rührnschopf, G. Wedler and W. Rauch, Growth and characterization of $YBa_2Cu_3O_{7-\delta}$ thin films with specifically reduced critical temperature **216**, 333
Beilin, V., see Y. Yaroslavsky **209**, 179
Beille, J., see M.A. Crusellas **209**, 537
Bekeris, V., see P. Levy **214**, 111
Belinicher, V.I. and A.L. Chernyshev, Low-energy limit of the three-band model for electrons in a CuO_2 plane **213**, 298
Belousov, N.S., L.L. Makarshin and V.N. Parmon, Nitroxyl radical adsorption on superconducting yttrium ceramics increases its critical current **217**, 170
Beňačka, Š., see M. Maheľ **202**, 243; **213**, 287
Beňačka, Š., see M. Grajcar **218**, 82
Bendre, S.T., see P. Guptasarma **203**, 129
Bénière, F., see K. Nanda Kishore **204**, 299
Benischke, R., R. Benischke, T. Weber, W.H. Fietz, J. Metzger, K. Grube, T. Wolf and H. Wühl, The effect of high hydrostatic pressure on T_c of $YBa_2Cu_3O_x$ as a function of the oxygen content **203**, 293
Benischke, R., see R. Benischke **203**, 293
Benlhachemi, A., S. Golec and J.R. Gavarri, Elaboration and variable properties of 2223 BSCCO superconductor–polymer composites **209**, 353
Bennett, L.H., see J. Bohandy **203**, 139
Beno, M.A., see J.L. Wagner **210**, 447
Beno, M.A., see P.G. Radaelli **216**, 29
Benoit, W., see G. D'Anna **218**, 238
Ben Salem, E., see M. Cassart **213**, 327
Bente, K., W. Blum, R. Gaebel, J. Pebler and P. Schmid-Beurmann, Crystal structure and valency properties of superconducting phases of Ba(Pb, Bi, Sb)O_3 perovskites **202**, 379
Ben-Yaakov, A., see A. Golub **209**, 207
Berastegui, P., L.-G. Johansson, M. Käll and L. Börjesson, Structure of Y(Pr)$Ba_2Cu_4O_8$ A neutron diffraction study **204**, 147
Berberich, P., see O. Eibl **203**, 445
Berdahl, P., see S.K. Gupta **206**, 335
Bernaschi, M., see A. Giannelli **209**, 67
Bernhard, J., see W. Andrä **213**, 471
Bernhoff, H., M. Qvarford, S. Söderholm, R. Nyholm, U.O. Karlsson, I. Lindau and A.S. Flodström, Photoemission study of the $Bi_2CaSr_2Cu_2O_8$ superconductor with Cu, Ag and Au overlayers **218**, 103
Berthold, L., see D. Hesse **202**, 277
Berthold, L., see H.P. Lang **202**, 289
Beskrovnyi, A.I., Z. Jirák, M. Nevřiva and I.G. Shelkova, Neutron diffraction study of the modulated structure of $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ ($x \sim 0.6$) **206**, 27
Bestgen, H., see S. Elschner **202**, 407
Bettahi, A., see J. Marfaing **202**, 19; **206**, 242
Beyers, R., see L.M. Rubin **217**, 227
Bezryadin, A.V. and V.N. Kopylov, Detection of vortex motion in high-T_c superconductor by N–S point contact **209**, 559
Bezuglyj, A.I. and V.A. Shklovskij, Effect of self-heating on flux flow instability in a superconductor near T_c **202**, 234
Bhagat, S.M., see J.S. Ramachandran **202**, 151
Bhagat, S.M., see S. Lofland **203**, 271
Bhalla, G.L., A. Malik, A. Kumar, B. Kumar and G.C. Trigunayat, On preventing the degradation in $YBa_2Cu_3O_{7-\delta}$ superconductors caused by gamma irradiation **213**, 78
Bhargarva, A., see S.J. Golden **217**, 313
Bhattacharya, D. and H.S. Maiti, Role of Sb doping in governing the thermal conductivity of Bi–Pb–Sr–Ca–Cu–O superconductors between 10 and 150 K **216**, 147
Bhattacharya, R.N., P.A. Parilla and R.D. Blaugher, Processing of thick-film electrodeposited thallium oxide superconductors **211**, 475
Bianco, M., see F. Pavese **204**, 1
Bichile, G.K., see R.G. Kulkarni **217**, 175
Bijlsma, M.E., see D.J. Adelerhof **209**, 477
Bischof, B., see J. Hauck **212**, 435
Bist, H.D., see L.S. Grigoryan **205**, 296

Blackstead, H.A., Anisotropic resistivity in the mixed state of $YBa_2Cu_3O_{7-\delta}$ **209**, 437
Blamire, M.G., Deconvolution of tunneling density of states from superconductor–insulator–superconductor current versus voltage data **211**, 467
Blanc-Guilhon, B., see J.F. Hamet **214**, 55
Blanchin, M.G., see C. Opagiste **205**, 247
Blank, D.H.A., see D. Terpstra **217**, 151
Blanton, T.N., see M. Lelental **217**, 79
Blau, M., see S. Velner **209**, 335
Blaugher, R.D., see R.N. Bhattacharya **211**, 475
Blechschmidt, J., see A. Burau **216**, 284
Blum, W., see K. Bente **202**, 379
Boasson, H., see D. Shaltiel **202**, 303
Bock, J., see W. Schnelle **209**, 456
Bodyrev, V.V., see A.P. Nemudry **211**, 375
Boekholt, M., see L. Buschmann **203**, 68
Boekholt, M., M. Fleuster, F. Nouvertné, M. Herrmann, G. Güntherodt, C. Jaekel, D. Anselmetti, H.J. Güntherodt, D. Wehler and G. Müller, Growth and characterization of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $Bi_2Sr_2CuO_{6+\gamma}$ single crystals **203**, 180
Boekholt, M., see H. Idink **204**, 267
Bogdanovich, A.M., Yu.I. Zhdanov, K.N. Mikhalyov, V.V. Lavrentjev, B.A. Aleksashin, S.V. Verkovskij, N. Winzek, P. Gergen, J. Gross, M. Mehring, A.Yu. Yakubovskii, L.D. Shustov and A.B. Myasoedov, Spin susceptibility and doping dependence in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}Y_xCu_2O_{7-\delta}$ around the metal–insulator transition $^{63,65}Cu$, ^{207}Pb and ^{205}Tl NMR and spin–lattice relaxation **215**, 253
Bogomolov, V.N., Y.A. Kumzerov, S.G. Romanov and V.V. Zhuravlev, Josephson properties of the three-dimensional regular lattice of the weakly coupled nanoparticles **208**, 371
Bohac, P., see R. Müller **203**, 299
Boháček, P., see J. Wild **209**, 486
Bohandy, J., B.F. Kim, K. Moorjani, F.J. Adrian, D.L. Kaiser, L.J. Swartzendruber, F.W. Gayle and L.H. Bennett, Twin boundaries, impurities, and anisotropy in $YBa_2Cu_3O_{7-\delta}$ single crystals **203**, 139
Bok, J., Superconductivity in the cuprates. The van Hove scenario **209**, 107
Bokhimi, ., see A. García-Ruíz **204**, 79
Bokhonov, B.B., see A.P. Nemudry **211**, 366
Boldyrev, V.V., see A.P. Nemudry **211**, 366
Bolmont, D., see B. Loegel **210**, 432
Bonadeo, H., see M. Weissmann **218**, 213
Boni, P., see H.M. Duan **203**, 257
Bonjour, E., see A. Junod **211**, 304
Bonjour, E., see C. Marcenat **216**, 443
Bonville, P., see J.A. Hodges **218**, 272, 283
Book, G.W., see J.M. Rozell Jr. **204**, 384
Boon, W., see C.M. Fu **205**, 111; **206**, 110
Boothroyd, A.T., see G. Balakrishnan **206**, 148
Boothroyd, A.T., see C.K. Chen **214**, 231
Boothroyd, A.T., S.M. Doyle and R. Osborn, The magnetic state of Pr in $PrBa_2Cu_3O_7$ **217**, 425
Borck, J., see J. Arnold **213**, 71
Borck, J., S. Linzen, K. Zach and P. Seidel, A morphological growth model for laser ablated $Y_1Ba_2Cu_3O_{7-x}$ thin films **213**, 145
Bordet, P., see X. Obradors **213**, 81
Bordet, P., see E.V. Antipov **215**, 1
Börjesson, L., see P. Berastegui **204**, 147
Bormann, D., see T. Schneider **216**, 432
Börner, H., see M. Lorenz **215**, 445
Borowski, R., see M. Breuer **208**, 217
Borsa, F., see P. Carretta **209**, 121
Böttner, R., see N. Schroeder **218**, 220
Boulesteix, C., see J. Marfaing **202**, 19; **206**, 242
Boulesteix, C., see A. Rosová **214**, 247
Bourdillon, A., see S. Tolpygo **209**, 211
Bourée, F., see E. Suard **210**, 164
Bourgault, D., see B. Loegel **210**, 432
Bowen, R.C., see M. Lelental **217**, 79
Boyd, I.W., see S.H.H. Naqvi **213**, 161
Bozec, X., see D. Delagnes **211**, 355
Bozukov, L.N., see M.V. Abrashev **215**, 421
Brabers, V.A.M., see X.F. Zhang **215**, 39
Brabers, V.A.M., see D. Hu **216**, 315
Braginski, A.I., see E. Sodtke **204**, 375
Bramley, R., see D.M. Wang **217**, 16
Bramley, R., see K.-P. Dinse **218**, 341
Brand, M., see S. Elschner **202**, 407
Brandt, E.H., see R.P. Huebener **202**, 321
Brandt, H.-J., see H.H. Otto **215**, 205
Bratkovsky, A.M., see A.S. Alexandrov **215**, 359
Bratsberg, H., see A.B. Riise **218**, 489
Bratukhin, P.V., see T.D. Aksenova **205**, 271
Bräuchle, G., see O. Kraut **205**, 139
Bräuchle, G., see A. Zibold **212**, 365
Braun, H.F., see W. Widder **217**, 121
Breuer, M., B. Büchner, R. Müller, M. Cramm, O. Maldonado, A. Freimuth, B. Roden, R. Borowski, B. Heymer and D. Wohlleben, Preparation and characterization of RE doped $La_{2-x}Sr_xCuO_4$ **208**, 217
Briant, C.L., see J.A. DeLuca **205**, 21
Briceño, G., M.F. Crommie and A. Zettl, Out-of-plane current transport in $Bi_2Sr_2CaCu_2O_8$ in the mixed state **204**, 389
Briceño, G., see S.K. Gupta **206**, 335
Brill, J.W., see Z. Xu **202**, 256
Brinkmann, M., H. Somnitz, H. Bach and K. Westerholt, Resistance anisotropy in strongly anisotropic high-T_c superconductors **217**, 418
Brisson, C., see M. Cassart **213**, 327
Brisson, C., see J. Hejtmánek **215**, 411
Brodersen, K., see Q. Li **217**, 360
Brom, H.B., see J. Baak **210**, 391
Brom, H.B., see D. Reefman **213**, 229
Broto, J.M., see C. Escribe-Filippini **210**, 133
Brown, L.M., see N.D. Browning **202**, 12
Browning, N.D., J. Yuan and L.M. Brown, Determination of

the local oxygen stoichiometry in $YBa_2Cu_3O_{7-\delta}$ by electron energy loss spectroscopy in the scanning transmission electron microscope **202**, 12
Browning, N.D., M.F. Chisholm, S.J. Pennycook, D.P. Norton and D.H. Lowndes, Correlation between hole depletion and atomic structure at high-angle grain boundaries in $YBa_2Cu_3O_{7-\delta}$ **212**, 185
Bruchlos, G., see J. Taubert **211**, 338
Bruchlos, H., see J. Taubert **211**, 338
Bruynseraede, Y., see B. Wuyts **203**, 235
Bruynseraede, Y., see C.M. Fu **205**, 111; **206**, 110
Bruynseraede, Y., see S. Libbrecht **206**, 51
Bruynseraede, Y., see V.V. Moshchalkov **207**, 307
Bruynseraede, Y., see P. Wagner **215**, 123
Bruynseraede, Y., see A. Steegmans **218**, 295
Bryksin, V.V. and S.N. Dorogovtsev, Space-time image of the magnetic flux penetrating into type-II superconductors in an applied oscillating magnetic field **215**, 173
Brynestad, J., see M. Paranthaman **213**, 271
Bryntse, I. and S.N. Putilin, Electron microscopy studies of the mercury-based superconductor $HgBa_2CuO_{4+\delta}$ **212**, 223
Büchner, B., see M. Breuer **208**, 217
Buckley, R.G., see C.K. Subramaniam **203**, 98
Buczkowski, S., see G.O. Zimmerman **209**, 291
Budin, H., O. Eibl, P. Pongratz and P. Skalicky, Disorder in the BiO sublattice of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+z}$ phases **207**, 208
Buekenhoudt, A., see A. Steegmans **218**, 295
Burany, X.M., see J. Chrzanowski **207**, 25
Burau, A., J. Blechschmidt, H.-J. Weber, V.V. Pavlov, M. Lenkens and G. Linker, Polar Kerr effects and magnetic circular dichroism in $YBa_2Cu_3O_{7-\delta}$ films **216**, 284
Burlachkov, L., see M. Weger **209**, 129
Burlachkov, L., Surface effect on the magnetic relaxation in high-temperature superconductors **209**, 203
Burns, S.J., Tetragonal symmetry from superconductivity in orthorhombic $YBa_2Cu_3O_7$ **206**, 97
Burns, S.J., see A. Goyal **210**, 197
Bursill, L.A., see C. Opagiste **205**, 247
Burtman, V., see Y. Yaroslavsky **209**, 179
Buschmann, L., M. Boekholt and G. Güntherodt, Tunneling spectroscopy on $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals at $T=4.2$ K **203**, 68
Bush, A.A., see Yu.F. Shepelev **215**, 371
Butorin, S., see Yu.M. Yarmoshenko **211**, 29

Cadoche, L., see G. Grader **209**, 273
Cagigal, M., see M.A. Crusellas **210**, 221
Cahen, D., see Y. Scolnik **209**, 305
Cai, J., see M. Xie **206**, 251
Cai, J.G., see Q. Wei **208**, 347
Caignaert, V., see A. Rykov **205**, 63
Caignaert, V., see E. Suard **210**, 164
Calalb, M.Gh., see M.E. Palistrant **208**, 170
Caldes, M., see D. Pelloquin **208**, 121; **212**, 199
Caldès, M.T., see D. Pelloquin **217**, 27
Caleca, M.A., see K.D. Carlson **215**, 195
Calemczuk, R., see A. Junod **211**, 304
Calemczuk, R., see C. Marcenat **216**, 443
Calestani, G., G. Salsi, M.G. Francesconi, R. Masini, L. Dimesso, A. Migliori, X.F. Zhang and G. Van Tendeloo, Effects of the annealing conditions on the structural and superconducting properties of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ **206**, 33
Callaway, J., see H. Chen **210**, 308
Campbell, A.M., see A. Porch **214**, 350
Campuzano, J.C., see M. Lindroos **212**, 347
Campuzano, J.C., see A.A. Abrikosov **214**, 73
Caneiro, A., see J.M. González-Calbet **203**, 223
Canfield, P.C., see E.T. Ahrens **212**, 317
Canfield, P.C., see F.C. Chou **216**, 66
Cantoni, M., see H.-U. Nissen **203**, 436
Cantoni, M., see S. Tao **204**, 117; **213**, 276
Cantoni, M. and H.-U. Nissen, Identification of Gd_2CuO_4 precipitates in sputtered $Gd_1Ba_2Cu_3O_{7-x}$ superconducting thin films **211**, 404
Cantoni, M., see T. Kroener **214**, 1
Cantoni, M., A. Schilling, H.-U. Nissen and H.R. Ott, Characterisation of superconducting Hg–Ba–Ca–Cu-oxides. Structural and physical aspects **215**, 11
Cao, G., see N. Rosov **204**, 171
Cao, G., Y. Li, R. Ma and G. Wang, Study of lattice softening on a Bi-system superconductor **205**, 133
Cao, L.H., see S.W. Wang **210**, 463
Cao, L.Z., see X.H. Chen **216**, 458; **217**, 342
Cao, X.W., see Q. Wei **208**, 347
Caplin, A.D., see F.J. Muller **202**, 268
Caplin, A.D., S.M. Cassidy, L.F. Cohen, M.N. Cuthbert, J.R. Laverty, G.K. Perkins, S.X. Dou, Y.C. Guo, H.K. Liu, F. Lu, H.J. Tao and E.L. Wolf, 'Strong' grain boundaries in Ag–BSCCO(2223) tapes **209**, 167
Caplin, A.D., see H.K. Liu **213**, 95
Capobianco, P., see B. Zhang **203**, 51
Capponi, J.J., see E.V. Antipov **215**, 1; **218**, 348
Capponi, J.J., see S.M. Loureiro **217**, 253
Capponi, J.J., see O. Chmaissem **217**, 265
Carbotte, J.P., see C. Jiang **210**, 325
Cardona, A., see K.H. Young **203**, 37
Cardona, M., see C. Thomsen **206**, 137
Cardona, M., see J. Humlíček **206**, 345
Cardona, M., see I.E. Trofimov **209**, 51
Carlson, K.D., see A.M. Kini **204**, 399
Carlson, K.D., A.M. Kini, J.A. Schlueter, U. Geiser, R.A. Klemm, J.M. Williams, J.D. Dudek, M.A. Caleca, K.R. Lykke, H.H. Wang, J.R. Ferraro and P. Stout, In search of an isotope effect on T_c in κ-$(ET)_2X$ superconductors with ^{34}S isotopic substitution in the eight sulfur atoms of bis(ethylenedithio)tetrathiafulvalene (ET) **215**, 195
Carmona, F., see B. Ropers **204**, 71
Carmona, F., see S. Dubois **216**, 111
Carneiro, G., M.M. Doria and S.C.B. De Andrade, The energy and stability of a vortex line in anisotropic London theory **203**, 167
Carretta, P., M. Corti, A. Lascialfari, F. Borsa and

A. Rigamonti, Spin dynamics in CuO and in La_2CuO_4 under charge and spin substitutions from NQR–NMR relaxation **209**, 121
Carter, C.B., see M.G. Norton **205**, 347
Carter, W.L., see L. Civale **208**, 137
Casalta, H., H. Alloul and J.-F. Marucco, Measurement of the phase diagram of $(Y_{1-y}Ca_y)Ba_2Cu_3O_6$ versus calcium content. Evidence for the importance of charge dynamics in the destruction of T_N **204**, 331
Casanove, M.J., see A. Alimoussa **202**, 23
Casañ-Pastor, N., P. Gomez-Romero, A. Fuertes, J.M. Navarro, M.J. Sanchis and S. Ondoño, Electrochemical oxidation of lanthanum cuprates Superconductivity versus thermal treatment in $La_2CuO_{4+\delta}$ **216**, 478
Cassart, M., E. Grivei, J.-P. Issi, E. Ben Salem, B. Chevalier, C. Brisson and A. Tressaud, Improvement of the superconducting properties of the $La_{2-x}Ba_xCuO_4$ system ($0 \leqslant x \leqslant 0.15$) by low-temperature fluorination **213**, 327
Cassart, M., see J. Hejtmánek **215**, 411
Cassidy, S.M., see A.D. Caplin **209**, 167
Cassidy, S.M., see H.K. Liu **213**, 95
Castro, M.A., see S.A. Hoffman **208**, 59
Cataudella, V., Two-dimensional vortices in layered superconductors **207**, 193
Catlow, C.R.A., see M.J. Akhtar **209**, 373
Cavin, O.B., see F.A. List **202**, 134
Cavinato, M.L., see L. Dimesso **203**, 403
Chaddah, P., see A.K. Pradhan **216**, 169
Chaddah, P., see S.B. Roy **218**, 476
Chaillout, C., see E.V. Antipov **215**, 1; **218**, 348
Chakoumakos, B.C., see D.P. Norton **217**, 146
Chan, I.N., see Y.Q. Tang **214**, 190
Chan, J., see M.G. Smith **208**, 412
Chanderkant, ., see K.K. Saini **216**, 59
Chandra, S., see K.K. Saini **210**, 502; **216**, 59
Chandra, S., see S.A. Agnihotry **212**, 381
Chandrasekhar, N., V. Agrawal, V.S. Achutharaman and A.M. Goldman, The growth of $DyBa_2Cu_3O_{7-x}$ on stepped surfaces **205**, 161
Chang, C.T., see D.H. Chen **213**, 383
Chang, H., see Y.T. Ren **217**, 273
Chateigner, D., see X. Obradors **213**, 81
Chaturvedi, N., see A.C. Sharma **209**, 507
Chebotaev, N.M., see V.A. Kostylev **208**, 189
Chen, B.J., see M.A. Rodriguez **206**, 43
Chen, B.J., M.A. Rodriguez, S.T. Misture and R.L. Snyder, Effect of undercooling temperature on the solidification kinetics and morphology of Y–Ba–Cu–O during melt texturing **217**, 367
Chen, C., see A.K. Pradhan **204**, 325; **218**, 208
Chen, C.H., see D.J. Werder **204**, 155
Chen, C.H., S.-W. Cheong, D.J. Werder and H. Takagi, Microstructural changes induced by lattice instabilities in $La_{2-x}Ba_xCuO_4$ ($x=0.125$) and Nd_2NiO_4 **206**, 183
Chen, C.K., A.T. Boothroyd, Y. Hu, F.R. Wondre, B.M. Wanklyn and J.W. Hodby, Phase diagram studies and crystal growth of $PrBa_2Cu_3O_{7-y}$ **214**, 231
Chen, D.H., S.R. Sheen, M.J. Wang, C.C. Chi, F.Z. Chien, M.K. Wu and C.T. Chang, Synthesis and properties of the $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$ superconductors **213**, 383
Chen, F., see L. Gao **213**, 261
Chen, F., see R.L. Meng **214**, 307
Chen, F., see Y.T. Ren **217**, 6
Chen, H. and J. Callaway, Lattice dielectric functions of Nd_2CuO_4 and La_2CuO_4 based on the shell model **210**, 308
Chen, H., see X.H. Chen **217**, 342
Chen, H.T. and T.T. Chen, Tunneling characteristics of $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$/Pb planar junctions **213**, 151
Chen, H.-Y., see C. Lin **204**, 127
Chen, L.Q., see W.L. Zhou **214**, 19
Chen, L.Q., see W.J. Zhu **218**, 5
Chen, S., S. Patel, E. Narumi, D.T. Shaw, D.St. Julien and T.D. Ketcham, BSCCO-2212 thick films on a flexible YSZ substrate **218**, 191
Chen, T.G., see X.C. Wu **203**, 426
Chen, T.G., see M. Xie **206**, 251
Chen, T.-M., J.S. Ho, R.S. Liu and H.S. Koo, Synthesis of a 90 K $Y_2Ba_4Cu_7O_{15-x}$ superconductor under ambient pressure by triethylammoniumoxalate co-precipitation **215**, 435
Chen, T.T., see H.T. Chen **213**, 151
Chen, X.H., Z.F. Ding, Y.T. Qian, Z.J. Chen, Z.Y. Chen and L.Z. Cao, The synthesis and structure of a new Bi-based copper oxide with (Bi, M)–O monolayers: $(Bi, M)Sr_2(R, Ce)_3Cu_2O_{11-\delta}$ **216**, 458
Chen, X.H., H. Chen, L.Z. Cao, Z.J. Chen and G.E. Zhou, Synthesis and structure of superconductors, $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ of T* phase **217**, 342
Chen, Y.-C., On the instability and phase separation of a doped 2D antiferromagnet **202**, 345
Chen, Y.-C., Gutzwiller corrections on mean-field states of the t–J model **204**, 88
Chen, Y.C., see W.Y. Guan **209**, 19
Chen, Y.C., see H.D. Yang **209**, 573
Chen, Y.J., see H.T. Ren **216**, 447
Chen, Y.Y., see C.C. Lai **202**, 104
Chen, Z.J., see X.H. Chen **216**, 458; **217**, 342
Chen, Z.Y., see K.B. Tang **205**, 406; **214**, 190
Chen, Z.Y., see Y.T. Qian **209**, 516
Chen, Z.Y., see S.W. Wang **210**, 463
Chen, Z.Y., Z.Z. Sheng, Y.Q. Tang, Y.F. Li, D.O. Pederson, K. Goretta, P. Kostic and D.L. Shi, Effects of Bi-substitution for Tl in 1222-type cuprate $TlSr_2(Nd, Ce)_2Cu_2O_z$ **212**, 206
Chen, Z.Y., see X.H. Chen **216**, 458
Chenavas, J., see X. Obradors **213**, 81
Cheng, X., see C. Xianhui **208**, 38
Cheong, S.-W., see G. Yu **203**, 419
Cheong, S.-W., see C.H. Chen **206**, 183
Cheong, S.-W., see F.C. Chou **216**, 66
Chern, M.Y., see A. Gupta **209**, 175
Cherny, A.Yu. and T. Galbaatar, The influence of an order–disorder type structural phase transition on the isotope effect **210**, 35

Chernyshev, A.L., see V.I. Belinicher **213**, 298
Chevalier, B., see J. Hejtmanek **209**, 47; **215**, 411
Chevalier, B., see M. Cassart **213**, 327
Chi, C.C., see D.H. Chen **213**, 383
Chien, F.Z., see D.H. Chen **213**, 383
Chien, T.R., see S.F. Lee **209**, 141
Chin, C.C. and T. Morishita, The transport properties of $YBa_2Cu_3O_{7-x}$ thin films **207**, 37
Chiou, B.S., see C.C. Lai **202**, 104
Chiou, B.S., see J.B. Shi **205**, 129
Chirkin, A.N., see A.A. Milner **209**, 225
Chisholm, M.F., see S.J. Pennycook **202**, 1
Chisholm, M.F., see N.D. Browning **212**, 185
Chmaissem, O., Q. Huang, S.N. Putilin, M. Marezio and A. Santoro, Neutron powder diffraction study of the crystal structures of $HgBa_2CuO_{4+\delta}$ and $HgBaO_2$ **212**, 259
Chmaissem, O., see S.M. Loureiro **217**, 253
Chmaissem, O., Q. Huang, E.V. Antipov, S.N. Putilin, M. Marezio, S.M. Loureiro, J.J. Capponi, J.L. Tholence and A. Santoro, Neutron powder diffraction study at room temperature and at 10 K of the crystal structure of the 133 K superconductor $HgBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 265
Chmaissem, O., see E.V. Antipov **218**, 348
Cho, J.H., D.C. Johnston, M. Ledvij and V.G. Kogan, Vortex fluctuations in polycrystalline $Bi_{1.75}Pb_{0.25}Sr_2Ca_2Cu_3O_{10}$ **212**, 419
Cho, J.M., see J.A. Schlueter **216**, 305
Choisnet, J., see P.A. Van Aken **211**, 421
Choisnet, J., see F.J. Gotor **218**, 429
Chou, F.C., D.C. Johnston, S.-W. Cheong and P.C. Canfield, Preparation, magnetization and electrical resistivity of electrochemically oxidized $La_2CuO_{4+\delta}$ single crystals **216**, 66
Chow, J.C.L., see P.C.W. Fung **212**, 279
Chow, J.C.L., see G.J. Shen **214**, 426
Chow, J.C.L., see Z.L. Du **215**, 319
Chowdhury, A.J.S., B.M.R. Wanklyn and J.W. Hodby, On the role of analytical electron microscopy in the study of some HTSC crystals **204**, 394
Christen, D.K., see D.P. Norton **217**, 146
Christensen, N.E., see C.O. Rodriguez **216**, 12
Chromik, S., see K. Fröhlich **202**, 121
Chromik, Š., see M. Mahel **202**, 243
Chrzanowski, J., see W. Xing **205**, 311
Chrzanowski, J., X.M. Burany, A.E. Curzon, J.C. Irwin, B. Heinrich, N. Fortier and A. Cragg, A study of the optimization of sputtering and sintering parameters for the growth of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ superconducting films **207**, 25
Chu, C.W., see Q. Xiong **205**, 307
Chu, C.W., see Y.T. Ren **213**, 224; **217**, 6, 273
Chu, C.W., see L. Gao **213**, 261
Chu, C.W., see R.L. Meng **214**, 307; **216**, 21
Chu, C.W., see Z.J. Huang **217**, 1; **218**, 356
Chukanova, I.N., see P.N. Mikheenko **212**, 332
Chumbley, L.S., see T.G. Holesinger **202**, 109; **217**, 85
Chval, J., see V. Šíma **203**, 59
Chwalek, J.M., see J.A. Agostinelli **207**, 203
Cichorek, T., see Z. Henkie **202**, 97; **214**, 138
Cieplak, M.Z., S. Vadlamannati, S. Guha, C.H. Nien and P. Lindenfeld, From submonolayers to bulk in $YBa_2Cu_3O_{7-\delta}$ **209**, 31
Ciszek, M., J. Olejniczak and A.J. Zaleski, Energy dissipation and flux trapping in a high-T_c superconductor in low AC and DC magnetic fields **208**, 245
Civale, L., A.D. Marwick, R. Wheeler IV, M.A. Kirk, W.L. Carter, G.N. Riley Jr. and A.P. Malozemoff, Superconducting current density enhancement by heavy ion irradiation of Bi-2223 silver-clad tapes **208**, 137
Claus, H., see O. Kraut **205**, 139
Claus, H., see A. Zibold **212**, 365
Claus, H., S. Yang, H.K. Viswanathan, G.W. Crabtree, J.W. Downey and B.W. Veal, Comparison of Au-free versus Au-doped $YBa_2Cu_3O_{7-\delta}$ single crystals. Overdoping and oxygen mobility **213**, 185
Clayhold, J., see Y.T. Ren **217**, 6
Clinton, T.W., J.W. Lynn, J.Z. Liu, Y.X. Jia and R.N. Shelton, Two- and three-dimensional magnetic order of Er in superconducting $ErBa_2Cu_3O_7$ **217**, 53
Cloots, R., see Yu.M. Yarmoshenko **211**, 29
Cohen, D., see E. Aharoni **202**, 263; **209**, 215
Cohen, L.F., see A.D. Caplin **209**, 167
Cohen, L.F., see H.K. Liu **213**, 95
Cohen, O., see U. Asaf **209**, 183
Cohen-Adad, M.T., see J.L. Jorda **205**, 177
Cohen-Adad, M.Th., see C. Opagiste **205**, 247
Collin, G., see L. Legrand **208**, 356; **211**, 239
Colonna, S., see A. Balzarotti **218**, 301
Colson, D., see J.A. Hodges **218**, 272
Conder, K., E. Kaldis, M. Maciejewski, K.A. Müller and E.F. Steigmeier, Oxygen isotope exchange kinetics and site-selective oxygen substitution in $YBa_2Cu_3{}^{18}O_{7-x}$ **210**, 282
Conder, K., see Ch. Krüger **213**, 219
Cooper, J.R., see A. Porch **214**, 350
Cornelius, A.L. and J.S. Schilling, A model calculation of the anisotropic compressibility for superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ **218**, 369
Corsépius, S., see O. Eibl **203**, 445
Corti, M., see P. Carretta **209**, 121
Corti, M., ^{87,85}Rb NMR spectra and relaxation in Rb_3C_{60} **211**, 299
Couach, M., see J.L. Jorda **205**, 177
Couach, M., see C. Opagiste **205**, 247; **213**, 17
Crabtree, G.W., see H. Claus **213**, 185
Crabtree, G.W., see U. Welp **218**, 373
Cragg, A., see W. Xing **205**, 311
Cragg, A., see J. Chrzanowski **207**, 25
Cramm, M., see M. Breuer **208**, 217
Crandles, D.A., T. Timusk, J.D. Garret and J.E. Greedan, Temperature dependence of the mid-infrared absorption in $La_{1.84}Sr_{0.16}NiO_{4+\delta}$ **216**, 94
Cresta, R., see F. Pavese **204**, 1
Crisan, M. and L. Tătaru, Effect of superconducting

fluctuations on the spin relaxation of a two-dimensional superconductor **215**, 34
Crommie, M.F., see G. Briceño **204**, 389
Crow, J.E., see N. Rosov **204**, 171
Crusellas, M.A., J. Fontcuberta, S. Piñol, J. Beille and T. Grenet, Transport properties of $Ln_{2-x}Ce_xCuO_{4-y}$ single crystals under high pressure **209**, 537
Crusellas, M.A., J. Fontcuberta, S. Piñol, M. Cagigal and J.L. Vicent, Two-band conduction in the normal state of a superconducting $Sm_{1.85}Ce_{0.15}CuO_4$ single crystal **210**, 221
Crusellas, M.A., J. Fontcuberta and S. Piñol, The resistive transition of a $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal **213**, 403
Cubitt, R., E.M. Forgan, M. Warden, S.L. Lee, P. Zimmermann, H. Keller, I.M. Savić, P. Wenk, D. Zech, P.H. Kes, T.W. Li, A.A. Menovsky and Z. Tarnawski, Unconventional angular dependence of the microscopic magnetic field distribution in single crystal $Bi_2Sr_2CaCu_2O_8$ from muon-spin rotation studies **213**, 126
Cucolo, A.M., C. Noce and A. Romano, Influence of a linear term on the density of states of high-T_c superconductors **202**, 33
Cucolo, A.M., R. Di Leo and A. Nigro, An analysis of natural tunnel barriers in liquid-etched Y–Ba–Cu–O systems **207**, 21
Cunningham, J., see J.M. Rozell Jr. **204**, 384
Cunsolo, S., P. Dore, S. Lupi, R. Trippetti, C.P. Varsamis and A. Sherman, Infrared conductivity of YBCO from transmission and reflection spectra of thin films **211**, 22
Currie, D.B. and M.T. Weller, The crystal structures of $LnBa_2Cu_4O_8$ and $LnBa_2Cu_3O_{7-\delta}$ (Ln=Er, Ho, Dy) A high resolution powder neutron diffraction study **214**, 204
Currie, D.B. and M.T. Weller, The crystal structures of $Dy_2Ba_4Cu_7O_{14+\delta}$ and $Nd_2Ba_4Cu_7O_{14+\delta}$ A high resolution powder neutron diffraction study **216**, 140
Curzon, A.E., see J. Chrzanowski **207**, 25
Cuthbert, M.N., see A.D. Caplin **209**, 167
Czyżak, B., see J. Stankowski **215**, 167

Daalmans, G., see G. Friedl **209**, 287
Daalmans, G.M., see W. Rauch **211**, 234
Dabrowski, B., see J.P. Zhang **202**, 51; **207**, 167; **208**, 231
Dabrowski, B., K. Zhang, J.J. Pluth, J.L. Wagner and D.G. Hinks, Single-crystal growth and characterization of $YBa_2Cu_4O_8$ with $T_c \sim 80$ K **202**, 271
Dabrowski, B., see H. Shaked **205**, 225
Dabrowski, B., V. Zhang-MacCoy, R. Hannon, B.A. Hunter, J.D. Jorgensen, J.L. Wagner and R.L. Hitterman, New 1212 structural analog of $YBa_2Cu_3O_7$. The Sr-based superconducting copper oxide $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ with $T_c \sim 60$ K **208**, 183
Dabrowski, B., see J.L. Wagner **210**, 447
Dabrowski, B., Z. Wang, J.D. Jorgensen, R.L. Hitterman, J.L. Wagner, B.A. Hunter and D.G. Hinks, Suppression of superconducting transition temperature in orthorhombic $La_{2-x}Ca_xCuO_4$ **217**, 455
Dahm, T. and L. Tewordt, Charge- and spin-fluctuation-induced pairing interaction in an extended Hubbard model for copper oxide superconductors **211**, 440
Dai, D., see Y. Xu **204**, 288
Dai, U., see D. Racah **209**, 229
Dai, U., see Y. Scolnik **209**, 305
Dalichaouch, Y., M.C. De Andrade and M.B. Maple, Synthesis, transport, and magnetic properties of $Ln_{2-x}Ce_xCuO_{4-y}$ single crystals (Ln=Nd, Pr, Sm) **218**, 309
Dam, N.-E., see J.G. Larsen **217**, 135
Damodaran, A.D., see J. Koshy **215**, 209
Danesi, P., see B. Loegel **210**, 432
Daniel, P., see F. Goutenoire **216**, 243
Daniel, Ph., A. Maignan, D. Groult, M. Hervieu and B. Raveau, The behavior of lead and gallium in layered cuprates Evidence for a "123" modulated structure and for new 1212-superconductors **211**, 209
Da-ning, S., see X. Ming-wen **202**, 363
D'Anna, G., M.-O. André, W. Benoit, E. Rodríguez, D.S. Rodríguez, J. Luzuriaga and J.V. Wasczak, Flux-line response in 2H-$NbSe_2$ investigated by means of the vibrating superconductor method **218**, 238
Darula, M., see M. Mahel **202**, 243
Das, A., see R. Suryanarayanan **203**, 111
Das, A.N. and S. Sil, Small to large polaron transition in a strongly correlated system **207**, 51
Dasgupta, P., see P. Barat **218**, 63
Datars, W.R., see R.K. Nkum **202**, 371
Datars, W.R., see T.W. Krause **205**, 99; **210**, 333
Date, S.K., see S.A. Agnihotry **212**, 381
Datta, A., C.M. Srivastava and N. Venkataramani, Normal state DC electrical resistivity in RE-123 superconductors **210**, 408
Däumling, M., G. Triscone and R. Flükiger, Critical currents in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ powder **214**, 403
Däumling, M., see A. Perin **216**, 339
David, O., see U. Yaron **208**, 18
Davidov, D., see M. Golosovsky **209**, 337
Davis, J.A., see S. Moehlecke **211**, 113
Davis, L.E., see F. Abbas **215**, 132
Davis, M.F., see Q. Xiong **205**, 307
Davoli, I., see M. Gazda **207**, 300
De, U., see P. Barat **218**, 63
De Andrade, M.C., see Y. Dalichaouch **218**, 309
De Andrade, S.C.B., see G. Carneiro **203**, 167
De Châtel, P.F., see Z. Kozioł **212**, 133
Decker, W., see G. Wahl **209**, 195
De Crescenzi, M., see A. Balzarotti **218**, 301
Degterov, S.A. and G.F. Voronin, Effects of CO_2 on thermodynamic stability of superconductors in the Y–Ba–Cu–O system **208**, 403
De Jonge, W.J.M., see D. Hu **216**, 315
De Jongh, L.J., see S.I. Mukhin **211**, 77
De Jongh, L.J., see D. Reefman **211**, 93
Delagnes, D., N. Pellerin, A.R. Fert, P. Odier, A. Mari, X. Bozec and J.P. Redoules, Critical current density and activation energy in melt textured growth YBaCuO from magnetic measurements **211**, 355

De la Torre, M.A., see X. Obradors **213**, 81
DeLoach, D.I., see J.P. Zhang **202**, 51
DeLong, L.E., see Z. Xu **202**, 256
Delsing, A., see C. Træholt **206**, 318
DeLuca, J.A., P.L. Karas, J.E. Tkaczyk, P.J. Bednarczyk, M.F. Garbauskas, C.L. Briant and D.B. Sorensen, The preparation of "1223" Tl–Ca–Ba–Cu–oxide superconducting films via the reaction of silver-containing spray deposited Ca–Ba–Cu–oxide with thallium oxide vapor **205**, 21
Demin, A.K., see M.V. Patrakeev **210**, 213
Den, T., T. Kobayashi and J. Akimitsu, Superconductor with T_c up to 80 K in the compound $(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$ **208**, 351
Den, T., see M. Uehara **213**, 51
Den, T., see T. Ekino **218**, 387
Dennis, K.W., see T.G. Holesinger **202**, 109
Desfeux, R., see G. Poullain **214**, 195
Desgardin, G., see N. Hass **209**, 85
Deshmukh, S.C., see Q. Xiong **205**, 307
Deutscher, G., see Z. Barkay **209**, 81
Deutscher, G., see N. Hass **209**, 85
Deutscher, G., see D. Racah **209**, 229
Dhallé, M., see V.V. Moshchalkov **207**, 307
Dhar, S.K., see H. Jhans **207**, 247
Díaz, A., see C. Torrón **212**, 440
Díaz, A., A. Pomar, G. Domarco, C. Torrón, J. Maza and F. Vidal, Scaling of critical currents versus temperature in granular $Y_1Ba_2Cu_3O_{7-\delta}$ superconductors at zero applied magnetic field **215**, 105
Díaz, A., see A. Pomar **218**, 257
Diederichs, J., see A.-K. Klehe **213**, 266
Diederichs, J., see A.E. Schlögl **216**, 417
Dietz, E., see N. Schroeder **218**, 220
Di Leo, R., see A.M. Cucolo **207**, 21
Dimashko, Yu.A., The t–J_z model: two holes pairing by means of one string **206**, 393
Dimesso, L., R. Masini, M.L. Cavinato, D. Fiorani, A.M. Testa and C. Aurisicchio, Effects of annealing under reducing atmosphere on BSCCO 2212 textured thick films prepared by partial melting techniques **203**, 403
Dimesso, L., see G. Calestani **206**, 33
Dineen, C., see T.P. Beales **207**, 1
Ding, H., see M. Lindroos **212**, 347
Ding, H.-Q., Momentum distributions and Fermi surface in t–J model **203**, 91
Ding, Y., see Z. Gao **203**, 45
Ding, Z.F., see X.H. Chen **216**, 458
Dinolova, E., see M.V. Abrashev **215**, 421
Dinse, K.-P., see D.M. Wang **217**, 16
Dinse, K.-P., D.M. Wang, R. Bramley and J.W. White, Determination of the London penetration length for Rb_3C_{60} with pulsed EPR **218**, 341
Diociaiuti, M., see A. Balzarotti **218**, 301
Direktovich, Y., see D. Goldschmidt **217**, 217
Dlugosch, B., see H.M. Duan **203**, 257
Doi, T.J., see P.E.D. Morgan **213**, 438
Dolata, R., M. Neuhaus and W. Jutzi, Laser reflection measurements for end point detection and analysis in Nb/Al_2O_3–Al/Nb Josephson circuit fabrication **214**, 365
Domański, T. and K.I. Wysokiński, On electromagnetic properties of superconductors in the "correlated hopping" model **215**, 97
Domarco, G., see A. Díaz **215**, 105
Domengès, B., M. Hervieu and B. Raveau, Ordered substitution of "CO_3" groups for CuO_4 square groups in the "123" structure. The oxycarbonate $Y_4Sr_8Cu_{11}CO_3O_{25}$, $n=4$ member of the series $Y_nSr_{2n}Cu_{3n-1}CO_3O_{7n-3}$ **207**, 65
Domengès, B., see B. Raveau **209**, 163
Dong, C., see W.J. Zhu **218**, 5
Dong, S.Y., D.H. Kim and S.H. Kwok, Controlled growth and critical currents of bi-textured $YBa_2Cu_3O_{7-\delta}$ films on yttria stabilized zirconia substrate **212**, 323
Dordor, P., see J.-C. Grenier **202**, 209
Dordor, P., see J. Hejtmánek **215**, 411
Dore, P., see S. Cunsolo **211**, 22
Doria, M.M., see G. Carneiro **203**, 167
Dorogovtsev, S.N., see V.V. Bryksin **215**, 173
Dorosinskii, L.A., M.V. Indenbom, V.I. Nikitenko, Yu.A. Ossip'yan, A.A. Polyanskii and V.K. Vlasko-Vlasov, Studies of HTSC crystal magnetization features using indicator magnetooptic films with in-plane anisotropy **203**, 149
Dorosinskii, L.A., V.I. Nikitenko, A.A. Polyanski, V.K. Vlasko-Vlasov, A. Roytburd, D.L. Kaiser and F.W. Gayle, Kinetics of twin boundary migration in $YBa_2Cu_3O_{7-x}$ single crystals **203**, 342
Dorosinskii, L.A., M.V.I.V.I. Nikitenko, A.A. Polyanskii, R.L. Prozorov and V.K. Vlasko-Vlasov, Magnetooptic observation of the Meissner effect in $YBa_2Cu_2O_{7-x}$ single crystals **206**, 360
Dorosinskii, L.A., see M.V. Indenbom **209**, 259
Dorosinskii, L.A. and A.A. Polyanskii, Determination of the critical current distribution in 1–2–3 single crystals by magnetic flux patterns observed on the sample surface **212**, 211
Dorris, S.E., B.C. Prorok, M.T. Lanagan, S. Sinha and R.B. Poeppel, Synthesis of highly pure bismuth-2223 by a two-powder process **212**, 66
Dou, S.X., see A.D. Caplin **209**, 167
Dou, S.X., see Y. Zhao **212**, 451
Dou, S.X., see H.K. Liu **213**, 95
Dou, S.X., see J.A. Xia **215**, 152
Dou, S.X., see Y.C. Guo **215**, 291
Doumerc, J.-P., see J.-C. Grenier **202**, 209
Dowell, C.D., see J.A. Agostinelli **207**, 203
Downey, J.W., see H. Claus **213**, 185
Doyle, S.M., see A.T. Boothroyd **217**, 425
Dravid, V.P., see J.P. Zhang **202**, 51; **207**, 167; **208**, 231
Dravid, V.P., H. Zhang and Y.Y. Wang, Inhomogeneity of charge carrier concentration along the grain boundary plane in oxide superconductors **213**, 353
Dreibholz, J., see A.A. Golubov **213**, 139
Dressel, M., J.E. Eldridge, J.M. Williams and H.H. Wang, The

correlation of lattice phonon frequencies with the superconducting transition temperatures of some (BEDT-TTF) salts **203**, 247
Drexler, J., see H.M. Duan **203**, 257
Drulis, H., see Z. Xu **202**, 256
Drulis, H., see Z. Henkie **214**, 138
Drzazga, Z., H. Szymczak and R. Szymczak, Effect of neutron irradiation on irreversible torque in superconducting $Bi_2Sr_2CaCu_2O_x$ single crystals **203**, 335
Du, B., see Z. Gao **203**, 45
Du, Z.L., see P.C.W. Fung **212**, 279
Du, Z.L., P.C.W. Fung, J.C.L. Chow, T.F. Yu, Z.H. He, Y. Lu, Y.Y. Luo and J.X. Zhang, Microdefects and macroscopic characterization of MTG $YBa_2Cu_{3-x}Sn_xO_{7-y}$ samples using $Y_2Sn_2O_7$ **215**, 319
Duan, H.M., T.S. Kaplan, B. Dlugosch, A.M. Hermann, J. Swope, J. Drexler, P. Boni and J. Smyth, Single crystal growth of Tl-based superconductors **203**, 257
Duan, H.M., see D. Vacaru **203**, 393
Duan, H.M., see A.M. Hermann **209**, 199
Dubois, S., F. Carmona and S. Flandrois, Evidence for eddy currents and skin effect in 123/Ag random composites **216**, 111
Dudek, J.D., see A.M. Kini **204**, 399
Dudek, J.D., see K.D. Carlson **215**, 195
Dulčić, A. and M. Požek, Microwave surface impedance in the mixed state of type-II superconductors **218**, 449
Dupouy, P., J. Wery and J.L. Mansot, Structure determination of Bi-HT_c superconductors by means of electron microdiffraction **204**, 203
Dupree, R., see Z.P. Han **208**, 328
Dupree, R., see A. Gencten **216**, 491
Duran, P., see J. Tartaj **209**, 301
Durbin, S.M., see S.A. Hoffman **208**, 59
Durst, M.J., see C.E. Violet **207**, 347
Dwir, B., see Z. Barkay **209**, 81
D'yachenko, A.I., Hysteresis of transport critical current of high T_c superconductors in strong magnetic fields. Theory **213**, 167
Dyakonov, V.P., L.P. Kozeeva, G.G. Levchenko, V.I. Markovich, A.A. Pavljuk, Ju.F. Revenko and I.M. Fita, Low-temperature structural phase transition of the Jahn–Teller type in $DyBa_2Cu_3O_{7-\delta}$ **208**, 23
Dyomin, A.V., see V.A. Khlus **212**, 352; **214**, 413

Eagles, D.M., Specific heats and thermodynamic critical fields in Zn-doped $YBa_2Cu_3O_{7-x}$ according to an induced-pairing model **211**, 319
Eatough, M.O., see T.L. Aselage **203**, 25
Ebbesen, T.W., J.S. Tsai, K. Tanigaki, H. Hiura, Y. Shimakawa, Y. Kubo, I. Hirosawa and J. Mizuki, Dopant isotope effect on superconductivity in Rb_3C_{60} **203**, 163
Ecke, G., see N. Schroeder **218**, 220
Eckstein, Y., see D. Goldschmidt **217**, 217
Economou, D.J., see Q. Xiong **205**, 307
Edwards, J.A., see R.G. Humphreys **210**, 42
Edwards, P.P., see R.S. Liu **205**, 206
Efremov, D.V., see M.A. Baranov **218**, 75
Ehmann, A., see H.-U. Nissen **203**, 436
Ehmann, A., J. Glaser, S. Kemmler-Sack, S. Lösch, T. Rentschler, W. Wischert, P. Zoller, P. Kessler and H. Lichte, Superconductivity and substitution of Bi-1212 **215**, 83
Eibl, O., W. Prusseit, B. Utz, S. Corsépius, P. Berberich and H. Kinder, TEM study of epitaxial $YBa_2Cu_3O_{7-x}$ thin films deposited on GaAs with MgO buffer layers **203**, 445
Eibl, O., see H. Budin **207**, 208
Eibl, O., see A. Bardal **216**, 365
Eichhorn, K., see T. Zeiske **207**, 333
Ekino, T., Electron tunneling study of phonon structures in superconducting $La_{1.85}Sr_{0.15}CuO_4$ **205**, 338
Ekino, T., T. Den and J. Akimitsu, Superconducting energy gaps in $Bi_2Sr_2CuO_{6+y}$ and $Bi_2Sr_{2-x}Nd_xCuO_{6+y}$ **218**, 387
Eldridge, J.E., see M. Dressel **203**, 247
Elesin, V.F., A.A. Sinchenko, A.A. Ivanov and S.G. Galkin, Andreev reflection in Au–bilayer: Ag–$YBa_2Cu_3O_{7-\delta}$ (δ=0, 0.3) point contacts **213**, 490
Elokhina, L.V., see Yu.M. Yarmoshenko **211**, 29
Elschner, A., see P. Wagner **215**, 123
Elschner, S., W. Becker, H. Bestgen and M. Brand, Oxygenation control of $YBa_2Cu_3O_{6+z}$ polycrystalline samples via in situ determination of electric conductivity **202**, 407
Emel'chenko, G.A., see A.N. Maljuk **214**, 93
Emery, V.J. and S.A. Kivelson, Frustrated electronic phase separation and high-temperature superconductors **209**, 597
Emmen, J.H.P.M., see X.F. Zhang **215**, 39
Emmen, J.H.P.M., see D. Hu **216**, 315
Emura, S., see Y. Kubozono **217**, 21
Endoh, Y., see S. Hosoya **202**, 188
Engelsberg, S., Replacing Ca by Cd in the tetragonal superconducting series $BaCa_xCd_{1-x}LaCu_3O_y$, $0 \le x \le 1$ **216**, 124
Engst, P., see J. Wild **209**, 486
Enomoto, Y., see Ch. Neumann **210**, 138
Enomoto, Y., K. Katsumi and S. Maekawa, Impurity effects on the transport properties of two-dimensional magnetic vortex systems **215**, 51
Enomoto, Y., see A. Odagawa **217**, 222
Enomoto, Y., see T. Mitsuzuka **218**, 229
Enz, C.P. and Z.M. Galasiewicz, The T_c–n_s relation for weakly interacting charged Bose fluids **214**, 239
Eom, C.B., see A.F. Marshall **207**, 239
Erb, A., see O. Kraut **205**, 139
Erb, A., see A. Zibold **212**, 365
Erenburg, S.B., see E.B. Amitin **209**, 407
Eriksson, S.-G., see N. Winzek **205**, 45
Ernst, N., W.A. Schmidt, Ch. Kleint, A.J. Melmed and G.L. Larkins, Field electron energy spectroscopy of 2223 BiSrCaCuO below and above T_c **213**, 495
Erokhin, Y.Y., see G. Wahl **209**, 195
Eror, N.G., see P. Krishnaraj **215**, 305
Escribe-Filippini, C., J. Marcus, M. Affronte, H. Rakoto,

J.M. Broto, J.C. Ousset and S. Askenazy, Upper critical field of $Ba_{1-x}K_xBiO_3$ single crystal **210**, 133
Etourneau, J., see J.-C. Grenier **202**, 209
Etourneau, J., see J. Hejtmanek **209**, 47; **215**, 411

Fabbricatore, P., see B. Zhang **203**, 51
Fabbricatore, P., G. Gemme, P. Moreschi, R. Musenich, R. Parodi and B. Zhang, Determination of the irreversibility line in Bi-2212 Ag sheathed wires **213**, 200
Fainberg, B. and D. Huppert, Laser-induced grating spectroscopy of high-T_c superconductors **209**, 95
Fanqing, L., see S. Lei **203**, 398
Fanton, J.G., see X.D. Wu **218**, 417
Farzetdinova, R.M., see E.Z. Meilikhov **210**, 473
Fastampa, R., see M. Giura **209**, 341
Fastampa, R., see E. Silva **214**, 175
Fedorov, V., see N. Naumov **214**, 291
Fedorov, V.E., see E.B. Amitin **209**, 407
Fedorov, Yu.A., V.G. Fleisher and M.G. Semenchenko, Current and field distributions in superconducting films: determination of critical current by local field measurement **217**, 63
Feenstra, R., see S.J. Pennycook **202**, 1
Felner, I., see U. Yaron **208**, 18; **209**, 159
Felner, I., see I. Nowik **209**, 151
Felner, I., see U. Asaf **209**, 183; **211**, 45
Felner, I., see M. Müther **209**, 428
Felner, I., I. Nowik, U. Asaf, G. Yona, U. Yaron and E.R. Bauminger, Magnetism and superconductivity in $Y_{1-x}Ca_xSr_2GaCu_2O_{7-\delta}$ **210**, 55
Felner, I., U. Asaf, D. Hechel, U. Yaron and T. Kröner, Magnetic properties, specific heat studies and Mössbauer measurements of $PrBa_2NbCu_2O_8$ **214**, 169
Feng, H.H., see Y.Y. Sun **212**, 169
Fernandez, J.F., see J. Tartaj **209**, 301
Fernandez-Baca, J.A., see S. Katano **214**, 64; **217**, 73
Ferrari, H., see P. Levy **214**, 111
Ferraro, J.R., see A.M. Kini **204**, 399
Ferraro, J.R., see K.D. Carlson **215**, 195
Fert, A.R., see D. Delagnes **211**, 355
Fesenko, V., V. Gorbunov, A. Sidorenko and V. Smilga, Magnetic field distribution in the vortex lattice of a type-II superconductor in the Ginzburg–Landau approach and experimental validation of theory by the μSR-method **211**, 343
Fetterman, H.R., see A.Z. Kain **209**, 281
Fietz, W.H., see R. Benischke **203**, 293
Fietz, W.H., see J. Metzger **214**, 371
Fife, A.A., see W. Xing **205**, 311
Fiig, T., J.V. Andersen, N.H. Andersen, P.A. Lindgård, O.G. Mouritsen and H.F. Poulsen, Oxygen-ordering phenomena in $YBa_2Cu_3O_{6+x}$ studied by Monte Carlo simulation. Phase diagram, structure factor and oxygen equilibrium pressure **217**, 34
Finch, A.A., see A.B. Sheikh **212**, 95
Fincher, C.R., see W.L. Holstein **212**, 110
Finger, L.W., see A.J. Schultz **208**, 277
Finkbeiner, F., see S.P. Zhao **214**, 345
Finnemore, D., see M.J. Kramer **203**, 83
Fiorani, D., see L. Dimesso **203**, 403
Fischer, D.A., A.R. Moodenbaugh and Y. Xu, Oxygen K near-edge X-ray absorption spectroscopy of $La_{2-x}M_xCuO_4$ (M = Ca, Sr and Ba). x-Dependence of hole state density **215**, 279
Fischer, K.H., Kosterlitz–Thouless transition in layered high-T_c superconductors **210**, 179
Fischer, P., see D. Shaltiel **202**, 303
Fischer, P., E. Kaldis, J. Karpinski, S. Rusiecki, E. Jilek, V. Trounov and A.W. Hewat, Neutron diffraction analysis of ^{44}Ca and Ca substituted superconductors $YBa_2Cu_4O_8$ with $T_c \approx 90$ K **205**, 259
Fischer, P., see W. Marti **206**, 158
Fischer, R., see M. Serwe **213**, 370
Fisher, L.M., N.V. Il'in, I.F. Voloshin, N.M. Makarov, V.A. Yampol'skii, F. Perez Rodriguez and R.L. Snyder, On the applicability of the critical state model to the description of electromagnetic properties of high-T_c superconductors **206**, 195
Fisk, Z., see E.T. Ahrens **212**, 317
Fita, I.M., see V.P. Dyakonov **208**, 23
Flambaum, V.V., see O.P. Sushkov **206**, 269
Flandrois, S., see B. Ropers **204**, 71
Flandrois, S., see S. Dubois **216**, 111
Flegel, R., H. Neeb, M. Lai, M. Lapczyna and C. Heiden, Investigation of the homogeneity of thin high-T_c superconducting films **206**, 1
Fleisher, V.G., V.I. Kozub and Yu.P. Stepanov, Slow relaxation of AC-susceptibility of YBaCuO microcrystalline powders: magnetic field-induced dynamical alignment of crystallites **206**, 305
Fleisher, V.G., see Yu.A. Fedorov **217**, 63
Fleuster, M., see M. Boekholt **203**, 180
Flodström, A.S., see H. Bernhoff **218**, 103
Flodström, S.A., see M. Qvarford **214**, 119
Flokstra, J., see D.J. Adelerhof **209**, 477
Flor, G., see G. Spinolo **217**, 347
Flower, N.E., see J.L. Tallon **204**, 237
Flükiger, R., see B. Hensel **205**, 329
Flükiger, R., see M. Däumling **214**, 403
Flükiger, R., see A. Perin **216**, 339
Flükiger, R., see G. Grasso **217**, 335
Follis, G.C., see S.A. Hoffman **208**, 59
Fontcuberta, J., see M.A. Crusellas **209**, 537; **210**, 221; **213**, 403
Foote, M.C., see R.P. Vasquez **207**, 266
Foote, M.C., see J.B. Barner **207**, 381
Forgan, E.M., see R. Cubitt **213**, 126
Forkl, A., see M.V. Indenbom **209**, 259
Forkl, A., H.-U. Habermeier, R. Knorpp, H. Theuss and H. Kronmüller, Direct observation of thermally activated flux motion in high-T_c superconductors **211**, 121
Fortier, N., see J. Chrzanowski **207**, 25
Fossheim, K., see M.G. Karkut **215**, 19
Francesconi, M.G., see G. Calestani **206**, 33

Frank, H., see P.L. Paulose **208**, 11
Franse, J.J.M., see A. Gerber **209**, 147
Franse, J.J.M., see Z. Kozioł **212**, 133
Fransen, P.B.M., see D.J. Adelerhof **209**, 477
Franz, J., see T. Ishida **202**, 356
Franz, M., see W. Widder **217**, 121
Frechette, V.D., see M.A. Rodriguez **206**, 43
Freeman, A.J., see D.L. Novikov **210**, 301; **212**, 233; **216**, 273
Freeman, A.J., see J.J. Yu **214**, 335
Freeman, P.A., see A. Porch **214**, 350
Freeman, W.G., see T.P. Beales **205**, 383
Freimuth, A., see M. Breuer **208**, 217
Freltoft, T., see Q. Li **217**, 360
Frey, U., see P. Wagner **215**, 123
Freytag, J., M. Baenitz, S. Gärtner, H. Riesemeier, V. Müller and K. Lüders, Temperature dependence of Cu–NQR frequencies and linewidths of high-T_c superconductors **209**, 59
Friedl, G., M. Seitz, B. Holzapfel, B. Roas, B. Stritzker, G. Daalmans, D. Uhl, B. Hillenbrand, L. Schultz and H.E. Hoenig, Preparation and properties of thin film $YBa_2Cu_3O_x$ devices **209**, 287
Fröhlich, K., J. Šouc, S. Chromik, D. Machajdik and V. Kliment, MOCVD of $YBa_2Cu_3O_{7-x}$ thin films using a Ba fluorocarbon-based precursor **202**, 121
Frolova, G.I., see E.B. Amitin **209**, 407
Froumin, N., see A. Golub **209**, 207
Froumin, N., J. Baram and M. Polak, Wettability of PbBiSrCaCuO by Ag and Ag-based alloys **209**, 315
Fu, C.M., V.V. Moshchalkov, W. Boon, K. Temst, Y. Bruynseraede, G. Jakob, T. Hahn and H. Adrian, Scaling properties of the anisotropic magnetoresistance in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices **205**, 111
Fu, C.M., V.V. Moshchalkov, E. Rosseel, M. Baert, W. Boon, Y. Bruynseraede, G. Jakob, T. Hahn and H. Adrian, Effect of dimensional crossover on the magnetoresistance of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices **206**, 110
Fu, U.S., see Q. Wei **208**, 347
Fueki, K., see Y. Idemoto **202**, 127; **210**, 315; **211**, 36
Fueki, K., see H. Ishizuka **204**, 55; **209**, 491
Fuertes, A., see N. Casañ-Pastor **216**, 478
Fugol', I., V. Samovarov, A. Ratner, V. Zhuravlev, G. Saemann-Ischenko, M. Lippert and B. Holzapfel, Anomalies in the temperature behavior of absorption in the optical 1.5–3.0 eV range for the high-T_c superconductor $YBa_2Cu_3O_{7-\delta}$ **216**, 391
Fujimoto, H., M. Murakami and N. Koshizuka, Effect of Y_2BaCuO_5 on fracture toughness of YBCO prepared by a MPMG process **203**, 103
Fujimoto, H., T. Taguchi, M. Murakami and N. Koshizuka, The effect of twin boundaries on the flux pinning in MPMG processed YBCO **211**, 393
Fujimoto, T., see Y. Kubozono **217**, 21
Fujisaki, H., see O.F. Schilling **204**, 109
Fujishita, H., M. Sato, Y. Morii and S. Funahashi, Crystal structure determination of $Pb_2Sr_2YCu_3O_{8+\delta}$ ($\delta=0$, 1.67) by powder neutron diffraction **210**, 529
Fujiwara, A., Y. Koike, K. Sasaki, M. Mochida, T. Noji and Y. Saito, Two effects of iodine intercalation on T_c in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$. Two-dimensionality and charge transfer **203**, 411
Fujiwara, A., Y. Koike, K. Sasaki, M. Mochida, T. Noji and Y. Saito, Two effects of iodine intercalation on T_c in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$. Two-dimensionality and charge transfer **208**, 29
Fujiwara, A., see Y. Koike **208**, 363
Fujiwara, A., see M. Mochida **212**, 191
Fujiwara, Y., see K. Horiuchi **209**, 531
Fujiyoshi, T., see K. Yamafuji **212**, 424
Fukai, Y., see T. Nagashima **212**, 6
Fukami, T., K. Miyoshi, T. Nishizaki, Y. Horie, F. Ichikawa and T. Aomine, Hysteresis in magnetic field and field-direction dependence of critical current in $Bi_2Sr_2CaCu_2O_{8+y}$ **202**, 167
Fukami, T., see T. Nishizaki **204**, 305
Fukami, T., D.H. Lee, C. Panagopoulos, T. Nishizaki, F. Ichikawa, Y. Horie and T. Aomine, Flux creep and magnetic field direction dependence of critical current density in $Bi_2Sr_{1.7}La_{0.3}CuO_{6+y}$ films prepared by laser ablation **215**, 375
Fukazawa, T., see M. Hiratani **203**, 327
Fukuoka, A., see S. Adachi **206**, 329
Fukuoka, A., see M. Karppinen **208**, 130
Fukushima, K. and H. Adachi, Electronic structure calculations for two-dimensional transition metal oxides **207**, 119
Fukushima, K., Molecular orbital calculations of possible pinning centers for magnetic flux in copper oxide superconductors **212**, 407
Funahashi, R., see I. Matsubara **218**, 181
Funahashi, S., see H. Fujishita **210**, 529
Funahashi, S., see Y. Koike **211**, 409
Funahashi, S., see S. Katano **214**, 64; **215**, 92; **217**, 73
Funahashi, S., see Y. Miyazaki **215**, 159
Funakura, M., see A. Oota **210**, 489; **212**, 23; **214**, 9
Fung, K.K., see H. Gu **208**, 391
Fung, K.K., see W.L. Zhou **214**, 19
Fung, P.C.W., Z.L. Du, J.C.L. Chow, Z.H. He, T.F. Yu, Y.Y. Luo, Q.Y. Li and Y. Lu, Energy dispersive X-ray spectroscopy analysis of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ superconductors fabricated by melt-texture-growth method **212**, 279
Fung, P.C.W., E.M.Y. Kwok and C.C. Lam, Theoretical analysis of the isotope effect using the bipolaronic theory **213**, 359
Fung, P.C.W., see Z.L. Du **215**, 319
Funkenbusch, P.D., see A. Goyal **210**, 197
Fursova, T.N., see A.V. Bazhenov **208**, 197; **214**, 45
Furubayashi, T., K. Kinoshita, T. Yamada and T. Matsumoto, Mössbauer studies of superconducting $La_{2-x}Ca_{1+x}Cu_2O_6$ doped with ^{57}Fe **204**, 315
Furukawa, T., T. Shigematsu and N. Nakanishi, Low-temperature oxidation of ceramic superconductor $YBa_2Cu_3O_y$ **204**, 103
Furukawa, T., N. Machida, T. Shigematsu, N. Nakanishi,

K. Yoshimura and K. Kosuge, Structure and superconductivity of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ prepared by vacuum calcination at 673 K (x=0.02 and 0.06) **205**, 39

Gabay, M. and P. Lederer, Resistivity in the "spin gap" phase of strongly correlated fermions **209**, 117
Gaebel, R., see K. Bente **202**, 379
Gai, P.L., see W.L. Holstein **212**, 110
Gaines, J.R., see Y. Song **215**, 313
Gainsford, G.J., see H.J. Trodahl **213**, 427
Gainutdinov, I.I., see A.P. Nemudry **211**, 375
Gál, M., see Z. Homonnay **209**, 137
Galasiewicz, Z.M., see C.P. Enz **214**, 239
Galbaatar, T., see A.Yu. Cherny **210**, 35
Galkin, S.G., see V.F. Elesin **213**, 490
Gallop, J.C., see F.J. Muller **202**, 268
Gallop, J.C., see F. Abbas **215**, 132
Gamayunov, K., I. Tanaka and H. Kojima, Cerium distribution coefficient and its dependence on oxygen partial pressure in $Nd_{2-x}Ce_xCuO_4$ single crystal growth **218**, 437
Gamchi, H.S., see J. Wang **205**, 363
Gan, Z.Z., see X. Zhu **216**, 153
Gangopadhyay, A.K., see A.-K. Klehe **213**, 266
Ganguly, P., N. Shah and F.C. Matacotta, Electron spin resonance evidence for the role of copper ions in interlayer coupling in layered copper oxycarbonates **206**, 70
Ganguly, P. and N. Shah, Use of an AX_3 close-packing description of layered perovskites in understanding the role of various A ions in cuprate superconductors **208**, 307
Gao, H., see Z. Gao **203**, 45
Gao, L., Z.J. Huang, R.L. Meng, J.G. Lin, F. Chen, L. Beauvais, Y.Y. Sun, Y.Y. Xue and C.W. Chu, Study of superconductivity in the Hg–Ba–Ca–Cu–O system **213**, 261
Gao, X.H., see Q. Wei **208**, 347
Gao, Z., B. Du, Y. Peng, H. Gao, Z. Wang, C. Zhu, J. Kang, J. Li, J. Yang, B. Zhang, Y. Ding, J. Kang and W. Wang, The modulation principle of vacuum on the superconductivity of YBCO **203**, 45
Gao, Z.X., see B. Wuyts **203**, 235
Gao, Z.X., see S. Libbrecht **206**, 51
Garbauskas, M.F., see J.A. DeLuca **205**, 21
García-Ruíz, A. and . Bokhimi, Superconductivity and crystalline structure in the Na–W–O system **204**, 79
Garg, K.B., see B.R. Sekhar **206**, 139
Garret, J.D., see D.A. Crandles **216**, 94
Gärtner, S., see J. Freytag **209**, 59
Gartstein, E., see D. Goldschmidt **217**, 217
Gaskell, D.R., see J.S. Kim **209**, 381
Gas'kov, A.M., see T. Olesch **218**, 443
Gauckler, L.J., see R. Müller **203**, 299
Gauthier, M., see B. Barbiellini **209**, 75
Gavarri, J.R., see A. Benlhachemi **209**, 353
Gayle, F.W., see J. Bohandy **203**, 139
Gayle, F.W., see L.A. Dorosinskii **203**, 342
Gayle, F.W., see M. Turchinskaya **216**, 205
Gazda, M., B. Kusz, R. Barczyński, O. Gzowski, L. Murawski, I. Davoli and S. Stizza, Low-temperature mechanical energy dissipation phenomena in lanthanum superconductors **207**, 300
Ge, S.L., see X.F. Zhang **215**, 39
Ge, Y., see H. Jin **211**, 49
Geballe, T.H., Searching for superconductivity above the present limit **209**, 13
Geiser, U., see A.M. Kini **204**, 399
Geiser, U., see A.J. Schultz **208**, 277
Geiser, U., see K.D. Carlson **215**, 195
Geiser, U., see J.A. Schlueter **216**, 305
Gemme, G., see B. Zhang **203**, 51
Gemme, G., see P. Fabbricatore **213**, 200
Genand-Riondet, N., see J.A. Hodges **218**, 272
Gencten, A., R. Dupree and D.M. Paul, NMR evidence for the O–T structural transition in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co, Al and Ga) **216**, 491
Genenko, Yu.A., see A.K. Asadov **206**, 119
Genenko, Yu.A., see P.N. Mikheenko **212**, 332
Genenko, Yu.A., Relaxation of magnetic vortex rings in a superconducting cylinder: some universal features **215**, 343
Genzel, L., see H.-U. Habermeier **209**, 89
Gerber, A., Z. Tarnawski and J.J.M. Franse, Magnetic instabilities in high temperature superconductors **209**, 147
Gerdanian, P. and C. Picard, Some experimental evidence concerning the location of the OI–OII phase boundary in $YBa_2Cu_3O_z$ **204**, 419
Gerdanian, P. and C. Picard, Carrier-charge measurement test for the existence of large bipolarons in $YBa_2Cu_3O_z$ **212**, 1
Gergen, P., see A.M. Bogdanovich **215**, 253
Gerhardt, U., see N. Schroeder **218**, 220
Gerhouser, W., see D. Shaltiel **202**, 303
Gerritsma, G.J., see D. Terpstra **217**, 151
Gervais, M., see F.J. Gotor **218**, 429
Geserich, H.P., see A. Zibold **212**, 365
Geurst, J.A. and H. Van Beelen, The London field revisited. On the correct form of London's equations for a rotating superconductor **208**, 43
Ghigna, P., see G. Spinolo **217**, 347
Ghivelder, L., see P. Rodrigues Jr. **211**, 13
Ghosh, B., see J.B. Mandal **216**, 195
Giannelli, A., C. Giovannella and M. Bernaschi, An order–disorder crossover in granular superconductors **209**, 67
Gieres, G., see W. Rauch **211**, 234
Gilchrist, J. and M. Konczykowski, Superconductor screen viewed as one or two inductive loops **212**, 43
Ginodman, V., see D. Shaltiel **202**, 303
Ginodman, V., see Y. Yaroslavsky **209**, 179
Ginsbach, A., see J.-H. Müller **210**, 173
Ginzburg, V.L., High-temperature superconductivity: its possible mechanisms **209**, 1
Giovannella, C., see A. Giannelli **209**, 67
Giura, M., R. Fastampa, R. Marcon and E. Silva, Magnetoresistivity measurements in HTC superconductors: layered behavior and vortex-glass-to-liquid transition **209**, 341

Giura, M., see E. Silva **214**, 175
Glaser, J., see A. Ehmann **215**, 83
Glorioso, C., see J.M. Rozell Jr. **204**, 384
Glowacki, B.A., see H. Noji **205**, 397
Göbel, H.E., see M.A. Rodriguez **206**, 43
Gofron, K., see M. Lindroos **212**, 347
Gofron, K., see A.A. Abrikosov **214**, 73
Golben, J.P., see J.M. Rozell Jr. **204**, 384
Golden, S.J., T. Yamashita, A. Bhargarva, J.C. Barry, I.D.R. Mackinnon and D. Page, The extrusion of continuous lengths of $YBa_2Cu_3O_{7-x}$ wire using hydroxypropyl methylcellulose **217**, 313
Goldman, A.M., see N. Chandrasekhar **205**, 161
Goldschmidt, D., G.M. Reisner, Y. Direktovich, A. Knizhnik, E. Gartstein, G. Kimmel and Y. Eckstein, Internal charge transfer in tetragonal superconductor $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ **217**, 217
Goldstone, J.A., see G.H. Kwei **213**, 455
Golec, S., see A. Benlhachemi **209**, 353
Goll, G., see A.I. Akimenko **213**, 399
Gollnik, F., see R.P. Huebener **209**, 27
Golosovsky, M., see D. Shaltiel **202**, 303
Golosovsky, M., M. Tsindlekht, D. Davidov and A.K. Sarychev, Effective-medium approach to the microwave properties of the high-T_c superconductor–insulator composites **209**, 337
Golub, A., B. Horovitz, N. Froumin, A. Ben-Yaakov and M. Polak, Optimizing SNS Josephson junctions for high critical current density in BiSrCaCuO–metal composites **209**, 207
Golubov, A.A. and E.P. Houwman, Quasiparticle relaxation rates in a spatially inhomogeneous superconductor **205**, 147
Golubov, A.A., see V.M. Krasnov **209**, 579
Golubov, A.A., M.R. Trunin, S.V. Shulga, D. Wehler, J. Dreibholz, G. Müller and H. Piel, Microwave conductivity of $YBa_2Cu_3O_{6.9}$ single crystals near T_c **213**, 139
Gomeniuk, Yu.V., V.Z. Lozovski, V.S. Lysenko and I.P. Tyagulski, Critical currents in oxygen-implanted $YBa_2Cu_3O_{7-\delta}$ thin films under magnetic and electrostatic fields **214**, 127
Gomez-Romero, P., see N. Casañ-Pastor **216**, 478
Gömöry, F. and S. Takács, Irreversibility line and non-linearity in the AC response caused by flux pinning in high-T_c superconductors **217**, 297
Gonda, S., H. Nagata, M. Kawasaki, M. Yoshimoto and H. Koinuma, In situ surface analysis of $SrCuO_2$ heteroepitaxy on $SrTiO_3$ substrate using X-ray photoelectron spectroscopy **216**, 160
González-Calbet, J.M., A. Badía, M. Vallet-Regí, A. Caneiro, J. Ramírez, C. Rillo, F. Lera and R. Navarro, Oxygen stoichiometry, critical temperature and pinning mechanisms in the 2212 BSCCO superconductor **203**, 223
Goodenough, J.B., see J.-C. Grenier **202**, 209
Goodenough, J.B., see S. Tao **204**, 117
Goodenough, J.B., see K.S. Nanjundaswamy **207**, 339
Goodenough, J.B., see M.G. Smith **208**, 412
Goodman, P., R. Marks, C. Nexhip, T.A. O'Donnell and P. Miller, Investigation of 1223 and 1122 (Tl, Bi)CaSrCuO compounds using oxalate co-precipitation and analytical CBED **217**, 325
Goodwin, T.J., H.B. Radousky and R.N. Shelton, Superconducting, magnetic, electronic transport, and structural properties of $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R = Pr, Nd, Sm, Eu **204**, 212
Goodwin, T.J., see H.B. Radousky **209**, 155
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, The influence of substitution of Ce on the superconducting behaviour of $YBa_2Cu_4O_8$ and $DyBa_2Cu_4O_8$ **204**, 413
Gopalakrishnan, I.K. and J.V. Yakhmi, The influence of substitution of Th on the superconducting behaviour of $YBa_2Cu_4O_8$ **218**, 457
Gopalakrishnan, J., see V. Manivannan **208**, 253
Gopinath, C.S., S. Subramanian, M. Paranthaman and A.M. Hermann, Valence band electronic structure of the $Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$ system **214**, 153
Gopinath, C.S., S. Subramanian, P. Sumana Prabhu, M.S. Ramachandra Rao and G.V. Subba Rao, Structure, superconductivity and XPS studies of the $Bi_{2.1}Sr_{1.93}Ca_{0.97-x}Y_xCu_2O_{8+y}$ system **218**, 117
Gorbenko, O.Y., see G. Wahl **209**, 195
Gorbunov, A.V., see A.V. Bazhenov **208**, 197
Gorbunov, V., see V. Fesenko **211**, 343
Gordion, I., see A. Andronov **213**, 193
Goretta, K., see Z.Y. Chen **212**, 206
Goringe, M.J., see Z. Rupeng **203**, 75
Gorlova, I.G., see P.J. King **215**, 67
Gorlova, I.G., see Yu.I. Latyshev **216**, 471
Gorman, G., see L.M. Rubin **217**, 227
Gornik, E., see Y. Sun **206**, 291
Gornik, E., see W. Rauch **211**, 234
Gorochov, O., see R. Suryanarayanan **213**, 88
Goshchitskii, B., see V. Voronin **218**, 407
Gosset, P.C. and B.L. Györffy, The effect of quantum fluctuations on the vortex-depinning-current in a finite array of Josephson-coupled point-superconductors **212**, 61
Goto, T. and M. Shinzato, Partial melting of solution-spun $(Y, Ho)_1Ba_2Cu_3O_x$ filament **212**, 339
Gotor, F.J., P. Odier, M. Gervais, J. Choisnet and Ph. Monod, Synthesis of $YBa_2Cu_3O_{7-x}$ by sol–gel route. Formation of YBaCuO oxycarbonate intermediate **218**, 429
Götte, M., see C.H. Rüscher **204**, 30
Götz, D., see H. Idink **204**, 267
Goutenoire, F., M. Hervieu, A. Maignan, C. Michel, C. Martin and B. Raveau, A 62 K superconductor with an original structure: $Sr_{4-x}Ba_xTlCu_2CO_3O_7$ **210**, 359
Goutenoire, F., P. Daniel, M. Hervieu, G. Van Tendeloo, C. Michel, A. Maignan and B. Raveau, New mercury-based superconductors with the "1201" structure $Hg_{0.4}Pr_{0.6}Sr_{2-x}Pr_xCuO_{4+\delta}$ and $Hg_{0.3}Pb_{0.7}Sr_{2-x}La_xCuO_{4+\delta}$ **216**, 243
Goutenoire, F., see M. Hervieu **216**, 264
Goyal, A., K.B. Alexander, D.M. Kroeger, P.D. Funkenbusch

and S.J. Burns, Solidification of $YBa_2Cu_3O_{7-\delta}$ from the melt **210**, 197
Grabowski, R. and J. Zieliński, Superconducting pairing interactions among quasiparticles in the oxygen orbitals of CuO_2 planes **205**, 154
Graboy, I.E., see G. Wahl **209**, 195
Grader, G., L. Cadoche and G. Shter, Preparation of unclad YBCO wires **209**, 273
Grader, G., see V. Sokolovsky **209**, 277
Graf, T., see C. Opagiste **205**, 247
Graf, T., see E. Janod **216**, 129
Grajcar, M., A. Plecenik, Š. Beňačka, Ju. Revenko and V.M. Svistunov, Time evolution of point contact resistances of high-T_c superconductors **218**, 82
Grasso, G., see A. Perin **216**, 339
Grasso, G., A. Perin, B. Hensel and R. Flükiger, Pressed and cold rolled Ag-sheathed Bi(2223) tapes. A comparison **217**, 335
Gray, T.J., see A. Marshall **210**, 518
Greaves, C., see T.G.N. Babu **207**, 44
Greaves, C., see P.R. Slater **208**, 193; **213**, 14; **215**, 191
Greaves, C., see T. Krekels **210**, 439
Greaves, C., see O. Milat **217**, 444
Greedan, J.E., see D.A. Crandles **216**, 94
Greene, R.L., see D. Prasad Beesabathina **208**, 79
Greene, R.L., see H. Srikanth **218**, 245
Grenet, T., see M.A. Crusellas **209**, 537
Grenier, J.-C., N. Lagueyte, A. Wattiaux, J.-P. Doumerc, P. Dordor, J. Etourneau, M. Pouchard, J.B. Goodenough and J.S. Zhou, Transport and magnetic properties of the superconducting $La_2CuO_{4+\delta}$ phases ($0<\delta<0.09$) prepared by electrochemical oxidation **202**, 209
Griessen, R., see M. Jirsa **207**, 85
Griessen, R., see D. Tristan Jover **218**, 24
Grigoryan, L., K. Yakushi, C.-J. Liu, S. Takano, M. Wakata and H. Yamauchi, Evolution of optical absorption and superconductivity in Bi-2212 and 2223 oxides intercalated by metal-phthalocyanines. A systematical study as a function of intercalation level **218**, 153
Grigoryan, L.S., R. Kumar, S.K. Malik, R. Vijayaraghavan, K.S. Ajaykumar, M.D. Shastry, H.D. Bist and S. Sathaiah, Intercalation of Bi- and Tl-oxide superconductors with conjugated ring-shaped organic molecules. X-ray, Raman scattering, microwave and magnetic studies **205**, 296
Gritzner, G., see W. König **202**, 37
Grivei, E., see M. Cassart **213**, 327
Grivel, J.-C., see B. Hensel **205**, 329
Groenke, D.A., see J.P. Zhang **202**, 51
Gromilov, S.A., see E.B. Amitin **209**, 407
Groß, J. and M. Mehring, Phase separation observed by ^{1}H-NMR in $YBa_2Cu_3O_{7-\delta}H_x$ **203**, 1
Gross, J., see A.M. Bogdanovich **215**, 253
Gross, R., see R.P. Huebener **209**, 27
Groult, D., see V. Hardy **205**, 371; **206**, 220
Groult, D., see Ph. Daniel **211**, 209
Grovenor, C.R.M., see H. Huang **210**, 87; **217**, 405
Grube, K., see R. Benischke **203**, 293
Grube, K., see J. Metzger **214**, 371
Gruehn, R., see J.-H. Müller **210**, 173
Grünbaum, E., see Z. Barkay **209**, 81
Grybos, J., see T. Zeiske **207**, 333
Gu, H., K.K. Fung, C.D. Wei, J.L. Zhang and D.L. Yin, Order–disorder and superconductivity in Ca-doped $LaBa_2Cu_3O_{7-\delta}$ **208**, 391
Gu, H., see M. Mosbah **209**, 463
Guan, W., see Y. Xu **206**, 59
Guan, W.Y., Y.C. Chen, J.Y.T. Wei, Y.H. Xu and M.K. Wu, Ion-size effect on T_m and T_c in $(R_{1-x}Pr_x)Ba_2Cu_3O_7$ systems (R = Yb, Tm, Er, Ho, Dy, Gd, Eu, Sm, Nd and Y) **209**, 19
Guan, W.Y., see S.F. Lee **209**, 141
Guan, W.Y., see Y.H. Xu **212**, 119
Gubanov, V.A., see D.L. Novikov **210**, 301
Gudimenko, V.A., see A.I. Akimenko **213**, 399
Gugan, D. and O. Stoppard, AC susceptibility of thin superconducting discs. A unified treatment of some current critical state models **213**, 109
Gugan, D., see O. Stoppard **217**, 197
Guha, S., see M.Z. Cieplak **209**, 31
Guien, Z., see S. Lei **203**, 398; **214**, 133
Guien, Z., see W. Wenbin **217**, 156
Guilloux-Viry, M., see O. Peña **206**, 6
Gunasekaran, R.A., J.V. Yakhmi and R.M. Iyer, On the evolution of superconductivity in $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ ($0.0 \leqslant x \leqslant 1.0$) **208**, 143
Gunasekaran, R.A., J.V. Yakhmi and R.M. Iyer, Synthesis and superconducting properties of $Ca_{1-x}R_xBaLaCu_3O_{7-\delta}$ (R = Ce and Nd) systems **216**, 181
Gundjian, A.A., see A.L. Li **208**, 64
Günther, W. and R. Schöllhorn, Low temperature synthesis and properties of superconducting alkali substituted La_2CuO_4 phases **203**, 115
Güntherodt, G., see L. Buschmann **203**, 68
Güntherodt, G., see M. Boekholt **203**, 180
Güntherodt, G., see C.H. Rüscher **204**, 30
Güntherodt, G., see P.L. Paulose **208**, 11
Güntherodt, H.-J., see D. Hesse **202**, 277
Güntherodt, H.-J., see H.P. Lang **202**, 289
Güntherodt, H.J., see M. Boekholt **203**, 180
Guo, J.D., see S. Tao **213**, 276
Guo, J.D., see A. Schilling **216**, 6
Guo, S.Q., see B.R. Zhao **204**, 341
Guo, Y.C., see A.D. Caplin **209**, 167
Guo, Y.C., see H.K. Liu **213**, 95
Guo, Y.C., H.K. Liu and S.X. Dou, Silver-doped $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$/Ag high-temperature superconducting composites **215**, 291
Gupta, A., see A. Kussmaul **203**, 16
Gupta, A., M.Y. Chern and B.W. Hussey, Layer-by-layer growth of cuprate thin films by pulsed laser deposition **209**, 175
Gupta, H.C., Electron–phonon interaction, superconducting transition temperature and energy gap of Rb_3C_{60} **206**, 217
Gupta, M., see R.P. Gupta **204**, 349
Gupta, R.P. and M. Gupta, A comparative study of the

pressure-induced charge redistribution in $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ **204**, 349
Gupta, S.K., P. Berdahl, R.E. Russo, G. Briceño and A. Zettl, Pulse *I–V* characteristics measurement to study the dissipation mechanism in epitaxial $YBa_2Cu_3O_x$ thin films at high current densities **206**, 335
Gupta, Y.M., see A.C. Sharma **209**, 507
Guptasarma, P., S.T. Bendre, S.B. Ogale, M.S. Multani and R. Vijayaraghavan, Thin and ultra-thin epitaxial films of $YBa_2Cu_3O_{7-\delta}$ deposited on $LiNbO_3$ substrates by pulsed excimer laser ablation **203**, 129
Gurvitch, M., see S. Tolpygo **209**, 211
Gyorffy, B.L., see P. Miller **210**, 343
Györffy, B.L., see P.C. Gosset **212**, 61
Gzowski, O., see M. Gazda **207**, 300

Ha, D.-H., see K. Oka **215**, 407
Haanappel, E.G., W. Joss, I.D. Vagner, P. Wyder, K. Trübenbach, Hj. Mattausch, A. Simon, F.M. Mueller and S. Askenazy, Magneto-oscillations in $YBa_2Cu_3O_{7-\delta}$ in high magnetic fields **209**, 39
Habermeier, H.-U., see J. Humlíček **206**, 345
Habermeier, H.-U., see I.E. Trofimov **209**, 51
Habermeier, H.-U., L. Genzel and M. Bauer, $YBa_2Cu_3O_7$ and $YBa_2(Cu_{1-0.04}Fe_{0.04})_3O_7$ single crystal thin films. Preparation and determination of the gap distribution **209**, 89
Habermeier, H.-U., see A. Forkl **211**, 121
Hadjimitov, V.N., see M.V. Abrashev **215**, 421
Haefke, H., see D. Hesse **202**, 277
Haefke, H., see H.P. Lang **202**, 289
Haga, T., see W. Ito **204**, 295
Hagberg, J., S. Leppävuori and A. Uusimäki, Transport properties of screen-printed melt-textured (Bi,Pb)–Sr–Ca–Cu–O superconducting thick films **216**, 325
Hahn, T., see C.M. Fu **205**, 111; **206**, 110
Hahn, T., see C.L. Jia **210**, 1
Hahn, Th., see H. Idink **204**, 267
Hall, S.R., see T.P. Beales **205**, 383; **207**, 1
Hamet, J.F., B. Blanc-Guilhon, A. Taffin, B. Mercey, M. Hervieu and B. Raveau, Growth mechanism of ***a***-axis "123" thin films on $LaAlO_3$ without PBCO interface **214**, 55
Hammel, P.C., see E.T. Ahrens **212**, 317
Hammond, S., see M. Mosbah **209**, 463
Hammond, S., see S. Senoussi **211**, 288
Han, B., see J. Hu **210**, 97
Han, T.-S., see K. Oka **215**, 407
Han, Z., see T.I. Selinder **202**, 69
Han, Z.P. and R. Dupree, Phenomenological model for the normal state spin susceptibility in high-temperature superconductors **208**, 328
Hannon, R., see B. Dabrowski **208**, 183
Harashina, H., see T. Nishikawa **211**, 127
Harashina, H., T. Nishikawa, T. Kiyokura, S. Shamoto, M. Sato and K. Kakurai, Cu-site doping effects, transport and magnetic properties of high-T_c oxides and their hole concentration dependence **212**, 142
Hardy, V., Ch. Simon, J. Provost and D. Groult, Irreversibility lines of Bi-2212 single crystals irradiated by 6 GeV-Pb ions **205**, 371
Hardy, V., Ch. Simon, J. Provost and D. Groult, Pinning forces in Bi-2212 single crystals irradiated by 6 GeV Pb ions **206**, 220
Hari Babu, V., see K. Nanda Kishore **204**, 299
Hariharan, Y., see P. Kuppusami **215**, 213
Harrison, M.R., see T.P. Beales **205**, 383; **207**, 1
Hartford Jr., E.H., see M.G. Norton **205**, 347
Hartmann, A., G.J. Russell and K.N.R. Taylor, Characterisation of argon-ion-bombarded and chemically etched $Y_1Ba_2Cu_3O_{7-\delta}$ single crystal surfaces **205**, 78
Hase, T., R. Kita, K. Kawaguchi, T. Koga and T. Morishita, Differences in effects of oxygen partial pressure on $YBa_2Cu_3O_{7-x}$ growth between in situ and ex situ processes **207**, 58
Hasegawa, T., see K. Yanagisawa **208**, 51
Hasegawa, T., see K. Kitazawa **209**, 23
Hashimoto, K., see T. Uzumaki **202**, 175
Hashimoto, M., see S. Uji **207**, 112
Hass, N., see Z. Barkay **209**, 81
Hass, N., D. Ilzycer, G. Deutscher, G. Desgardin, I. Monot and M. Weger, Gap anisotropy and Fermi velocity in oriented $YBa_2Cu_3O_{7-\delta}$ from point contact spectroscopy **209**, 85
Hass, N., see Y. Scolnik **209**, 305
Hauck, J., B. Bischof, K. Mika, E. Janning, H. Libutzki and J. Plewa, Reaction of H_2 gas with perovskite related cuprates **212**, 435
Hauck, J. and K. Mika, Crystallography of CeO_2 containing cuprates **218**, 316
Hayashi, A., H. Tamura and Y. Ueda, Successive structural phase transitions in stoichiometric La_2NiO_4 observed by X-ray diffraction **216**, 77
Hayashi, A., see H. Tamura **216**, 83
Hayashi, K., see Ch. Neumann **210**, 138
Hayashi, K., see N. Sugii **213**, 345
Hayashi, K., see T. Mitsuzuka **218**, 229
Hayashi, S., see S. Miyashita **213**, 283
Hazell, S.J., see A.K. Pradhan **204**, 325; **218**, 208
Hazen, R.M., see A.J. Schultz **208**, 277
He, A.Q., G.W. Qiao and H.Q. Ye, A crystallographic symmetry analysis of the phase transition of Y–Ba–Cu–O superconductor **204**, 85
He, A.Q., X.M. Meng, Y.Z. Wang, G.W. Qiao and H.Q. Ye, Study of the crystallization process of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ glass using transmission electron microscopy **204**, 365
He, Z.H., see P.C.W. Fung **212**, 279
He, Z.H., see Z.L. Du **215**, 319
Headley, T.J., see T.L. Aselage **203**, 25
Heald, S.M., see E.A. Stern **209**, 331
Hechel, D., see I. Felner **214**, 169
Heeger, A.J., see G. Yu **203**, 419
Hegde, M.S., see S.P. Pandey **206**, 207
Hegman, N., see S. Mészáros **218**, 471

Heiden, C., see R. Flegel **206**, 1
Heike, S., see K. Kitazawa **209**, 23
Heill, L.K., see M.G. Karkut **215**, 19
Heine, G., see W. Lang **209**, 71
Heinrich, B., see W. Xing **205**, 311
Heinrich, B., see J. Chrzanowski **207**, 25
Hejtmanek, J., E. Pollert, B. Chevalier, J. Etourneau and A. Tressaud, Structural and transport properties of $La_{1.85-x}Nd_xSr_{0.15}CuO_4F_y$ solid solutions **209**, 47
Hejtmánek, J., E. Pollert, B. Chevalier, A. Tressaud, P. Dordor, C. Brisson, M. Lahaye, J. Etourneau, M. Cassart and J.P. Issi, Correlations between fluorination and transport properties in the $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ system **215**, 411
Hejtmánek, J., see K. Knížek **216**, 211
Hellman, E.S., see M.G. Norton **205**, 347
Hellman, E.S., Comment on the isotope effect in superconducting $Ba_{1-x}K_xBiO_3$ **211**, 486
Hellstrom, E.E., see W. Zhang **218**, 141
Helmersson, U., see T.I. Selinder **202**, 69
Helsley, C.E., see Y. Song **215**, 313
Henkie, Z., T. Cichorek, A. Wojakowski, R. Horyń and W. Iwasieczko, Thermopower sign inversion due to deoxygenation of hopping conductor $Bi_{1.6}Sr_{2.4}NdCu_2O_{8+x}$ **202**, 97
Henkie, Z., T. Cichorek, H. Drulis and J. Klamut, Hydrogenation and deoxygenation effects on the thermoelectric power of $SmBa_2Cu_3O_7$ **214**, 138
Henry, J.Y., see A. Junod **211**, 304
Henry, J.Y., see C. Marcenat **216**, 443
Hensel, B., J.-C. Grivel, A. Jeremie, A. Perin, A. Pollini and R. Flükiger, A model for the critical current in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes. The role of small-angle *c*-axis grain boundaries and of the texture **205**, 329
Hensel, B., see A. Perin **216**, 339
Hensel, B., see G. Grasso **217**, 335
Hergt, R., see Th. Klupsch **211**, 65
Hergt, R., see W. Andrä **213**, 471
Hermann, A.M., see H.M. Duan **203**, 257
Hermann, A.M., see D. Vacaru **203**, 393
Hermann, A.M., H.M. Duan, W. Kiehl and M. Paranthaman, Single crystal studies of the pairing mechanism in $Tl_2Ba_2CuO_6$ superconductors **209**, 199
Hermann, A.M., see C.S. Gopinath **214**, 153
Hernández-Rojas, J.L., see M.L. Lucía **204**, 359; **218**, 59
Herrmann, M., see M. Boekholt **203**, 180
Herrmann, R.D., S.M. Kanetkar, S.B. Ogale, K.C. Rajkumar, A. Madhukar, N. Parik and B. Patnaik, Investigation of voltage steps of $U(I)$ curves in $PbMo_6S_8$ wires **202**, 61
Hervieu, M., see M. Huvé **205**, 219
Hervieu, M., see R. Vijayaraghavan **206**, 81
Hervieu, M., see B. Domengès **207**, 65
Hervieu, M., see A. Maignan **208**, 116, 149; **212**, 239; **216**, 1
Hervieu, M., see D. Pelloquin **208**, 121; **212**, 199; **214**, 87; **216**, 257; **217**, 27
Hervieu, M., see B. Raveau **209**, 163
Hervieu, M., A.Q. Pham, C. Michel and B. Raveau, A 2212 bismuth cuprate with a non-modulated structure. $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ **209**, 449
Hervieu, M., see F. Goutenoire **210**, 359; **216**, 243
Hervieu, M., see Ph. Daniel **211**, 209
Hervieu, M., see C. Martin **212**, 274
Hervieu, M., see J.F. Hamet **214**, 55
Hervieu, M., G. Van Tendeloo, A. Maignan, C. Michel, F. Goutenoire and B. Raveau, New 1212-type superconductors with a T_c up to 85 K in the system Hg–Pr–Sr–Ca–Cu–O **216**, 264
Hesse, D., L. Berthold, H. Haefke, H.P. Lang, R. Sum and H.-J. Güntherodt, Structure and growth of $YBa_2Cu_3O_{7-\delta}$ thin films on Mg_2TiO_4 (001). I. Growth conditions and film structure: transmission electron microscopy **202**, 277
Hesse, D., see H.P. Lang **202**, 289
Hewat, A.W., see P. Fischer **205**, 259
Hewitt, K.C., A. Martin, Y.H. Shi and M.J.G. Lee, Effects of Pb doping on the Raman spectrum of $Bi_2Sr_2CuO_{6+\delta}$ **216**, 463
Heymer, B., see M. Breuer **208**, 217
Heyvaert, I., see P. Wagner **215**, 123
Hidaka, H., see H. Yoshikawa **203**, 144
Hidaka, Y., see M. Suzuki **208**, 333
Hiergeist, R., see Th. Klupsch **211**, 65
Hiergeist, R., see W. Andrä **213**, 471
Higa, H., see K. Higashiyama **212**, 101
Higashiyama, K., T. Ushida, H. Higa, I. Hirabayashi and S. Tanaka, Growth mechanism of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin film by laser-induced MOCVD **212**, 101
Hikita, T., see M. Kato **217**, 189
Hilczer, W., see J. Stankowski **215**, 167
Hillenbrand, B., see G. Friedl **209**, 287
Hillmer, F., see P. Wagner **215**, 123
Hinds, B.J., see J. Hu **210**, 97
Hinks, D.G., see B. Dabrowski **202**, 271; **217**, 455
Hinks, D.G., see H. Shaked **205**, 225
Hinks, D.G., see H. Zhang **208**, 231
Hinks, D.G., see J.L. Wagner **210**, 447
Hinks, D.G., see P.G. Radaelli **216**, 29
Hinks, D.G., see U. Welp **218**, 373
Hirabayashi, I., see K. Higashiyama **212**, 101
Hiraga, K., see Y. Muraoka **204**, 65
Hiraga, K., see N. Ohnishi **207**, 175
Hiraga, K., see S. Nakajima **214**, 80
Hiraga, K., see Y. Miyazaki **215**, 159
Hirai, T., see Y. Miyazaki **202**, 162; **215**, 159
Hirai, T., see K.H. Young **203**, 37
Hirai, T., see N. Ohnishi **207**, 175
Hirano, A., see Y. Kubozono **217**, 21
Hirata, K., F. Baudenbacher and H. Kinder, Initial stage of $YBa_2Cu_3O_{7-x}$ film growth on $SrTiO_3$ **214**, 272
Hiratani, M., Y. Tarutani, T. Fukazawa, A. Tsukamoto and K. Takagi, Evaluation of non-superconducting La–Ba–Cu–O thin films **203**, 327
Hiroi, Z., M. Azuma, M. Takano and Y. Takeda, Structure and superconductivity of the infinite-layer compound $(Ca_{1-y}Sr_y)_{1-x}CuO_{2-z}$ **208**, 286

Hiroi, Z., see N. Ikeda **210**, 367
Hirosawa, I., see T.W. Ebbesen **203**, 163
Hirotsu, S., see K. Horiuchi **209**, 531
Hitterman, R.L., see H. Shaked **205**, 225
Hitterman, R.L., see B. Dabrowski **208**, 183; **217**, 455
Hiura, H., see T.W. Ebbesen **203**, 163
Hjuler, H.A., see Q. Li **217**, 360
Ho, J.C., see C.C. Lai **202**, 104
Ho, J.C., see J.B. Shi **205**, 129
Ho, J.S., see T.-M. Chen **215**, 435
Hochmuth, H., see M. Lorenz **215**, 445
Hodby, J.W., see A.K. Pradhan **204**, 325; **218**, 208
Hodby, J.W., see A.J.S. Chowdhury **204**, 394
Hodby, J.W., see C.K. Chen **214**, 231
Hodges, J.A., P. Bonville, P. Imbert, D. Colson, N. Genand-Riondet and A. Pinatel-Philippot, Magnetic properties of $YBa_2(Cu_{0.94}Zn_{0.06})_3O_x$ ($x=6.0$ to 7.0) studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$ **218**, 272
Hodges, J.A., G. Le Bras, P. Bonville, P. Imbert and G. Jéhanno, Magnetic correlations in $Pr_{1-x}Y_xBa_2Cu_3O_7$ studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$ **218**, 283
Hoenig, H.E., see G. Friedl **209**, 287
Hoffman, S.A., M.A. Castro, G.C. Follis and S.M. Durbin, Anomalous behavior of nickel–gallium substitutions in $YBa_2Cu_3O_{7-\delta}$ **208**, 59
Hoffmann, L., see B. Barbiellini **209**, 75
Hohlwein, D., see T. Zeiske **207**, 333
Holesinger, T.G., D.J. Miller, L.S. Chumbley, M.J. Kramer and K.W. Dennis, Characterization of the phase relations and solid solution range of the $Bi_2Sr_2Ca_1Cu_2O_y$ superconductor **202**, 109
Holesinger, T.G., D.J. Miller and L.S. Chumbley, Solid solution region of the $Bi_2Sr_2CaCu_2O_y$ superconductor **217**, 85
Holguin, E., see A. Mariño **210**, 16
Holstein, W.L., L.A. Parisi, C.R. Fincher and P.L. Gai, Superconducting thin films containing randomly disordered layers of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ **212**, 110
Holtzberg, F., see L. Klein **209**, 251
Holzapfel, B., see G. Friedl **209**, 287
Holzapfel, B., see I. Fugol' **216**, 391
Homma, N., see W. Ito **204**, 295
Homonnay, Z., E. Kuzmann, M. Gál, S. Nagy, A. Vértes, L. Pöppl, A. Nath and Gy. Vankó, Emission Mössbauer study of oxygen deficient $PrBa_2Cu_3(^{57}Co)O_{6+x}$ **209**, 137
Honda, T., see T. Shibauchi **203**, 315
Hong, Q. and J.H. Wang, Electrical transport properties of the rare-earth ion substituted (Tl, Ps)$Sr_{1.6}Ba_{0.4}(Ca_{0.8}R_{0.2})Cu_2O_x$ superconducting system **214**, 286
Hong, Q. and J.H. Wang, Superconductivity in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R=Ce, Pr or Tb) **217**, 439
Hong, Z.L., see M.Q. Wang **210**, 413
Hor, P.H., see Q. Xiong **205**, 307
Hor, P.H., see Y.Y. Sun **212**, 169
Hor, P.H., see A.Z. Moshfegh **218**, 396
Horie, Y., see T. Fukami **202**, 167; **215**, 375
Horiuchi, H., see S. Miyashita **213**, 283
Horiuchi, K., T. Kawai, S. Kawai, Y. Fujiwara and S. Hirotsu, Superconductivity of strained $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ superlattices **209**, 531
Horiuchi, S., see A. Ono **216**, 165
Horovitz, B., see A. Golub **209**, 207
Horyń, R., see Z. Henkie **202**, 97
Hosoya, S., T. Omata, K. Nakajima, K. Yamada and Y. Endoh, Oxygen doping and phase separation in $La_2NiO_{4+\delta}$ **202**, 188
Hou, J.-C., see Z. Xu **202**, 256
Housley, R.M., see P.E.D. Morgan **213**, 438
Houssa, M., see M. Ausloos **218**, 15
Houwman, E.P., see A.A. Golubov **205**, 147
Hsu, H., see F.A. List **202**, 134
Hsu, S.E., J.Y. Wang, C.M. Li, T.W. Huang and K.L. Wang, A quick process for synthesis of $Y_1Ba_2Cu_3O_7$ single phase superconductors **207**, 159
Hsu, T.C., Frequency dependent conductivity of vortex cores in type II superconductors **213**, 305
Hu, D., The current dependence of the effective pinning potential in high-T_c superconductors **205**, 123
Hu, D., V.A.M. Brabers, J.H.P.M. Emmen and W.J.M. De Jonge, The temperature dependence of the irreversibility line of $Bi_2Sr_2CaCu_2O_x$ superconductors **216**, 315
Hu, J., D.J. Miller, D.L. Schulz, B. Han, D.A. Neumayer, B.J. Hinds and T.J. Marks, Transmission electron microscopic characterization of metal–organic chemical vapor deposition-derived superconducting $Tl_2Ba_2Ca_1Cu_2O_x$ thin films on Au substrates. Evidence for Au–Cu alloy formation and texturing on a nonplanar metal substrate **210**, 97
Hu, S.F., see R.S. Liu **205**, 206; **216**, 237
Hu, Y., see C.K. Chen **214**, 231
Hu, Y., see A.K. Pradhan **218**, 208
Hu, Z., see H. Jin **211**, 49
Huang, H. and C.R.M. Grovenor, An electrochemical method for studying high oxygen activity effects in textured $YBa_2Cu_3O_{7-x}$ bulk and thick film samples **210**, 87
Huang, H. and C.R.M. Grovenor, Contacts to $YBa_2Cu_3O_{7-\delta}$ and their electrical behaviours **217**, 405
Huang, M.X., see J.S. Ramachandran **202**, 151
Huang, M.X., see S. Lofland **203**, 271
Huang, Q., see O. Chmaissem **212**, 259; **217**, 265
Huang, Q., see S.M. Loureiro **217**, 253
Huang, Q., J.W. Lynn, R.L. Meng and C.W. Chu, Crystal structure of annealed and as-prepared $HgBa_2CaCu_2O_{6+\delta}$ superconductors **218**, 356
Huang, T.W., see S.E. Hsu **207**, 159
Huang, W.F., K.J. Hung and J.G. Shen, Magnetic hysteresis of transport critical current in polycrystalline YBCO **208**, 7
Huang, Y.L., see G.E. Zhou **212**, 151
Huang, Y.Z., see W.J. Zhu **205**, 118; **218**, 5
Huang, Z.J., see L. Gao **213**, 261
Huang, Z.J., see R.L. Meng **214**, 307; **216**, 21
Huang, Z.J., R.L. Meng, X.D. Qiu, Y.Y. Sun, J. Kulik,

Y.Y. Xue and C.W. Chu, Superconductivity, structure and resistivity in $HgBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 1
Huang, Z.J., see Y.T. Ren **217**, 6
Hubbard, C.R., see F.A. List **202**, 134
Huck, M.W., L.-J. Pa, D.W. Werner and L.A. Schwartzkopf, $Bi_2Sr_2CaCu_2O_8$ fibers spun by means of pendant drop melt extraction **207**, 261
Hüdepohl, J., see W. Schnelle **209**, 456
Hudner, J., see L.B. Kiss **207**, 318
Huebener, R.P. and E.H. Brandt, Forces acting on the vortex lattice in the presence of flux pinning **202**, 321
Huebener, R.P., H.-C. Ri, R. Gross and F. Gollnik, Thermal diffusion of quasiparticles and flux quanta in the mixed state of high-temperature superconductors **209**, 27
Hui, A., see T.C. Shields **213**, 338
Humlíček, J., A.P. Litvinchuk, W. Kress, B. Lederle, C. Thomsen, M. Cardona, H.-U. Habermeier, I.E. Trofimov and W. König, Lattice vibrations of $Y_{1-x}Pr_xBa_2Cu_3O_7$: theory and experiment **206**, 345
Humphreys, R.G. and J.A. Edwards, $YBa_2Cu_3O_7$ thin film grain boundary junctions in a perpendicular magnetic field **210**, 42
Hung, K.J., see W.F. Huang **208**, 7
Hunneyball, P.D., see R.S. Liu **205**, 206
Hunt, B.D., see R.P. Vasquez **207**, 266
Hunt, B.D., see J.B. Barner **207**, 381
Hunter, B.A., see B. Dabrowski **208**, 183; **217**, 455
Hunter, B.A., see P.G. Radaelli **216**, 29
Huppert, D., see B. Fainberg **209**, 95
Hur, N.H., H.-G. Lee, J.-H. Park, H.-S. Shin and I.-S. Yang, Raman studies on single-phasic $HgBa_2CuO_{4+\delta}$ superconductors **218**, 365
Hussey, B.W., see A. Gupta **209**, 175
Huth, M., see C. Stölzel **204**, 15
Huvé, M., C. Michel, A. Maignan, M. Hervieu, C. Martin and B. Raveau, A 70 K superconductor. The oxycarbonate $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ **205**, 219
Huvé, M., see A. Maignan **208**, 149
Huvé, M., see B. Raveau **209**, 163
Huve, M., see C. Martin **212**, 274; **217**, 106
Huybrechts, B., see S. Ohara **217**, 294
Hyun, O.B., Flux expulsion at intermediate fields in type-II superconductors **206**, 169

Iborra, E., see M.L. Lucía **218**, 59
Ichikawa, F., see T. Fukami **202**, 167; **215**, 375
Ichikawa, F., see T. Nishizaki **204**, 305
Ichikawa, M., see N. Sugii **213**, 345
Idemoto, Y., Y. Itoh and K. Fueki, Oxygen nonstoichiometry and high-temperature conductivity of Nd–Ce–Sr–Cu–O superconducting oxide **202**, 127
Idemoto, Y., see H. Ishizuka **204**, 55; **209**, 491
Idemoto, Y., T. Muroga and K. Fueki, Electronic structure of $(Nd, Ce)_2(Ba, Nd)_2Cu_3O_y$ **210**, 315
Idemoto, Y., K. Shizuka, Y. Yasuda and K. Fueki, Standard enthalpies of formation of member oxides in the Bi–Sr–Ca–Cu–O system **211**, 36
Idink, H., D. Götz, Th. Hahn, E. Woermann and M. Boekholt, Evidence for the existence of two separate 30 Å phases in the Bi–Sr–Ca–Cu–O system **204**, 267
Ido, M., see N. Yamada **203**, 240
Iga, F., see K. Oka **215**, 407
Ignatiev, A., see A.Z. Moshfegh **218**, 396
Ikeda, H., see N. Ishikawa **203**, 284
Ikeda, M.A., see M. Sugihara **214**, 159
Ikeda, N., Z. Hiroi, M. Azuma, M. Takano, Y. Bando and Y. Takeda, Synthesis and superconducting properties of the infinite-layer compounds $Sr_{1-x}Ln_xCuO_2$ (Ln = La, Nd, Sm, Gd) **210**, 367
Ikemachi, T., see M. Karppinen **208**, 130
Ikuta, H., see K. Kitazawa **209**, 23
Il'in, N.V., see L.M. Fisher **206**, 195
Ilzycer, D., see N. Hass **209**, 85
Imafuku, M., see H. Teshima **206**, 103
Imbert, P., see J.A. Hodges **218**, 272, 283
Inaguma, Y., see M. Itoh **204**, 194
Inaguma, Y., see J. Yu **209**, 442
Indenbom, M.V., see L.A. Dorosinskii **203**, 149
Indenbom, M.V., Th. Schuster, M.R. Koblischka, A. Forkl, H. Kronmüller, L.A. Dorosinskii, V.K. Vlasko-Vlasov, A.A. Polyanskii, R.L. Prozorov and V.I. Nikitenko, Study of flux distributions in high-T_c single crystals and thin films using magneto-optic techniques **209**, 259
Inoue, T., see S. Miyashita **213**, 283
Irvine, J.T.S., see D.C. Sinclair **205**, 323
Irvine, J.T.S., see A.B. Sheikh **212**, 95
Irwin, J.C., see W. Xing **205**, 311
Irwin, J.C., see J. Chrzanowski **207**, 25
Isawa, K., see S. Adachi **214**, 313
Isawa, K., see A. Tokiwa-Yamamoto **216**, 250
Isawa, K., A. Tokiwa-Yamamoto, M. Itoh, S. Adachi and H. Yamauchi, The effect of Pb doping in $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor **217**, 11
Ishida, H., see Y. Kubozono **217**, 21
Ishida, K., see G.-Q. Zheng **208**, 339
Ishida, T., J. Franz, J. Reiner and W. Schauer, Two-step transition in irreversibility lines of $YBa_2Cu_3O_7$ films **202**, 356
Ishii, A., see K. Nakamura **213**, 1
Ishii, T., see Y. Kubozono **217**, 21
Ishikawa, N., N. Kuroda, H. Ikeda and R. Yoshizaki, Spin-correlation in $La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$ (M = Ga, Zn, Ni, Co) **203**, 284
Ishizuka, H., Y. Idemoto and K. Fueki, Oxygen nonstoichiometry and high-temperature conductivity of $YBa_2Cu_4O_y$ **204**, 55
Ishizuka, H., Y. Idemoto and K. Fueki, Determination of the CT gap of a $Nd_2CuO_{4-\delta}$ single crystal by high-temperature conductivity measurement **209**, 491
Issi, J.-P., see M. Cassart **213**, 327
Issi, J.P., see J. Hejtmánek **215**, 411
Ito, W., A. Oishi, S. Okayama, Y. Yoshida, N. Homma, T. Morishita, T. Haga and K. Yamaya, Highest crystallinity

of *a*-axis YBCO films by DC-94.92 MHz hybrid plasma magnetron sputtering **204**, 295
Ito, W., see S. Mahajan **213**, 445
Itoh, M., T. Sawada, I.-S. Kim, Y. Inaguma and T. Nakamura, Electrical properties of the $A(Pb_{1-x}B_x)O_{3-\delta}$ (A=Ba, Sr, B=Sb, Bi) system **204**, 194
Itoh, M., see J. Yu **209**, 442
Itoh, M., A. Tokiwa-Yamamoto, S. Adachi and H. Yamauchi, Increase of T_c in $HgBa_2CuO_y$ by reducing treatment **212**, 271
Itoh, M., see S. Adachi **214**, 313
Itoh, M., see A. Tokiwa-Yamamoto **216**, 250
Itoh, M., see K. Isawa **217**, 11
Itoh, Y., see Y. Idemoto **202**, 127
Ivanov, A.A., see V.F. Elesin **213**, 490
Ivanov, S.N., see S.I. Shkuratov **211**, 158; **213**, 321
Iwasaki, H., S. Kenmochi, O. Taniguchi and N. Kobayashi, Anomalous magnetoresistance in the normal state of $Y_{1-x}Pr_xBa_2Cu_3O_y$ ($x \geq 0.6$) films **204**, 406
Iwasieczko, W., see Z. Henkie **202**, 97
Iwaya, J., see A. Oota **210**, 489; **212**, 23; **214**, 9
Iye, Y., see T. Tamegai **213**, 33
Iyer, R.M., see I.K. Gopalakrishnan **204**, 413
Iyer, R.M., see R.A. Gunasekaran **208**, 143; **216**, 181
Izumi, F., see A. Tokiwa-Yamamoto **215**, 243
Izumi, F., see E. Takayama-Muromachi **215**, 329

Jackson, E.M., B.D. Weaver and G.P. Summers, Proton-induced increase of the penetration depth in a $Tl_2Ba_2Ca_1Cu_2O_x$ microstrip resonator **206**, 163
Jacobsen, C.S., see I. Mangelschots **203**, 369
Jacobsen, C.S., see J.G. Larsen **217**, 135
Jaeger, H.M., see T.G.M. Oosterlaken **214**, 359
Jaekel, C., see M. Boekholt **203**, 180
Jaggi, A., see S.P. Zhao **214**, 345
Jakob, G., see C.M. Fu **205**, 111; **206**, 110
Jakob, G., see C.L. Jia **210**, 1
Janko, B., see P. Miller **210**, 343
Janning, E., see J. Hauck **212**, 435
Janod, E., A. Junod, T. Graf, K.-Q. Wang, G. Triscone and J. Muller, Split superconducting transitions in the specific heat and magnetic susceptibility of $YBa_2Cu_3O_x$ versus oxygen content **216**, 129
Jansak, L., see S. Zannella **205**, 14
Jansen, M., see P.E. Kazin **211**, 227
Janssen, G.C.A.M., see T.G.M. Oosterlaken **214**, 359
Jarlborg, T., see B. Barbiellini **209**, 75
Jayaprakash, R. and J. Shanker, Effect of valency and ligancy on ionic radii in high-temperature superconductors **205**, 377
Jayavel, R., A. Thamizhavel, P. Murugakoothan, C. Subramanian and P. Ramasamy, Growth, twin and domain structure studies of superconducting $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ single crystals **215**, 429
Je, J.H., see C.G. Kim **203**, 385
Jeandupeux, O., see A. Schilling **216**, 6
Jeandupeux, O., A. Schilling and H.R. Ott, Specific heat of superconducting $HgBa_2Ca_2Cu_3O_8$ between 65 and 200 K **216**, 17
Jefferson, D.A., see W. Zhou **202**, 335
Jefferson, D.A., see R.S. Liu **205**, 206; **216**, 237
Jegoudez, J., see C. Torrón **212**, 440
Jéhanno, G., see J.A. Hodges **218**, 283
Jelínek, M., see V. Olšan **207**, 391
Jeong, I.-K., D.-Y. Kim, Y.K. Park, K.W. Lee and J.C. Park, Microstructure and magnetization J_c of the bulk Y–Ba–Cu–O superconductor prepared by the infiltration-reaction process **217**, 376
Jepsen, O., see I.I. Mazin **209**, 125
Jeremie, A., see B. Hensel **205**, 329
Jesson, D.E., see S.J. Pennycook **202**, 1
Jhans, H., S.K. Malik, S.K. Dhar and R. Vijayaraghavan, Magnetic ordering and superconductivity in the $Nd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ system **207**, 247
Jhans, H., S.K. Malik and R. Vijayaraghavan, Synthesis and magnetic properties of the $R_{1+x}Sr_{2-x}Cu_{2+x}Nb_{1-x}O_{8-y}$ system **215**, 181
Ji, H.L., see Z.X. Shi **215**, 439
Ji, H.L., Z.X. Shi, Z.Y. Zeng, X. Jin, X.X. Yao, X.S. Rong, Y.M. Ni and Z.X. Zhao, Equivalent approaches to studying flux creep. Time relaxation and field sweep rate dependence **217**, 127
Jia, C.L., H. Soltner, G. Jakob, T. Hahn, H. Adrian and K. Urban, Structural and compositional characterization of $(YBa_2Cu_3O_7)_m/(PrBa_2Cu_3O_7)_n$ superlattices by means of high-resolution electron microscopy **210**, 1
Jia, S.L., see Y.G. Zhao **209**, 472
Jia, Y.B., see K.B. Tang **205**, 406
Jia, Y.B., see G.E. Zhou **212**, 151
Jia, Y.B., see W.B. Wu **213**, 133
Jia, Y.X., see T.W. Clinton **217**, 53
Jia, Y.X., see M.D. Lan **218**, 69
Jiang, C. and J.P. Carbotte, Thermodynamics of layered strong coupling superconductors **210**, 325
Jiang, M.H., see X.L. Wang **208**, 259
Jichu, H., see K. Miura **203**, 431
Jilek, E., see P. Fischer **205**, 259
Jilek, E., see C. Meingast **209**, 591
Jin, C., see Y. Xu **204**, 288
Jin, H., Z. Hu, Y. Ge, Q. Liu, C. Liu and C. Shi, The influence of growth conditions on the characteristics of Bi-based whiskers **211**, 49
Jin, X., see Z.X. Shi **215**, 439
Jin, X., see H.L. Ji **217**, 127
Jirák, Z., see A.I. Beskrovnyi **206**, 27
Jirsa, M., L. Pust, H.G. Schnack and R. Griessen, Extension of the time window for investigation of relaxation effects in high-T_c superconductors **207**, 85
Johansen, T.H., see A.B. Riise **218**, 489
Johansson, L.-G., see P. Berastegui **204**, 147
Johnston, D.C., see J.H. Cho **212**, 419
Johnston, D.C., see F.C. Chou **216**, 66
Jondo, T.K., see J.L. Jorda **205**, 177
Jondo, T.K., see C. Opagiste **205**, 247; **213**, 17

Jones, E.C., see D.P. Norton **217**, 146
Joosse, K., see J.G. Wen **218**, 29
Jorda, J.L., T.K. Jondo, R. Abraham, M.T. Cohen-Adad, C. Opagiste, M. Couach, A. Khoder and F. Sibieude, Preparation of pure $Tl_2Ba_2CuO_{6\pm x}$ The contribution of phase equilibrium studies **205**, 177
Jorda, J.-L., see C. Opagiste **205**, 247; **213**, 17
Jorgensen, J.D., see H. Shaked **205**, 225
Jorgensen, J.D., see B. Dabrowski **208**, 183; **217**, 455
Jorgensen, J.D., see H. Zhang **208**, 231
Jorgensen, J.D., see J.L. Wagner **210**, 447
Jorgensen, J.D., see P.G. Radaelli **216**, 29
Jørgensen, J.-E. and N.H. Andersen, Crystal structure and charge localization in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ for $x=0.0$–0.5 **218**, 43
Joss, W., see E.G. Haanappel **209**, 39
Julien, D.St., see S. Chen **218**, 191
Junod, A., see C. Opagiste **205**, 247; **213**, 17
Junod, A., E. Bonjour, R. Calemczuk, J.Y. Henry, J. Muller, G. Triscone and J.C. Vallier, Specific heat of an $YBa_2Cu_3O_7$ single crystal in fields up to 20 T **211**, 304
Junod, A., see E. Janod **216**, 129
Jutzi, W., see R. Dolata **214**, 365

Kadowaki, K., see T. Nagashima **212**, 6
Kaga, H., see T. Saikawa **217**, 210
Kagan, M.Yu., see M.A. Baranov **218**, 75
Kain, A.Z. and H.R. Fetterman, Parametric interactions in high-T_c superconducting step edge junctions at X-band **209**, 281
Kaiser, A.B., see C.K. Subramaniam **203**, 98
Kaiser, D.L., see J. Bohandy **203**, 139
Kaiser, D.L., see L.A. Dorosinskii **203**, 342
Kaiser, D.L., see M. Turchinskaya **216**, 205
Kaiwa, M., see Y. Koike **211**, 409
Kajitani, T., see N. Ohnishi **207**, 175
Kajitani, T., see Y. Koike **211**, 409
Kajitani, T., see Y. Miyazaki **215**, 159
Kakurai, K., see S. Shamoto **203**, 7
Kakurai, K., see H. Harashina **212**, 142
Kaldis, E., see P. Fischer **205**, 259
Kaldis, E., see C. Meingast **209**, 591
Kaldis, E., see K. Conder **210**, 282
Kaldis, E., see H. Schwer **211**, 165
Kaldis, E., see Ch. Krüger **213**, 219
Käll, M., see P. Berastegui **204**, 147
Kallio, A., see V. Apaja **209**, 519
Kamarás, K., see I.E. Trofimov **209**, 51
Kamehara, N., see T. Uzumaki **202**, 175
Kamiyama, T., see E. Takayama-Muromachi **215**, 329
Kamo, T., see W. Zhou **202**, 335
Kaneko, T., see J. Wang **208**, 323
Kanetkar, S.M., see R.D. Herrmann **202**, 61
Kang, J., see Z. Gao **203**, 45
Kant, C., see K.K. Saini **210**, 502
Kao, C.H., Y.S. Shiue, S.R. Sheen and M.K. Wu, The effect of Ag_2O on the superconducting properties of $YBa_2Cu_3O_{7-x}$/Ag_2O composites **205**, 186
Kao, H.-C.I., see D.S. Wu **212**, 32; **214**, 261
Kao, H.-C.I., see T.P. Wei **214**, 179
Kao, H.-C.I., see C.M. Wang **215**, 391
Kao, H.L., see D.J. Werder **204**, 155
Kapitulnik, A., see X.D. Wu **218**, 417
Kaplan, T.S., see H.M. Duan **203**, 257
Kar, S.K., see P. Barat **218**, 63
Karas, P.L., see J.A. DeLuca **205**, 21
Karkut, M.G., M. Slaski, L.K. Heill, L.T. Sagdahl and K. Fossheim, The AC magnetic response of $YBa_2Cu_3O_7$ with Y_2BaCuO_5 inclusions and of single-crystal $YBa_2Cu_3O_7$. A comparative study **215**, 19
Karlsson, U.O., see H. Bernhoff **218**, 103
Karpinski, J., see P. Fischer **205**, 259
Karpinski, J., see C. Meingast **209**, 591
Karpinski, J., see H. Schwer **211**, 165
Karppinen, M., A. Fukuoka, J. Wang, S. Takano, M. Wakata, T. Ikemachi and H. Yamauchi, Valence studies on various superconducting bismuth and lead cuprates and related materials **208**, 130
Kartha, V.B., see S.N. Narang **204**, 8
Kashino, S., see Y. Kubozono **217**, 21
Kashiwagi, Y., see M. Suzuki **208**, 333
Katano, S., J.A. Fernandez-Baca, S. Funahashi, N. Môri, Y. Ueda and K. Koga, Crystal structure and superconductivity of $La_{2-x}Ba_xCuO_4$ $(0.03\leq x\leq 0.24)$ **214**, 64
Katano, S., R.M. Nicklow, S. Funahashi, N. Môri, T. Kobayashi and J. Akimitsu, Pressure induced successive magnetic phase transitions in Pr_2CuO_{4-y} **215**, 92
Katano, S., K. Yamaya, J.A. Fernandez-Baca and S. Funahashi, Crystal structure of the tetragonal superconductor $CaLaBaCu_3O_x$ $(6.69\leqslant x\leqslant 6.94)$ **217**, 73
Kato, K., see Y. Kubozono **217**, 21
Kato, M., see Y. Koike **211**, 409
Kato, M., T. Aoki, T. Noji, Y. Ono, Y. Koike, T. Hikita and Y. Saito, Crystal structure and superconductivity in $La_{1.9}Bi_{0.1}CuO_{4+\delta}$ with excess oxygen. Superconductivity in the tetragonal phase **217**, 189
Kato, Y., see S. Miyashita **213**, 283
Katsumi, K., see Y. Enomoto **215**, 51
Katz, U., see D. Shaltiel **202**, 303
Kaul, A.R., see G. Wahl **209**, 195
Kawaguchi, K., see T. Hase **207**, 58
Kawai, S., see K. Horiuchi **209**, 531
Kawai, T., see K. Horiuchi **209**, 531
Kawai, T., see I. Matsubara **218**, 181
Kawasaki, M., see S. Gonda **216**, 160
Kazin, P.E., M. Jansen, N. Wagner, Yu.D. Tretyakov, S.R. Lee, V.I. Putlayev and A.M. Tesker, Magnetic characterization of the melt processed $YBa_2Cu_3O_7$ and $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_x$ superconductors **211**, 227
Keith, V. and H.J.T. Smith, Trapped magnetic flux in polycrystalline $YBa_2Cu_3O_7$ **218**, 8
Keller, H., see T. Schneider **207**, 366

Keller, H., see R. Cubitt **213**, 126
Kemmler-Sack, S., see H.-U. Nissen **203**, 436
Kemmler-Sack, S., see A. Ehmann **215**, 83
Kemnitz, E., see T. Olesch **218**, 443
Kenmochi, S., see H. Iwasaki **204**, 406
Kes, P.H., see R. Cubitt **213**, 126
Keshri, S., see J.B. Mandal **216**, 195
Kessler, C., see B. Nebendahl **209**, 362
Kessler, P., see A. Ehmann **215**, 83
Ketcham, T.D., see S. Chen **218**, 191
Khalfin, I.B. and B.Ya. Shapiro, Multivortex states in large pinning centers **202**, 393
Khalfin, I.B. and B.Ya. Shapiro, Relaxation of magnetic flux in a superconductor with a system of columnar defects **207**, 359
Khalfin, I.B., see B.Ya. Shapiro **209**, 99
Kharchenko, N.F., see A.A. Milner **209**, 225
Khasanov, R.I., Yu.M. Vashakidze and Yu.I. Talanov, ESR investigation of the superconducting critical state in YBaCuO single crystals **218**, 51
Khlebova, N.E., see T.D. Aksenova **205**, 271
Khlus, V.A. and A.V. Dyomin, AC magnetic susceptibility and flux noise in simple Josephson-coupled superconducting clusters **212**, 352
Khlus, V.A., A.V. Dyomin and A.L. Zazunov, Resonant tunneling through a single localized state in a normal-metal–superconductor junction **214**, 413
Khoder, A., see J.L. Jorda **205**, 177
Khoder, A.F., see C. Opagiste **205**, 247; **213**, 17
Khoder, A.F., see C. Marcenat **216**, 443
Kiehl, W., see A.M. Hermann **209**, 199
Kikuchi, M., see Y. Muraoka **204**, 65; **215**, 402
Kikuchi, M., see H. Nameki **206**, 227
Kikuchi, M., see S. Nakajima **214**, 80
Kikuchi, M., see E. Ohshima **214**, 182
Kikuchi, Y., see M. Sugihara **214**, 159
Kim, B.F., see J. Bohandy **203**, 139
Kim, C.G. and J.H. Je, Study on the formation mechanism of superconducting phases during annealing of sputtered Bi–Sr–Ca–Cu–O thin films **203**, 385
Kim, D.H., see S.Y. Dong **212**, 323
Kim, D.-Y., see I.-K. Jeong **217**, 376
Kim, I.-S., see M. Itoh **204**, 194
Kim, J.S. and D.R. Gaskell, The phase stability diagrams for the systems $Nd_2CuO_{4-\delta}$ and $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **209**, 381
Kimmel, G., see D. Goldschmidt **217**, 217
Kinder, H., see O. Eibl **203**, 445
Kinder, H., see K. Hirata **214**, 272
King, P.J., A. Kirk, Yu. Latyshev, A.M. Nikitina, I.G. Gorlova, S.G. Zybtsev, V.U. Antokhina, J.S. Lees, Z. Ming and W.B. Roys, The current–voltage characteristics of single-crystal whiskers of 2:2:1:2 BiSCCO **215**, 67
Kini, A.M., J.D. Dudek, K.D. Carlson, U. Geiser, R.A. Klemm, J.M. Williams, K.R. Lykke, J.A. Schlueter, H.H. Wang, P. Wurz, J.R. Ferraro, G.A. Yaconi and P. Stout, Do the *intra*molecular C=C stretching vibrational modes in ET mediate electron-pairing in κ-$(ET)_2X$ superconductors? **204**, 399
Kini, A.M., see K.D. Carlson **215**, 195
Kino, G.S., see X.D. Wu **218**, 417
Kinoshita, K., see T. Furubayashi **204**, 315
Kinoshita, M., see T. Nojima **206**, 387
Kirk, A., see P.J. King **215**, 67
Kirk, M.A., see L. Civale **208**, 137
Kiselev, M.N., see V.S. Babichenko **209**, 133
Kish, K., see J.S. Ramachandran **202**, 151
Kishen, H., see R. Suryanarayanan **213**, 88
Kishio, K., see L. Klein **209**, 251
Kishio, K., see K. Yamafuji **212**, 424
Kishio, K., see T. Tamegai **213**, 33
Kishio, K., see H.J. Trodahl **213**, 427
Kishore, R. and P. Singh, Generalized Ginzburg–Landau theory for a spin glass superconductor **215**, 59
Kiss, L.B., T. Larsson, P. Svedlindh, L. Lundgren, H. Ohlsén, M. Ottosson, J. Hudner and L. Stolt, Conductance noise and percolation in $YBa_2Cu_3O_7$ thin films **207**, 318
Kita, R., see T. Hase **207**, 58
Kitano, H., see T. Shibauchi **203**, 315
Kitaoka, Y., see G.-Q. Zheng **208**, 339
Kitaoka, Y., see T. Nishikawa **209**, 553
Kitazawa, K., M. Nantoh, S. Heike, A. Takagi, H. Ikuta and T. Hasegawa, Superconducting gap observed by the atomic-site tunneling spectroscopy on YBCO and BSCCO **209**, 23
Kitazawa, K., see Y. Tomioka **215**, 297
Kivelson, S.A., see V.J. Emery **209**, 597
Kiyama, T., see H. Shimizu **207**, 225
Kiyokura, T., see S. Shamoto **203**, 7
Kiyokura, T., see H. Harashina **212**, 142
Klamut, J., see Z. Henkie **214**, 138
Klapwijk, T.M., see A.F. Volkov **210**, 21
Klavins, P., see S.J. Peng **212**, 301
Klavins, P., see T. Uchida **215**, 350
Klavins, P., see M.D. Lan **218**, 69
Klehe, A.-K., A.K. Gangopadhyay, J. Diederichs and J.S. Schilling, Dependence of the superconducting transition temperature of $HgBa_2CuO_{4+\delta}$ on hydrostatic pressure **213**, 266
Klehe, A.-K., see H. Takahashi **217**, 163
Klein, L., E.R. Yacoby, Y. Yeshurun, M. Konczykowski, F. Holtzberg and K. Kishio, Flux reorientation in irradiated $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_8$ crystals **209**, 251
Klein, S.S., see H.M. Appelboom **214**, 323
Kleinsasser, A., see J. Mannhart **216**, 401
Kleint, Ch., see N. Ernst **213**, 495
Klemm, R.A., see A.M. Kini **204**, 399
Klemm, R.A., see K.D. Carlson **215**, 195
Klemm, R.A., see S.H. Liu **216**, 293
Kliment, V., see K. Fröhlich **202**, 121
Klotz, S. and J.S. Schilling, Hydrostatic pressure dependence of the superconducting transition temperature to 7 GPa in $Bi_2Ca_1Sr_2Cu_2O_{8+y}$ as a function of oxygen content **209**, 499
Klupsch, Th., R. Hergt and R. Hiergeist, Vortex fragmentation,

vortex kinetics, and anisotropy of dissipation in weakly layered superconductors **211**, 65
Knapp, G.S., see J.L. Wagner **210**, 447
Knapp, G.S., see P.G. Radaelli **216**, 29
Knauf, N., see W. Schnelle **209**, 456
Knížek, K., see V. Šíma **203**, 59
Knížek, K., E. Pollert, D. Sedmidubský, J. Hejtmánek and J. Prachařová, Single-phase region of the 2212-Bi–Sr–Ca–Cu–O superconductor **216**, 211
Knizhnik, A., see D. Goldschmidt **217**, 217
Knorpp, R., see A. Forkl **211**, 121
Kobayashi, N., see Y. Miyazaki **202**, 162
Kobayashi, N., see Y. Muraoka **204**, 65; **215**, 402
Kobayashi, N., see H. Iwasaki **204**, 406
Kobayashi, N., see Y. Koike **211**, 409
Kobayashi, T., see T. Den **208**, 351
Kobayashi, T., see M. Uehara **213**, 51
Kobayashi, T., see S. Katano **215**, 92
Koblischka, M.R., see Th. Schuster **202**, 249; **203**, 203
Koblischka, M.R., see M.V. Indenbom **209**, 259
Koblischka, M.R., Th. Schuster and H. Kronmüller, Influence of additions and radiation damage on the superconducting properties of sintered $YBa_2Cu_3O_{7-\delta}$ **211**, 263
Kochemasov, A., see P. Schwab **214**, 257
Koga, K., see S. Katano **214**, 64
Koga, T., see T. Hase **207**, 58
Kogan, V.G., see J.H. Cho **212**, 419
Köhler, Th., see J. Taubert **211**, 338
Koike, Y., see A. Fujiwara **203**, 411; **208**, 29
Koike, Y., K. Sasaki, A. Fujiwara, M. Mochida, T. Noji and Y. Saito, Crystal structure and superconductivity of iodine-intercalated $Bi_2Sr_2CaCu_2O_8I_x$ ($0 \leqq x \leqq 1$). Dependence on the iodine concentration **208**, 363
Koike, Y., M. Kaiwa, T. Kajitani, M. Kato, H. Sunagawa, T. Noji, N. Kobayashi, Y. Morii, S. Funahashi and Y. Saito, Correlation between site preference, superconductivity and magnetism in $Pb_2Sr_2Y_{1-x}Ca_x(Cu_{1-y}M_y)_3O_8$ (M=Fe, Co, Ni, Zn, Ga) **211**, 409
Koike, Y., see M. Mochida **212**, 191
Koike, Y., see M. Kato **217**, 189
Koinuma, H., see S. Gonda **216**, 160
Koizumi, T., see K. Yanagisawa **208**, 51
Kojima, H., see K. Gamayunov **218**, 437
Komatsu, H., see S. Miyashita **213**, 283
Konczykowski, M., Flux pinning and creep from columnar defects in high temperature superconductors **209**, 247
Konczykowski, M., see L. Klein **209**, 251
Konczykowski, M., see J. Gilchrist **212**, 43
König, W. and G. Gritzner, Fabrication of $Y_{1-x}Ca_xBa_2Cu_4O_y$ superconductors from citrate and tartrate gel precursors at ambient pressure **202**, 37
König, W., see J. Humlíček **206**, 345
Konishi, M., see T. Mitsuzuka **218**, 229
Konovalov, A.A., see O.E. Parfionov **202**, 385
Koo, H.S., see T.-M. Chen **215**, 435
Koperdraad, R.T.W., see A. Lodder **212**, 81
Kopylov, N., see J.E. Schirber **213**, 190
Kopylov, V.N., see A.V. Bezryadin **209**, 559
Koren, G., see E. Aharoni **202**, 263; **209**, 215
Koren, G., DC sputter deposition of $YBa_2Cu_3O_7$ thin films for two sided coating **209**, 369
Koriyama, S., see C.-J. Liu **215**, 395
Kornyushin, Y. and U. Yaron, Alternative approach to the description of magnetic properties of granular superconductors **207**, 273
Kornyushin, Y., see U. Yaron **208**, 18; **209**, 159
Kortan, A.R., see J.E. Schirber **213**, 190
Korzhenevskii, A.L. and A.A. Luzhkov, A phenomenological heterophase model of the conductivity anomalies in high-temperature superconductors **204**, 191
Koshizuka, N., see H. Fujimoto **203**, 103; **211**, 393
Koshizuka, N., see M. Suga **206**, 22
Koshizuka, N., see S. Adachi **207**, 127
Koshizuka, N., see J. Sugiyama **214**, 316
Koshy, J., J.K. Thomas, J. Kurian, Y.P. Yadava and A.D. Damodaran, Superconducting $YBa_2Cu_3O_{7-\delta}$ thick film ($T_{c(0)}=92$ K) on $SmBa_2NbO_6$: a newly developed perovskite ceramic substrate **215**, 209
Kostic, P., see Z.Y. Chen **212**, 206
Kostylev, V.A., A.I. Ponomarev, N.M. Chebotaev and S.V. Naumov, Uniaxial stress effect on transport phenomena of $YBa_2Cu_3O_x$ single crystals with different oxygen content **208**, 189
Kosuge, K., see T. Furukawa **205**, 39
Kotlyarov, Yu., see N. Naumov **214**, 291
Kouznetsova, T.A., see T. Olesch **218**, 443
Kovalev, A.E., see V.M. Krasnov **215**, 265
Kovba, M.L., see A.F. Maiorova **218**, 137
Koyama, T., see N. Takezawa **207**, 231
Koyama, T. and M. Tachiki, Theory for the upper critical field in superconducting multilayers with interface irregularities **210**, 509
Kozeeva, L.P., see V.P. Dyakonov **208**, 23
Kozhevnikov, V., see V. Voronin **218**, 407
Kozhevnikov, V.L., see M.V. Patrakeev **210**, 213
Kozioł, Z., P.F. De Châtel, J.J.M. Franse, Z. Tarnawski and A.A. Menovsky, Evidence for nonlinear flux diffusion from magnetization relaxation in $Bi_2Sr_2CaCu_2O_8$ single crystals **212**, 133
Kozlov, V.A. and A.V. Samokhvalov, Closed Abrikosov vortices in a superconducting cylinder **213**, 103
Kozlova, S.G., see E.B. Amitin **209**, 407
Kozub, V.I., see V.G. Fleisher **206**, 305
Kramer, M.J., see T.G. Holesinger **202**, 109
Kramer, M.J., Q. Qian, D. Finnemore and L. Snead, Time evolved defects in proton-irradiated single-crystal $YBa_2Cu_3O_{7-\delta}$ **203**, 83
Krasnov, V.M., N.F. Pedersen and A.A. Golubov, The vortex structure and the anisotropy of the penetration depth in superconducting multilayers. The vortex parallel to the layers **209**, 579
Krasnov, V.M., A.E. Kovalev, V.A. Oboznov and V.V. Ryazanov, Anisotropy of the lower critical field in a

Nb/Cu multilayer The evidence for 3D–2D crossover **215**, 265
Kraus, M., see Th. Schuster **203**, 203
Krause, T.W., A.-C. Shi and W.R. Datars, Thermally activated motion of two-dimensional vortices in $Bi_2Sr_2CaCu_2O_y$ crystals **205**, 99
Krause, T.W., R.K. Nkum and W.R. Datars, Intergrain and intragrain superconductivity in Sn- and Sb-doped $Bi_{1.7}Pb_{0.3}Sr_2Ca_2Cu_3O_y$ **210**, 333
Kraut, O., C. Meingast, G. Bräuchle, H. Claus, A. Erb, G. Müller-Vogt and H. Wühl, Uniaxial pressure dependence of T_c of untwinned $YBa_2Cu_3O_x$ single crystals for $x=6.5$–7 **205**, 139
Krekels, T., O. Milat, G. Van Tendeloo, J. Van Landuyt, S. Amelinckx, P.R. Slater and C. Greaves, SO_4-chain formation and ordering in $[YSrCa]Sr_2Cu_{2.78}(SO_4)_{0.22}O_{7-\delta}$ **210**, 439
Krekels, T., see O. Milat **217**, 444
Kremer, R.K., see N. Winzek **205**, 45
Kremer, R.K., see R.K. Li **213**, 26
Kresin, V.Z., M.E. Reeves and S.A. Wolf, Superconductivity, gapless state and isotope effect in the cuprates **209**, 319
Kress, W., see J. Humlíček **206**, 345
Kresse, R., see H. Küpfer **209**, 243
Krishnaraj, P., M. Lelovic, N.G. Eror and U. Balachandran, Synthesis and microstructure of $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ obtained from freeze-dried precursors **215**, 305
Kroeger, D.M., see F.A. List **202**, 134
Kroeger, D.M., see A. Goyal **210**, 197
Kroener, T., G. Linker, O. Meyer, S. Massing, B. Strehlau, M. Cantoni and H.-U. Nissen, 300 keV proton irradiation effects on structural properties of thin $RE_1Ba_2Cu_3O_{7-\delta}$ films **214**, 1
Kröner, T., see I. Felner **214**, 169
Kronmüller, H., see Th. Schuster **202**, 249; **203**, 203
Kronmüller, H., see M.V. Indenbom **209**, 259
Kronmüller, H., see S. Nieber **210**, 188; **213**, 43
Kronmüller, H., see A. Forkl **211**, 121
Kronmüller, H., see M.R. Koblischka **211**, 263
Krotov, Yu.A. and I.M. Suslov, Towards the possibility of increasing T_c of oxide superconductors through coherent interaction of planar defects **213**, 421
Krüger, Ch., K. Conder and E. Kaldis, Fast selective chain oxidation in $YBa_2Cu_3O_{6+x}$ **213**, 219
Ktitorov, S.A., Y.V. Petrov, B.N. Shalaev and V.S. Sherstinov, Random impurities effect on fluctuations of a type-II superconductor near the upper critical magnetic field **207**, 9
Ku, H.C., see C.C. Lai **202**, 104
Ku, H.C., see J.B. Shi **205**, 129; **212**, 372
Kuberkar, D.G., see R.G. Kulkarni **217**, 175
Kubo, K., see N. Sugii **213**, 345
Kubo, Y., see T.W. Ebbesen **203**, 163
Kubo, Y., see H. Takahashi **217**, 163
Kubozono, Y., T. Fujimoto, H. Maeda, A. Hirano, S. Kashino, K. Oshima, H. Yamazaki, H. Ishida, T. Ishii, S. Emura and K. Kato, XAFS studies of the oxidation process in $Rb_xCs_yC_{60}$ ($x=3$, $y=0$ and $x=2$, $y=1$) **217**, 21
Kuchiev, M.Yu. and O.P. Sushkov, Large-size two-hole bound states in the t–J model **218**, 197
Kufaev, Yu.A., see A.I. Sokolov **212**, 19
Kugai, H., see H. Takei **210**, 109
Kuhn, H., see Th. Schuster **202**, 249; **203**, 203
Kuiper, G.J., see T.G.M. Oosterlaken **214**, 359
Kukhta, N.P., see Yu.I. Latyshev **216**, 471
Kula, W., see W. Lang **209**, 71
Kulik, J., see R.L. Meng **214**, 307
Kulik, J., see Z.J. Huang **217**, 1
Kulkarni, R.G., D.G. Kuberkar, G.J. Baldha and G.K. Bichile, Ceramic processing, dopant-site occupancies and superconducting properties of $YBa_2(Cu_{1-x}Fe_x)_3O_z$ **217**, 175
Kumar, A., J. Narayan and B. Patnaik, Trilayered heterostructures in in-situ laser deposited high temperature superconductors **209**, 421
Kumar, A., see G.L. Bhalla **213**, 78
Kumar, B., see G.L. Bhalla **213**, 78
Kumar, D., see R. Pinto **207**, 13
Kumar, D., see R. Rajput **213**, 211
Kumar, D., see S. Kumar **215**, 286
Kumar, R., see L.S. Grigoryan **205**, 296
Kumar, S., S.P. Pai, R. Pinto and D. Kumar, Effect of thermal cycling on normal state thermal properties of $YBa_2Cu_3O_{7-x}$ films **215**, 286
Kumar, S., see A.K. Pradhan **216**, 169
Kumar, S., see S.B. Roy **218**, 476
Kumaraswamy, B.V., see S.P. Pandey **206**, 207
Kumzerov, Y.A., see V.N. Bogomolov **208**, 371
Kund, M. and K. Andres, Anisotropic stress dependence of T_c in $YBa_2Cu_3O_{7-\delta}$ single crystals deduced from thermal expansion, measured with a capacitive quartz-dilatometer **205**, 32
Küpfer, H., R. Kresse, R. Meier-Hirmer, K. Salama, D. Lee and V. Selvamanickam, Investigation of collective creep in YBaCuO **209**, 243
Kuppusami, P., V.S. Raghunathan, A.G. Vedheswar and Y. Hariharan, Microstructure and superconducting properties of thin films of YBCO on (100) MgO substrate grown by glow discharge deposition **215**, 213
Kurian, J., see J. Koshy **215**, 209
Kurihara, S., see N. Mitani **206**, 13
Kurin, V., see A. Andronov **213**, 193
Kurin, V.V. and D.A. Ryndyk, Coherent microwave-induced effects in 2D Josephson arrays **205**, 85
Kurmaev, E.Z., see Yu.M. Yarmoshenko **211**, 29
Kuroda, N., see N. Ishikawa **203**, 284
Kuroda, Y., see K. Miura **203**, 431
Kurosawa, H., see K.H. Young **203**, 37
Kuse, T., see G.-Q. Zheng **208**, 339
Kushnir, V., see F. Onufrieva **218**, 463
Kussmaul, A., J.S. Moodera, P.M. Tedrow and A. Gupta, Fluctuation conductance and critical fields of thin films of NdCeCuO **203**, 16
Kusz, B., see M. Gazda **207**, 300

Kuwahara, Y., see H. Yamaguchi **213**, 375
Kuwasawa, Y., see T. Nojima **206**, 387
Kuzmann, E., see Z. Homonnay **209**, 137
Kuzovlev, Yu.E., see P.N. Mikheenko **204**, 229
Kwasnitza, K. and Ch. Widmer, Hysteretic time dependence of the critical intergrain transport current in sintered $YBa_2Cu_3O_7$ **202**, 75
Kwei, G.H., J.O. Willis, T. Sakurai, J.A. Goldstone, A.C. Lawson, H. Yamauchi and S. Tanaka, Dopant solubility, phase stability and superconductivity in Sr-doped $La_{2-x}Sr_xCaCu_2O_6$ **213**, 455
Kwo, J., see D.J. Werder **204**, 155
Kwok, E.M.Y., see P.C.W. Fung **213**, 359
Kwok, S.H., see S.Y. Dong **212**, 323

Labbe, Ph., see C. Martin **217**, 106
Labdi, S., see F.J. Muller **202**, 268
Ladik, J., see P. Saalfrank **204**, 279
LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. I. Argon annealing studies **212**, 470
LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. II. Oxygen partial pressure studies **212**, 478
LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. III. Diffusion mechanisms **212**, 487
Lagueyte, N., see J.-C. Grenier **202**, 209
Lahaye, M., see J. Hejtmánek **215**, 411
Lahtinen, M.J., see J.A.J. Paasi **216**, 382
Lai, C.C., B.S. Chiou, Y.Y. Chen, J.C. Ho and H.C. Ku, Anomalous Pr ordering in the new $TlBa_2PrCu_2O_{7-\delta}$ compound **202**, 104
Lai, M., see R. Flegel **206**, 1
Lam, C.C., see P.C.W. Fung **213**, 359
Lam, C.C., see G.J. Shen **214**, 426
Lan, M.D., see S.J. Peng **212**, 301
Lan, M.D., see T. Uchida **215**, 350
Lan, M.D., J.Z. Liu, Y.X. Jia, L. Zhang, Y. Nagata, P. Klavins and R.N. Shelton, Dissipative flux motion in $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ single crystals **218**, 69
Lanagan, M.T., see S.E. Dorris **212**, 66
Landauer, R., Comment on "Physical limits to quantum flux parametron operation" **208**, 205
Lang, H.P., see D. Hesse **202**, 277
Lang, H.P., H. Haefke, R. Sum, H.-J. Güntherodt, L. Berthold and D. Hesse, Structure and growth of $YBa_2Cu_3O_{7-\delta}$ thin films on Mg_2TiO_4 (001). II. Surface morphology: scanning probe methods **202**, 289
Lang, W., G. Heine, C. Sekirnjak, P. Schwab, X.Z. Wang, D. Bäuerle, W. Kula and R. Sobolewski, Transport properties of YBaCuO and BiSrCaCuO thin films in the thermodynamic fluctuation range **209**, 71
Lapczyna, M., see R. Flegel **206**, 1
Lapinskas, S., see V.E. Zubkus **206**, 155
Lapsker, I., see A. Verdyan **209**, 307
Lapsker, I., see M. Pekala **209**, 311
Larkins, G.L., see N. Ernst **213**, 495
Larsen, J.G., N.-E. Dam, C.S. Jacobsen, H.D. Bærendtsen and J.G. Sommerschield, Plates of melt-textured $YBa_2Cu_3O_{7-x}$ superconductors with long crystals **217**, 135
Larsson, T., see L.B. Kiss **207**, 318
Lascialfari, A., see P. Carretta **209**, 121
Latyshev, Yu., see P.J. King **215**, 67
Latyshev, Yu.I., I.G. Gorlova, A.M. Nikitina, V.U. Antokhina, S.G. Zybtsev, N.P. Kukhta and V.N. Timofeev, Growth and study of single-phase 2212 BSCCO whiskers of submicron cross-sectional area **216**, 471
Laverty, J.R., see A.D. Caplin **209**, 167
Lavrentjev, V.V., see A.M. Bogdanovich **215**, 253
Lavrov, A.N., Decrease of T_c with low-temperature oxygen ordering in 90 K superconductors $YBa_2Cu_3O_{6+x}$ Evidence of the over-hole-doped state **216**, 36
Lawson, A.C., see G.H. Kwei **213**, 455
Lazarides, N., T. Schneider and M.P. Sørensen, Multilayer high-temperature superconductors **210**, 228
Leach, D.H., see I.E. Trofimov **209**, 51
Lebech, B., see I. Mangelschots **203**, 369
Le Bras, G., see J.A. Hodges **218**, 283
Leckel, O., see C. Opagiste **205**, 247
Lederer, P., see M. Gabay **209**, 117
Lederle, B., see J. Humlíček **206**, 345
Ledesert, M., see C. Martin **217**, 106
Ledvij, M., see J.H. Cho **212**, 419
Lee, C.H., see G. Yu **203**, 419
Lee, D., see H. Küpfer **209**, 243
Lee, D.F., V. Selvamanickam and K. Salama, Influences of Y_2BaCuO_5 particle size and content on the transport critical current density of $YBa_2Cu_3O_x$ superconductor **202**, 83
Lee, D.F., see K. Salama **209**, 187
Lee, D.F., see M. Mironova **211**, 188
Lee, D.H., see T. Fukami **215**, 375
Lee, H.-G., see N.H. Hur **218**, 365
Lee, K.W., see I.-K. Jeong **217**, 376
Lee, M.J.G., see K.C. Hewitt **216**, 463
Lee, S. and D. Youm, Effects of the MgO layer thickness on the crystalline orientation in $Y_1Ba_2Cu_3O_{7-\delta}/CeO_2/MgO/SrTiO_3$ multilayer growth **211**, 205
Lee, S.F., J.Y.T. Wei, H.Y. Tang, T.R. Chien, M.K. Wu and W.Y. Guan, Hall effect and resistivity in metallic $Ba_{1-x}K_xBiO_3$ single crystals: absence of $1/T$ dependence in R_h and linear-to-quadratic evolution of $\rho(T)$ **209**, 141
Lee, S.L., see R. Cubitt **213**, 126
Lee, S.R., see P.E. Kazin **211**, 227
Lee, S.Y., E. Narumi and D.T. Shaw, Thermally activated dissipation in $Y_1Ba_2Cu_3O_{7-x}/Y_1Ba_2(Cu_{1-x}Ni_x)_3O_{7-x}$ superconducting multilayer thin films **203**, 378
Lee, T.J., see J.B. Shi **205**, 129
Lee, W.Y., see Y.K. Sun **212**, 37
Leelaprute, S., see R. Suryanarayanan **213**, 88; **214**, 277
Lees, J.S., see P.J. King **215**, 67
Lees, M.R., see G. Balakrishnan **206**, 148
Leghissa, M., see Th. Schuster **203**, 203
Legrand, L., I. Rosenman, Ch. Simon and Z.Z. Wang, Critical

current in single crystalline $Nd_{1.85}Ce_{0.15}CuO_4$ from AC susceptibility **204**, 50
Legrand, L., I. Rosenman, Ch. Simon and G. Collin, Thermal measurements of the magnetic field induced dissipation in $YBa_2Cu_3O_{7-\delta}$ at low temperature **208**, 356
Legrand, L., I. Rosenman, Ch. Simon and G. Collin, Magnetothermal instabilities in $YBa_2Cu_3O_7$ **211**, 239
Lei, S., L. Fanqing, J. Yunbo, Z. Guien, G. Yunlong and Z. Yuheng, The structural characteristics of Bi-based 2212 phase whiskers **203**, 398
Lei, S., L. Xiao-Guang, J. Yunbo, Z. Guien, R.L. Wang, C.A. Wang, H.R. Yi, H.C. Li and Z. Yuheng, X-ray study of in-plane epitaxy of $GdBa_2Cu_3O_{7-y}$ thin film on MgO(001) **214**, 133
Lei, S., see W. Wenbin **217**, 156
Lele, P. and A.S. Nigavekar, Core level photoemission studies for the interface reaction between Al and $Bi_2Sr_2CaCu_2O_8$ superconductor **206**, 202
Lelental, M., T.N. Blanton, C.L. Barnes and R.C. Bowen, Effects of cold rolling and thermal annealing on superconducting properties of 2212 Bi–Sr–Ca–Cu–O/Ag tapes **217**, 79
Leligny, H., see C. Martin **217**, 106
Lelovic, M., see P. Krishnaraj **215**, 305
Lenkens, M., see A. Burau **216**, 284
Leonidov, I.A., see M.V. Patrakeev **210**, 213
Leonyuk, L., see M. Qvarford **214**, 119
Leppävuori, S., see J. Hagberg **216**, 325
Lera, F., see J.M. González-Calbet **203**, 223
Lerch, Ph., see S.P. Zhao **214**, 345
Lercher, M.J. and J.M. Wheatley, Magnetic properties of single layered Cu oxides in the extended t–J model **215**, 145
Leusink, G.J., see T.G.M. Oosterlaken **214**, 359
Levchenko, G.G., see A.K. Asadov **206**, 119
Levchenko, G.G., see V.P. Dyakonov **208**, 23
Levin, A.A., see Yu.F. Shepelev **215**, 371
Levin, K., see Y. Zha **212**, 413
Levy, M., see G.Y. Meng **214**, 297
Levy, P., H. Ferrari, V. Bekeris and C. Acha, AC susceptibility and local intergranular magnetic field in high-T_c superconductors **214**, 111
Li, A.L., I. Shih and A.A. Gundjian, CO_2 laser ablated BiSrCaCuO superconducting thin films **208**, 64
Li, C.M., see S.E. Hsu **207**, 159
Li, D.X., see S.-C. Lin **218**, 130
Li, F., see Y. Yao **210**, 80
Li, F.Q., see W.B. Wu **213**, 133
Li, H.C., see S. Lei **214**, 133
Li, J., see Z. Gao **203**, 45
Li, J., see Y. Yao **210**, 80
Li, J., see X. Zhu **216**, 153
Li, L., see B.R. Zhao **204**, 341
Li, Q., K. Brodersen, H.A. Hjuler and T. Freltoft, Critical current density enhancement in Ag-sheathed Bi-2223 superconducting tapes **217**, 360
Li, Q.P., Theory of effect of uniaxial stress on T_c in $YBa_2Cu_3O_7$ **209**, 513
Li, Q.Y., see P.C.W. Fung **212**, 279
Li, R.K., see K.B. Tang **205**, 406
Li, R.K., see Y.T. Qian **209**, 516
Li, R.K., see S.W. Wang **210**, 463
Li, R.K., R.K. Kremer and J. Maier, The synthesis and characterization of a new family of single layer cuprates. $LnBaCuO_2BO_3$ (Ln = La, Pr, Nd, Sm, Eu and Gd) **213**, 26
Li, T.W., see R. Cubitt **213**, 126
Li, X.T., see M. Xie **206**, 251
Li, Y., see G. Cao **205**, 133
Li, Y.F., see Z.Y. Chen **212**, 206
Li, Y.F., see Y.Q. Tang **214**, 190
Li, Y.J., see X. Zhu **216**, 153
Li, Z., see Z.X. Shi **215**, 439
Li, Z.Y., see D. Prasad Beesabathina **208**, 79
Li, Z.Z., H. Rifi, A. Vaures, S. Megtert and H. Raffy, Oxygen-induced superconducting, metallic or insulating behaviour in as-grown epitaxial $Bi_2Sr_2CuO_x$ thin films **206**, 367
Lian, G.J., see X. Zhu **216**, 153
Lian, Z., see F. Yong **202**, 298
Liang, W.Y., see W. Zhou **202**, 335
Liang, W.Y., Relationship between fluctuation effects and irreversibility lines **209**, 237
Libbrecht, S., see B. Wuyts **203**, 235
Libbrecht, S., E. Osquiguil, B. Wuyts, M. Maenhoudt, Z.X. Gao and Y. Bruynseraede, Effect of room temperature annealing on the properties of oxygen-deficient $YBa_2Cu_3O_x$ films **206**, 51
Libbrecht, S., see A. Steegmans **218**, 295
Libutzki, H., see J. Hauck **212**, 435
Lichte, H., see A. Ehmann **215**, 83
Liechtenstein, A.I., see I.I. Mazin **209**, 125
Liezhao, C., see C. Xianhui **208**, 38
Lin, C., G. Lu, Z.-X. Liu, H.-Y. Chen and Y.-F. Zhang, Effect of Ni and Zn substitution on magnetic ordering in Gd_2CuO_4 **204**, 127
Lin, J.G., see L. Gao **213**, 261
Lin, J.J., W.Y. Lin and R.F. Tsui, Electrical transport and superconductivity in the Al_2O_3–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ and MgO–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ composites **210**, 455
Lin, M.W., see H.D. Yang **203**, 320
Lin, S.-C., D.X. Li, R. Semiat, J.T. Richardson and D. Luss, SHS of $YBa_2Cu_3O_{6+x}$ using large copper particles **218**, 130
Lin, S.-H., see N.-L. Wu **204**, 21
Lin, W.Y., see J.J. Lin **210**, 455
Lin, Y., see S. Tolpygo **209**, 211
Lindau, I., see M. Qvarford **214**, 119
Lindau, I., see H. Bernhoff **218**, 103
Lindemer, T.B., E.D. Specht, C.S. MacDougall, G.M. Taylor and S.L. Pye, Nonstoichiometry and decomposition of $La_{1+z}Ba_{2-z}Cu_3O_y$ and $La_4BaCu_5O_{13-w}$ **216**, 99
Lindenfeld, P., see M.Z. Cieplak **209**, 31
Lindgård, P.A., see T. Fiig **217**, 34
Lindroos, M., A. Bansil, K. Gofron, J.C. Campuzano, H. Ding, R. Liu and B.W. Veal, Signature of the cuo_2 plane related bands in $YBa_2Cu_3O_{6.9}$ as seen by angle-resolved photoemission **212**, 347
Linker, G., see T. Kroener **214**, 1

Linker, G., see A. Burau **216**, 284
Linzen, S., see J. Borck **213**, 145
Lippert, M., see I. Fugol' **216**, 391
List, F.A., H. Hsu, O.B. Cavin, W.D. Porter, C.R. Hubbard and D.M. Kroeger, Phase development in the $Bi_2Sr_2CaCu_2O_y$ system. Effects of oxygen pressure **202**, 134
Litterst, F.J., see E. Baggio-Saitovitch **215**, 77
Litvin, S., see Y. Yaroslavsky **209**, 179
Litvinchuk, A.P., see J. Humlíček **206**, 345
Litvinchuk, A.P., see I.E. Trofimov **209**, 51
Liu, A., see C.D. Wei **206**, 285
Liu, C., see H. Jin **211**, 49
Liu, C.-J., S. Koriyama and H. Yamauchi, The formation of infinite-layer cuprates and correlation with temperature and partial pressure of oxygen **215**, 395
Liu, C.-J., see L. Grigoryan **218**, 153
Liu, H.B., D.E. Morris and A.P.B. Sinha, $(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$, a new 60 K superconductor in the Pb - 1:2:1:2 family **204**, 262
Liu, H.K., see A.D. Caplin **209**, 167
Liu, H.K., see Y. Zhao **212**, 451
Liu, H.K., Y.C. Guo, S.X. Dou, S.M. Cassidy, L.F. Cohen, G.K. Perkins, A.D. Caplin and N. Savvides, Pinning mechanisms in Ag-sheathed Bi(Pb)SrCaCuO tapes **213**, 95
Liu, H.K., see J.A. Xia **215**, 152
Liu, H.K., see Y.C. Guo **215**, 291
Liu, J.Z., see S.J. Peng **212**, 301
Liu, J.Z., see T.W. Clinton **217**, 53
Liu, J.Z., see M.D. Lan **218**, 69
Liu, Q., see H. Jin **211**, 49
Liu, R., see M. Lindroos **212**, 347
Liu, R., see X. Zhu **216**, 153
Liu, R.S., S.F. Hu, D.A. Jefferson, P.P. Edwards and P.D. Hunneyball, A new 92 K high-T_c superconductor Hg-containing Tl-based 1212 phase **205**, 206
Liu, R.S., see T.-M. Chen **215**, 435
Liu, R.S., D.S. Shy, S.F. Hu and D.A. Jefferson, Superconductivity up to 32 K in a new family of the Hg-containing (Pb, Hg)(Sr, La)$_2CuO_{5-\delta}$ (1201) system **216**, 237
Liu, R.S., see D. Tristan Jover **218**, 24
Liu, S., see Y. Yao **210**, 80
Liu, S.H. and R.A. Klemm, Energy gap structure and tunneling characteristics of layered superconductors **216**, 293
Liu, Z.-X., see C. Lin **204**, 127
Liu, Z.X., see C.D. Wei **206**, 285
Lockhart, J., see J. Zhu **212**, 216
Lodder, A. and R.T.W. Koperdraad, Proximity effect theories for metallic multilayers. Comparison and applications **212**, 81
Loegel, B., A. Mehdaoui, D. Bolmont, P. Danesi, D. Bourgault and R. Tournier, Irreversibility line and anisotropy of magnetic melt textured $Y_1Ba_2Cu_3O_{7-\delta}$ studied by AC susceptibility **210**, 432
Lofland, S., M.X. Huang and S.M. Bhagat, AC losses in sintered high-temperature superconductors Dependence on frequency and intergranular lower critical field **203**, 271
Looney, C., see H. Takahashi **217**, 163
Lorenz, M., H. Börner, H. Hochmuth and K. Unger, Depth profiling of Bi–Sr–Ca–Cu–O thin films by secondary neutrals mass spectrometry **215**, 445
Lösch, S., see H.-U. Nissen **203**, 436
Lösch, S., see A. Ehmann **215**, 83
Loureiro, S.M., see E.V. Antipov **215**, 1; **218**, 348
Loureiro, S.M., E.V. Antipov, J.L. Tholence, J.J. Capponi, O. Chmaissem, Q. Huang and M. Marezio, Synthesis and structural characterization of the 127 K $HgBa_2CaCu_2O_{6.22}$ superconductor. T_c variations upon different atmosphere annealings **217**, 253
Loureiro, S.M., see O. Chmaissem **217**, 265
Lowndes, D.H., see N.D. Browning **212**, 185
Lowndes, D.H., see D.P. Norton **217**, 146
Lowndes, D.J., see S.J. Pennycook **202**, 1
Lozovski, V.Z., see Yu.V. Gomeniuk **214**, 127
Lu, B., see K.B. Tang **205**, 406
Lu, F., see A.D. Caplin **209**, 167
Lu, G., see C. Lin **204**, 127
Lu, Y., see P.C.W. Fung **212**, 279
Lu, Y., see Z.L. Du **215**, 319
Lubberts, G., see J.A. Agostinelli **207**, 203
Lucía, M.L., J. Santamaría, J.L. Hernández-Rojas and F. Sánchez-Quesada, Effect of sputtering parameters on the oxygenation dynamics of 123 superconducting thin films **204**, 359
Lucía, M.L., J. Santamaría, E. Iborra, J.L. Hernández-Rojas and F. Sánchez-Quesada, Texture improvement of sputtered $YBa_2Cu_3O_{7-x}$ films on MgO (100) with a $SrTiO_3$ buffer layer **218**, 59
Lüders, K., see J. Freytag **209**, 59
Ludescher, B., see Th. Schuster **202**, 249
Ludwig, H.A., see J. Metzger **214**, 371
Luk'yanchuk, I. and M. Zhitomirsky, Symmetry of the mixed state of superconductors with anisotropic pairing **206**, 373
Lundgren, E., see M. Qvarford **214**, 119
Lundgren, L., see L.B. Kiss **207**, 318
Luo, C.H., see H.D. Yang **203**, 320
Luo, J.S., see D.L. Shi **213**, 179
Luo, L., see H. Peng **211**, 380
Luo, W.A., see Y.Q. Tang **214**, 190
Luo, Y.Y., see P.C.W. Fung **212**, 279
Luo, Y.Y., see Z.L. Du **215**, 319
Lupi, S., see S. Cunsolo **211**, 22
Luss, D., see S.-C. Lin **218**, 130
Luzhkov, A.A., see A.L. Korzhenevskii **204**, 191
Luzuriaga, J., see G. D'Anna **218**, 238
Lykke, K.R., see A.M. Kini **204**, 399
Lykke, K.R., see K.D. Carlson **215**, 195
Lykov, A.N., The matching effect in superconducting layered structures **218**, 485
Lynn, J.W., see N. Rosov **204**, 171
Lynn, J.W., see T.W. Clinton **217**, 53
Lynn, J.W., see Q. Huang **218**, 356
Lysenko, V.S., see Yu.V. Gomeniuk **214**, 127

Ma, R., see G. Cao **205**, 133
MacDougall, C.S., see T.B. Lindemer **216**, 99
Machajdik, D., see K. Fröhlich **202**, 121
Machi, T., see J. Sugiyama **214**, 316
Machida, N., see T. Furukawa **205**, 39
Maciejewski, M., see K. Conder **210**, 282
Mackinnon, I.D.R., see S.J. Golden **217**, 313
Macl, J., see J. Wild **209**, 486
Madhukar, A., see R.D. Herrmann **202**, 61
Maeda, A., see T. Shibauchi **203**, 315
Maeda, H., see E.A. Stern **209**, 331
Maeda, H., see Y. Kubozono **217**, 21
Maeda, T., see N. Sakai **212**, 75
Maekawa, S., see Y. Enomoto **215**, 51
Maekawa, S., see T. Tohyama **215**, 382
Maenhoudt, M., see B. Wuyts **203**, 235
Maenhoudt, M., see S. Libbrecht **206**, 51
Mahajan, S., W. Ito, Y. Yoshida and T. Morishita, Effects of target and template layer on the properties of highly crystalline superconducting *a*-axis films of $Y_1Ba_2Cu_3O_{7-x}$ by DC-sputtering **213**, 445
Mahel, M., R. Adam, M. Darula, Š. Chromik and Š. Beňačka, DC and microwave properties of $YBa_2Cu_3O_x$ thin films in a weak magnetic field **202**, 243
Mahel', M. and Š. Beňačka, Microwave losses in type II superconductors in a magnetic field Theory of direct and modulated absorption **213**, 287
Mai, Z., see Y. Xu **204**, 288
Maier, J., see R.K. Li **213**, 26
Maignan, A., see A. Rykov **205**, 63
Maignan, A., see M. Huvé **205**, 219
Maignan, A., see R. Vijayaraghavan **206**, 81
Maignan, A., M. Hervieu, C. Michel and B. Raveau, Introduction of nitrate groups in the "123" structure. The 82 K superconductor $YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$. **208**, 116
Maignan, A., see D. Pelloquin **208**, 121; **212**, 199; **214**, 87; **216**, 257; **217**, 27
Maignan, A., M. Huvé, C. Michel, M. Hervieu, C. Martin and B. Raveau, A 55 K superconducting copper oxycarbonate: $Tl_{1-x}Bi_xSr_4Cu_2CO_3O_7$ **208**, 149
Maignan, A., see B. Raveau **209**, 163
Maignan, A., see E. Suard **210**, 164
Maignan, A., see A.Q. Pham **210**, 350
Maignan, A., see F. Goutenoire **210**, 359; **216**, 243
Maignan, A., see Ph. Daniel **211**, 209
Maignan, A., G. Van Tendeloo, M. Hervieu, C. Michel and B. Raveau, A new "1212" mercury-based 90 K superconductor: $Y_{0.6}Ca_{0.4}Ba_2[Hg_{1-x}M_x]O_{6+y}$ **212**, 239
Maignan, A., see C. Martin **212**, 274; **217**, 106
Maignan, A., C. Michel, G. Van Tendeloo, M. Hervieu and B. Raveau, Superconductivity up to 110 K in the 1212-Hg based cuprate $Nd_{1-x}Ca_xBa_2Hg_{1-x'}Cu_{2+x'}O_{6+y}$ **216**, 1
Maignan, A., see M. Hervieu **216**, 264
Maiorova, A.F., S.N. Mudretsova, M.L. Kovba, A.S. Monaenkova and A.A. Popova, Thermochemical characteristics of nonstoichiometric $Ba_2Cu_3O_5$. II. Thermal transformations **218**, 137
Maiti, H.S., see D. Bhattacharya **216**, 147
Majoros, M., see S. Zannella **205**, 14
Majumdar, C.K., see P. Barat **218**, 63
Makarov, N.M., see L.M. Fisher **206**, 195
Makarshin, L.L., see N.S. Belousov **217**, 170
Maksimov, L.A., see A.F. Barabanov **212**, 375
Maldonado, O., see M. Breuer **208**, 217
Maley, M.P., see M.G. Smith **204**, 130
Malik, A., see G.L. Bhalla **213**, 78
Malik, S.K., see L.S. Grigoryan **205**, 296
Malik, S.K., see H. Jhans **207**, 247; **215**, 181
Maljuk, A.N., A.A. Zhokhov, G.A. Emel'chenko, I.I. Zver'kova, A.N. Turanov and V.Sh. Shekhatman, Cu-deficiency in $La_{2-x}Sr_xCu_{1-y}O_{4-\delta}$ single crystals and how it affects superconducting properties **214**, 93
Malomed, B.A. and M.Y. Azbel, Temporal oscillations of current tunneling through a point junction **209**, 103
Malozemoff, A.P., see L. Civale **208**, 137
Manako, T., see H. Takahashi **217**, 163
Mandal, J.B., S. Keshri and B. Ghosh, Resistivity anisotropy in the Y-substituted Bi-2212 system **216**, 195
Mangelschots, I., N.H. Andersen, B. Lebech, A. Wisniewski and C.S. Jacobsen, Crystal structure, magnetic susceptibility and thermopower of superconducting and non-superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+y}$ **203**, 369
Maniv, T., A.I. Rom, I.D. Vagner and P. Wyder, De Haas–Van Alphen oscillations in extremely type-II nearly 2D superconductors **209**, 35
Manivannan, V., N. Rangavittal, J. Gopalakrishnan and C.N.R. Rao, Structure and superconducting properties of a new family of thallium cuprates, $TlSr_{3-x}Ln_xCu_2O_7$ **208**, 253
Mannhart, J., A. Kleinsasser, J. Ströbel and A. Baratoff, Properties of superconducting p–n junctions **216**, 401
Mansot, J.L., see P. Dupouy **204**, 203
Manthiram, A., see K.S. Nanjundaswamy **207**, 339
Manuel, A.A., see B. Barbiellini **209**, 75
Manuel, P., see M. Mosbah **209**, 463
Manzel, M., see J. Taubert **211**, 338
Maple, M.B., see X. Obradors **213**, 81
Maple, M.B., see Y. Dalichaouch **218**, 309
Marcenat, C., R. Calemczuk, A.F. Khoder, E. Bonjour, C. Marin and J.Y. Henry, Calorimetric study of the superconducting transition in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **216**, 443
Marchenko, V.A. and A.V. Nikulov, Anisotropy of the resistive transition width of conventional type II superconductors at the second critical field H_{c2} **210**, 466
Marcon, R., see M. Giura **209**, 341
Marcon, R., see E. Silva **214**, 175; **218**, 109
Marcovič, V.I., see A.K. Asadov **206**, 119
Marcus, J., see C. Escribe-Filippini **210**, 133
Marezio, M., see O. Chmaissem **212**, 259; **217**, 265
Marezio, M., see S.N. Putilin **212**, 266
Marezio, M., see E.V. Antipov **215**, 1; **218**, 348

Marezio, M., see S.M. Loureiro **217**, 253
Marfaing, J., A. Bettahi and C. Boulesteix, High-temperature superconductive wires by $YBa_2Cu_3O_7$ coating onto Fe-based substrates **202**, 19
Marfaing, J., A. Bettahi, P. Odier and C. Boulesteix, Effect of sintering-induced interfacial reactions on the electrical properties of $YBa_2Cu_3O_{7-x}$ films screen-printed onto silicon-based substrates **206**, 242
Mari, A., see D. Delagnes **211**, 355
Marin, C., see C. Marcenat **216**, 443
Mariño, A., T. Yasuda, E. Holguin and L. Rinderer, Preparation and electrical properties of Bi(Pb)–Sr–Ca–Cu–O single-phase high-T_c films **210**, 16
Markiewicz, R.S., see C. Testelin **202**, 219
Markiewicz, R.S., Van Hove exciton-cageons and high-T_c superconductivity. IX. Dynamic orthorhombic phase with splitting of density-of-states peaks **207**, 281
Markiewicz, R.S., Van Hove excitons and high-T_c superconductivity. VIIIC. Dynamic Jahn–Teller effects versus spin–orbit coupling in the LTO phase of $La_{2-x}Sr_xCuO_4$ **210**, 235
Markiewicz, R.S., Van Hove exciton-cageons and high-T_c superconductivity. VIIID. Solitons and nonlinear dynamics **210**, 264
Markiewicz, R.S., The van Hove singularity in the cuprate superconductors. A reassessment **217**, 381
Markovich, V.I., see V.P. Dyakonov **208**, 23
Marks, L.D., see J.P. Zhang **202**, 51
Marks, R., see P. Goodman **217**, 325
Marks, T.J., see J. Hu **210**, 97
Marquardt, S., see N. Schroeder **218**, 220
Marshall, A., T.J. Gray, F. Wellhöfer and J.S. Abell, The influence of a zirconia environment on the melt processing of $YBa_2Cu_3O_{7-x}$ **210**, 518
Marshall, A.F. and C.B. Eom, Microfaceting of 90° [100] tilt boundaries in $YBa_2Cu_3O_{7-x}$ thin films **207**, 239
Marti, W., F. Altorfer, P. Fischer and H.J. Scheel, Thermal expansion coefficients of $NdBa_2Cu_3O_{7-\delta}$ **206**, 158
Martin, A., see K.C. Hewitt **216**, 463
Martin, C., see M. Huvé **205**, 219
Martin, C., see R. Vijayaraghavan **206**, 81
Martin, C., see A. Maignan **208**, 149
Martin, C., see B. Raveau **209**, 163
Martin, C., see F. Goutenoire **210**, 359
Martin, C., M. Huve, G. Van Tendeloo, A. Maignan, C. Michel, M. Hervieu and B. Raveau, A mercury-based superconducting cuprate, intergrowth of the 2201 and 1201 structures $Tl_2HgBa_4Cu_2O_{10+y}$ **212**, 274
Martin, C., A. Maignan, M. Huve, Ph. Labbe, M. Ledesert, H. Leligny and B. Raveau, A Sr-rich 1223 cuprate, $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$, with a T_c of 110 K. A single-crystal study **217**, 106
Martynovich, A.Yu., Magnetic vortices in anisotropic superconductor film **218**, 19
Marucco, J.-F., see H. Casalta **204**, 331
Marwick, A.D., see L. Civale **208**, 137
Mary, T.A. and U.V. Varadaraju, Phase formation and superconductivity studies on the $LnBa_2Cu_{3-x}Ti_xO_{7+\delta}$ (Ln = La–Gd, *Y*) system **215**, 269
Masini, R., see L. Dimesso **203**, 403
Masini, R., see G. Calestani **206**, 33
Maso, G.N., see T. Olesch **218**, 443
Massalker, Y., A.N. Sembira and J.C. Baram, Characterization of superconducting BiSrCaCuO (2212 and 2223) prepared from amorphous plates by splat quenching **209**, 295
Massidda, S., see B. Barbiellini **209**, 75
Massidda, S., see J.J. Yu **214**, 335
Massing, S., see T. Kroener **214**, 1
Mastuura, T., see K. Miura **203**, 431
Matacotta, F.C., see P. Ganguly **206**, 70
Matacotta, F.C., see E. Silva **218**, 109
Matheis, D.P., see M.A. Rodriguez **206**, 43
Matheis, D.P., S.T. Misture and R.L. Snyder, Phase formation and growth mechanisms in $Bi_2Sr_2CaCu_2O_8$ glass ceramics **207**, 134
Matheis, D.P., S.T. Misture and R.L. Snyder, Melt-texture processing and high-temperature reactions of Bi-2212 thick films **217**, 319
Mather, C.C., see A.B. Sheikh **212**, 95
Mathu, F., see H.M. Appelboom **214**, 323
Matic, V.M., Low-temperature behavior of oxygen ordering in $YBa_2Cu_3O_{6+2c}$: calculation of length of O(1)–Cu(1)–O(1) chains at $T < 100$ K **211**, 217
Matijasevic, V.C., see H.M. Appelboom **214**, 323
Matsubara, I., R. Funahashi, T. Ogura, H. Yamashita, Y. Uzawa, K. Tanizoe and T. Kawai, Conversion of $Bi_2Sr_2CaCu_2O_x$ whiskers to the $Bi_2Sr_2Ca_2Cu_3O_x$ phase by annealing in powder **218**, 181
Matsuda, A., see T. Matsushita **213**, 477
Matsuda, N., see Y. Shiina **212**, 173
Matsuda, S.P., see W. Zhou **202**, 335
Matsuda, S.-P., see O.F. Schilling **204**, 109
Matsui, H., see A. Oota **210**, 489; **212**, 23
Matsui, Y., see E. Takayama-Muromachi **207**, 97
Matsui, Y., see K. Yanagisawa **208**, 51
Matsui, Y., see M. Uehara **213**, 51
Matsui, Y., M. Ogawa, M. Uehara, H. Nakata and J. Akimitsu, Incommensurate and commensurate superstructures in the oxycarbonate superconductor $TlSr_{4-x}Ba_xCu_2(CO_3)O_y$ ($x \approx 2$) **217**, 287
Matsumoto, T., see T. Furubayashi **204**, 315
Matsuno, T., see K. Yamafuji **212**, 424
Matsushita, T., Effect of short coherence length along the *c*-axis on the irreversibility line in high-T_c superconductors **205**, 289
Matsushita, T., see K. Yamafuji **212**, 424
Matsushita, T., A. Matsuda and K. Yanagi, Irreversibility line and flux pinning properties in high-temperature superconductors **213**, 477
Matsushita, T., On the origin of the irreversibility line in superconductors Depinning or melting of fluxoids **214**, 100
Matsushita, T., On the flux bundle size in weakly pinned superconductors **217**, 461

Matsuura, K., see H. Muto **211**, 147
Matsuura, T., see M. Azami **214**, 385
Mattausch, Hj., see N. Winzek **205**, 45
Mattausch, Hj., see E.G. Haanappel **209**, 39
Matthews, D.N., see K.-H. Müller **206**, 275
Mawdsley, A., see C.K. Subramaniam **203**, 98
Maza, J., see A. Díaz **215**, 105
Mazalov, L.N., see E.B. Amitin **209**, 407
Mazin, I.I., A.I. Liechtenstein, C.O. Rodriguez, O. Jepsen and O.K. Andersen, Superconducting and transport electron–phonon coupling constants in $YBa_2Cu_3O_7$: effect of the interband anisotropy **209**, 125
McCallum, R.W., see S.I. Yoo **210**, 147, 157
McConeghy, R., see G.O. Zimmerman **209**, 291
McGinn, P.J., see C. Varanasi **207**, 79
McGinn, P.J., see D.L. Shi **213**, 179
McKernan, S. and A. Zettl, High-temperature resistivity and oxygen diffusion in $Bi_2Sr_2CaCu_2O_x$ **209**, 585
Medvedev, Yu.V., see A.K. Asadov **206**, 119
Medvedev, Yu.V., see P.N. Mikheenko **212**, 332
Meen, T.H., see H.D. Yang **209**, 573
Meerovich, V., see V. Sokolovsky **209**, 277
Megtert, S., see Z.Z. Li **206**, 367
Mehdaoui, A., see B. Loegel **210**, 432
Mehring, M., see J. Groß **203**, 1
Mehring, M., see N. Winzek **205**, 45
Mehring, M., see B. Nebendahl **209**, 362
Mehring, M., see A.M. Bogdanovich **215**, 253
Mei, C.J. and V.H. Smith Jr., Electronic structure of $SrCuO_2$ doped with Ca **209**, 389
Mei, C.J. and V.H. Smith Jr., The ab initio electronic structure and stability of the bucky tube **213**, 157
Mei, Z., see C.E. Violet **207**, 347
Meier, J.P., see W. Paul **205**, 240
Meier-Hirmer, R., see H. Küpfer **209**, 243
Meilikhov, E.Z., An even Hall effect in superconductors **209**, 566
Meilikhov, E.Z. and R.M. Farzetdinova, Anomalous Hall effect in the mixed state of high-temperature superconductors **210**, 473
Meingast, C., see O. Kraut **205**, 139
Meingast, C., J. Karpinski, E. Jilek and E. Kaldis, Uniaxial pressure dependence of T_c of single crystalline $YBa_2Cu_4O_8$ via thermal expansion **209**, 591
Meintrup, T., see T. Schneider **216**, 432
Melmed, A.J., see N. Ernst **213**, 495
Melnikov, V.L., see T.D. Aksenova **205**, 271
Meng, G.Y., G. Zhou, R. Schneider, B.K. Sarma and M. Levy, Formation and characterization of $YBa_2Cu_3O_{7-\delta}$ high-T_c thin films by MOCVD with single mixed precursor **214**, 297
Meng, R.L., see L. Gao **213**, 261
Meng, R.L., Y.Y. Sun, J. Kulik, Z.J. Huang, F. Chen, Y.Y. Xue and C.W. Chu, Superconductivity at 112–117 K in $HgBa_2CaCu_2O_{6+\delta}$ **214**, 307
Meng, R.L., L. Beauvais, X.N. Zhang, Z.J. Huang, Y.Y. Sun, Y.Y. Xue and C.W. Chu, Synthesis of the high-temperature superconductors $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ **216**, 21
Meng, R.L., see Z.J. Huang **217**, 1; **218**, 356
Meng, R.L., see Y.T. Ren **217**, 6, 273
Meng, X.M., see A.Q. He **204**, 365
Menken, M.J.V., see J. Baak **210**, 391
Menovsky, A.A., see J. Baak **210**, 391
Menovsky, A.A., see Z. Kozioł **212**, 133
Menovsky, A.A., see R. Cubitt **213**, 126
Mercey, B., see J.F. Hamet **214**, 55
Merrien, N., see A.Q. Pham **210**, 350
Mesarwi, A., see A.Z. Moshfegh **218**, 396
Mester, J., see J. Zhu **212**, 216
Mészáros, S., K. Vad and N. Hegman, Current transfer in grain-boundary junctions of Bi(Pb)SrCaCuO thick films **218**, 471
Metzger, J., see R. Benischke **203**, 293
Metzger, J., T. Weber, W.H. Fietz, K. Grube, H.A. Ludwig, T. Wolf and H. Wühl, Separation of the intrinsic pressure effect on T_c of $YBa_2Cu_3O_{6.7}$ from a T_c enhancement caused by pressure-induced oxygen ordering **214**, 371
Meyer, B.C., see V. Selvamanickam **217**, 113
Meyer, O., see T. Kroener **214**, 1
Michel, C., see M. Huvé **205**, 219
Michel, C., see R. Vijayaraghavan **206**, 81
Michel, C., see A. Maignan **208**, 116, 149; **212**, 239; **216**, 1
Michel, C., see D. Pelloquin **208**, 121; **212**, 199; **214**, 87; **216**, 257; **217**, 27
Michel, C., see B. Raveau **209**, 163
Michel, C., see M. Hervieu **209**, 449; **216**, 264
Michel, C., see A.Q. Pham **210**, 350
Michel, C., see F. Goutenoire **210**, 359; **216**, 243
Michel, C., see C. Martin **212**, 274
Micklitz, H., see E. Baggio-Saitovitch **215**, 77
Mierzejewski, M. and J. Zieliński, Anisotropic superconductivity in the two-dimensional Hubbard model **218**, 424
Migliori, A., see G. Calestani **206**, 33
Mika, K., see J. Hauck **212**, 435; **218**, 316
Mikhalyov, K.N., see A.M. Bogdanovich **215**, 253
Mikheenko, P.N. and Yu.E. Kuzovlev, Inductance measurements of HTSC films with high critical currents **204**, 229
Mikheenko, P.N., Yu.A. Genenko, Yu.V. Medvedev, A.I. Usoskin and I.N. Chukanova, Current-induced decoupling of superconducting planes in oriented YBaCuO thick films **212**, 332
Mikheenko, P.N. and I.S. Abaliosheva, Manifestation of two-dimensionality in the current–voltage characteristics of $YBa_2Cu_3O_x$ films **214**, 393
Mikheenko, P.N. and Ya.I. Yuzhelevskii, Resonance effect in HTSC films with the superimposed magnetic superlattice **217**, 97
Milani, E., see G. Balestrino **210**, 386
Milat, O., see T. Krekels **210**, 439
Milat, O., T. Krekels, S. Amelinckx, C. Greaves and A.J. Wright, Determination of the superstructure in

$(Y_{0.75}Ce_{0.25})_2(Sr_{0.85}Y_{0.15})_2AlCu_2O_{9+x}$ by means of electron microscopy **217**, 444
Miletich, R., M. Murakami, A. Preisinger and H.W. Weber, Microstructural characteristics of melt-powder-melt-grown $YBa_2Cu_3O_{7-x}$ crystals **209**, 415
Miller, D.J., see T.G. Holesinger **202**, 109; **217**, 85
Miller, D.J., see J. Hu **210**, 97
Miller, P., B. Janko and B.L. Gyorffy, On the coexistence of superconductivity and charge density waves **210**, 343
Miller, P., see P. Goodman **217**, 325
Milner, A.A., N.F. Kharchenko, O.V. Miloslavskaya, A.T. Pugachev, A.N. Stetsenko and A.N. Chirkin, Magnetic circular dichroism properties of Y–Ba–Cu–O transparent films **209**, 225
Miloslavskaya, O.V., see A.A. Milner **209**, 225
Ming, Z., see P.J. King **215**, 67
Ming-wen, X., L. Zheng-zhong and S. Da-ning, Effects of non-magnetic doping on high-T_c cuprates **202**, 363
Minh-Tien, C. and N.M. Plakida, Superconductivity in the two-band Emery model **206**, 90
Minnhagen, P., see L. Xu **218**, 94
Mints, R.G. and I.B. Snapiro, Point-like vortices and magnetization relaxation in layered superconductors **209**, 233
Mirmelstein, A., see V. Voronin **218**, 407
Mironova, M., see V. Selvamanickam **208**, 238; **217**, 113
Mironova, M., D.F. Lee and K. Salama, TEM and critical current density studies of melt-textured $YBa_2Cu_3O_x$ with silver and Y_2BaCuO_5 additions **211**, 188
Mishra, N.C. and X. Oudet, Inner shell and bonds in high-T_c superconductors **212**, 465
Misra, A., see Y. Song **215**, 313
Misture, S.T., see M.A. Rodriguez **206**, 43
Misture, S.T., see D.P. Matheis **207**, 134; **217**, 319
Misture, S.T., see B.J. Chen **217**, 367
Mitani, N. and S. Kurihara, Radiative corrections to spin waves in the interacting hole-spin model **206**, 13
Mitchell, J.F., see J.L. Wagner **210**, 447
Mitsuyama, K., see A. Oota **210**, 489; **212**, 23
Mitsuzuka, T., K. Yamaguchi, S. Yoshikawa, K. Hayashi, M. Konishi and Y. Enomoto, The microstructure and *I–V* characteristics of step-edge Josephson junctions in $YBa_2Cu_3O_7$ films on MgO(100) steps **218**, 229
Mitzi, D.B., see X.D. Wu **218**, 417
Miura, K., H. Jichu, T. Mastuura and Y. Kuroda, Electronic states in the d–p model with p–p direct transfer **203**, 431
Miura, K., Effects of antiferromagnetic order on the electronic states in the d–p model **208**, 297
Miura, N., see K. Tatsuhara **212**, 459
Miura, T., see S. Takeno **206**, 75; **211**, 179
Miyashita, S., Y. Kato, H. Komatsu, T. Inoue, S. Hayashi, H. Horiuchi and S. Sueno, Decomposition of BSCCO(2212) phase studied by in situ observation **213**, 283
Miyazaki, Y., H. Yamane, N. Kobayashi, T. Hirai, H. Nakata, K. Tomimoto and J. Akimitsu, $(C_{0.35}Cu_{0.65})Sr_2(Y_{0.73}Ce_{0.27})_2Cu_2O_x$. A new superconductor containing CO_3 **202**, 162
Miyazaki, Y., see N. Ohnishi **207**, 175
Miyazaki, Y., H. Yamane, T. Kajitani, Y. Morii, S. Funahashi, K. Hiraga and T. Hirai, Preparation, electric conductivity and crystal structure of $(Sr_{2-x}Ba_x)CuO_{2+y}(CO_3)_z$ **215**, 159
Miyoshi, K., see T. Fukami **202**, 167
Mizuki, J., see T.W. Ebbesen **203**, 163
Mochida, M., see A. Fujiwara **203**, 411; **208**, 29
Mochida, M., see Y. Koike **208**, 363
Mochida, M., Y. Koike, K. Sasaki, A. Fujiwara, T. Noji and Y. Saito, Synthesis and superconductivity of IBr-intercalated $Bi_2Sr_2CaCu_2O_8$ **212**, 191
Mochiku, T., see T. Nagashima **212**, 6
Moehlecke, S., C.H. Westphal, M.S. Torikachvili, J.A. Davis and I.C.L. Torriani, Enhancement of the intergranular superconducting properties in $Bi_2Sr_2CaCu_2O_8$ with Li additions **211**, 113
Mogro-Campero, A., L.G. Turner and L.A. Peluso, Search for changes of stoichiometry in $YBa_2Cu_3O_7$ thin films subjected to high current at 77 K **214**, 187
Mohan, S., K. Subramani and A. Sudha, Lattice dynamics and normal co-ordinate analysis of the superconductor $Pb_2Sr_2YCu_3O_8$ **203**, 157
Mokhtari, M., C. Perrin, O. Peña and M. Sergent, Influence of iodine insertion on the YBaCuO superconducting properties **202**, 141
Mokhtari, M., see O. Peña **206**, 6
Molenda, J., T. Bąk and A. Stokłosa, Influence of lithium on the electronic structure of $YBa_2Cu_3O_{7-\delta}$ **207**, 147
Mombru, A., see D. Veretnik **209**, 191
Monaenkova, A.S., see A.F. Maiorova **218**, 137
Monod, Ph., see F.J. Gotor **218**, 429
Monot, I., see N. Hass **209**, 85
Moodenbaugh, A.R., see D.A. Fischer **215**, 279
Moodera, J.S., see A. Kussmaul **203**, 16
Mooij, J.E., see H.M. Appelboom **214**, 323
Moorjani, K., see J. Bohandy **203**, 139
Morán-López, J.L. and J.M. Sanchez, The phase diagram of oxygen ordering in $YBa_2Cu_3O_{6+\delta}$. The nine point cluster approximation **210**, 401
Moreschi, P., see P. Fabbricatore **213**, 200
Morgan, P.E.D., T.J. Doi and R.M. Housley, Thallous-ion-rich-liquid-phase synthesis of $TlSr_2Ca_2Cu_3O_x$ **213**, 438
Môri, N., see S. Adachi **208**, 226; **212**, 164
Môri, N., see H. Takahashi **210**, 485; **217**, 163; **218**, 1
Môri, N., see S. Katano **214**, 64; **215**, 92
Mori, S., see S. Ohara **217**, 294
Morii, Y., see H. Fujishita **210**, 529
Morii, Y., see Y. Koike **211**, 409
Morii, Y., see Y. Miyazaki **215**, 159
Morishita, T., see W. Ito **204**, 295
Morishita, T., see C.C. Chin **207**, 37
Morishita, T., see T. Hase **207**, 58
Morishita, T., see S. Mahajan **213**, 445
Moroz, N.K., see E.B. Amitin **209**, 407

Morris, D.E., see H.B. Liu **204**, 262
Mosbah, F., see S. Senoussi **211**, 288
Mosbah, M., H. Gu, S. Senoussi, S. Hammond and P. Manuel, A study of the microstructure and the critical current density of $La_{1.85}Sr_{0.15}CuO_4$ superconductor **209**, 463
Moshchalkov, V.V., see C.M. Fu **205**, 111; **206**, 110
Moshchalkov, V.V., M. Dhallé and Y. Bruynseraede, Numerical simulation of aperiodic vortex states in superconductors **207**, 307
Moshchalkov, V.V., see A. Steegmans **218**, 295
Moshfegh, A.Z., Y.Q. Wang, Y.Y. Sun, A. Mesarwi, P.H. Hor and A. Ignatiev, Co-deposited thin films of $YBa_2Cu_3O_{7-\delta}$–Ag **218**, 396
Mosley, W.D., see T. Uchida **215**, 350
Mota, A.C., see K. Aupke **209**, 255
Mott, N.F., Polaron models of high-temperature superconductivity **205**, 191
Mott, N.F., see A.S. Alexandrov **215**, 359
Moure, C., see J. Tartaj **209**, 301
Mouritsen, O.G., see J.V. Andersen **214**, 143
Mouritsen, O.G., see T. Fiig **217**, 34
M Parberry, J., see T.P. Beales **207**, 1
Mudretsova, S.N., see A.F. Maiorova **218**, 137
Mueller, F.M., see E.G. Haanappel **209**, 39
Muirhead, C.M., see P.R. Slater **208**, 193; **213**, 14
Mukhin, S.I., see J. Baak **210**, 391
Mukhin, S.I. and L.J. De Jongh, A real space pair model for the NMR behavior in high-T_c cuprates **211**, 77
Mukhin, S.I., see D. Reefman **211**, 93
Mukhopadhyay, P.K., see P. Barat **218**, 63
Muller, F.J., J.C. Gallop, A.D. Caplin, S. Labdi and H. Raffy, A DC SQUID using natural grain boundaries in BSCCO **202**, 268
Müller, G., see M. Boekholt **203**, 180
Müller, G., see A.A. Golubov **213**, 139
Muller, J., see C. Opagiste **205**, 247; **213**, 17
Muller, J., see A. Junod **211**, 304
Muller, J., see E. Janod **216**, 129
Müller, J.-H., R. Gruehn and A. Ginsbach, TEM and HRTEM cross section investigations of the microstructure of $YBa_2Cu_3O_{7-x}$ thin films on oriented NiO single crystals **210**, 173
Müller, K.A., see K. Conder **210**, 282
Müller, K.-H. and D.N. Matthews, A model for the hysteretic critical current density in polycrystalline high-temperature superconductors **206**, 275
Müller, R., Th. Schweizer, P. Bohac, R.O. Suzuki and L.J. Gauckler, Compositional range of the $Bi_2Sr_2CaCu_2O_x$ HT_c-superconductor and its surrounding phases **203**, 299
Müller, R., see M. Breuer **208**, 217
Müller, V., see J. Freytag **209**, 59
Müller, W.F., see P.A. Van Aken **211**, 421
Müller-Vogt, G., see O. Kraut **205**, 139
Müller-Vogt, G., see A. Zibold **212**, 365
Multani, M.S., see P. Guptasarma **203**, 129
Münder, H., see E. Sodtke **204**, 375
Munroe, P.R., see J.A. Xia **215**, 152
Murakami, M., see H. Fujimoto **203**, 103; **211**, 393
Murakami, M., see R. Miletich **209**, 415
Muralidhar, M., see K. Nanda Kishore **204**, 299
Muraoka, Y., M. Kikuchi, N. Ohnishi, K. Hiraga, R. Suzuki, N. Kobayashi and Y. Syono, Structural and superconducting properties of iodine-intercalated $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ **204**, 65
Muraoka, Y., M. Kikuchi, H. Nameki, S. Awaji, R. Suzuki, N. Kobayashi and Y. Syono, Effects of iodine intercalation on the superconducting properties of the $Bi_2Sr_{2-x}La_xCuO_z$ compound **215**, 402
Murawski, L., see M. Gazda **207**, 300
Muroga, T., see Y. Idemoto **210**, 315
Muroi, M. and R. Street, Diamagnetic properties of $Y_{1-x}Pr_xBa_2Cu_3O_y$. Evidence for inhomogeneous superconductivity **208**, 107
Muroi, M. and R. Street, Percolative superconducting transition in $Y_{1-x}Pr_xBa_2Cu_3O_y$ **216**, 345
Murray, H., see G. Poullain **214**, 195
Murugakoothan, P., see R. Jayavel **215**, 429
Musenich, R., see B. Zhang **203**, 51
Musenich, R., see P. Fabbricatore **213**, 200
Müther, M., G. Wortmann, I. Felner and I. Nowik, ^{155}Gd-Mössbauer studies of the T′-, T*- and T-phases of $La_{2-x-y}Gd_xSr_yCuO_4$ **209**, 428
Muto, H., K. Matsuura, K. Yasuda and I. Nakagawa, Nature and origin of nonresonant microwave response in ESR measurements of $YBa_2Cu_3O_{7-\delta}$ **211**, 147
Myasoedov, A.B., see A.M. Bogdanovich **215**, 253
Myhra, S., see Z. Rupeng **203**, 75

Nabutovsky, V.M. and S. Reich, Proximity effect in silver-ceramic superconductor composites **209**, 63
Nadgorny, B., see S. Tolpygo **209**, 211
Nagaev, E.L. and A.I. Podel'shchikov, A new type of pairing and phase separation in degenerate antiferromagnetic semiconductors **205**, 91
Nagase, K., see E. Ohshima **214**, 182
Nagashima, T., N. Shimoji, Y. Fukai, T. Mochiku and K. Kadowaki, Magnetization behavior of single crystalline $Bi_2Sr_2CaCu_2O_y$ above 60 K **212**, 6
Nagashima, T., see K. Takanaka **218**, 379
Nagata, H., see S. Gonda **216**, 160
Nagata, Y., see H. Takahashi **210**, 485
Nagata, Y., see T. Uchida **215**, 350
Nagata, Y., see M.D. Lan **218**, 69
Nagoshi, M., see E. Ohshima **214**, 182
Nagy, S., see Z. Homonnay **209**, 137
Naito, M., see Y. Tomioka **215**, 297
Nakagawa, I., see H. Muto **211**, 147
Nakajima, K., see S. Hosoya **202**, 188
Nakajima, S., see H. Yamaguchi **213**, 375
Nakajima, S., T. Oku, R. Suzuki, M. Kikuchi, K. Hiraga and Y. Syono, Chemical characterization and superconductivity of $Tl_2Ba_{2-x}La_xCuO_y$ with the orthorhombic and tetragonal structures **214**, 80
Nakajima, S., see E. Ohshima **214**, 182

Nakamura, F., see H. Shimizu **207**, 225
Nakamura, K., J.H. Ye and A. Ishii, Oxygen potential control in $YBa_2Cu_3O_{7-\delta}$ thin films **213**, 1
Nakamura, S., see S. Takeno **206**, 75; **211**, 179
Nakamura, S., see H. Takahashi **210**, 485
Nakamura, S., see T. Uchida **215**, 350
Nakamura, T., see M. Itoh **204**, 194
Nakamura, T., see J. Yu **209**, 442
Nakamura, Y., see S. Shamoto **203**, 7
Nakamura, Y.O., see Y. Shiina **212**, 173
Nakanishi, N., see T. Furukawa **204**, 103; **205**, 39
Nakano, S., see T. Nojima **206**, 387
Nakao, K., see H. Yoshikawa **203**, 144
Nakao, Y., see M. Sugihara **214**, 159
Nakata, H., see Y. Miyazaki **202**, 162
Nakata, H., see M. Uehara **213**, 51; **216**, 453
Nakata, H., see Y. Matsui **217**, 287
Nameki, H., M. Kikuchi and Y. Syono, The modulated structure and excess oxygen in superconducting $Bi_2(Sr,Nd)_2CuO_y$ **206**, 227
Nameki, H., see Y. Muraoka **215**, 402
Nanda Kishore, K., M. Muralidhar, V. Hari Babu, O. Peña, M. Sergent and F. Bénière, Effect of rare-earth Sm^{3+} substitution on the superconducting properties of the $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2-x}Sm_xCu_3O_y$ system **204**, 299
Nanjundaswamy, K.S., A. Manthiram and J.B. Goodenough, Factors influencing the stabilization and T_c of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ **207**, 339
Nantoh, M., see K. Kitazawa **209**, 23
Naqvi, S.H.H. and I.W. Boyd, Superconductivity in $(Pb_{0.75}Cu_{0.25})Sr_2(Y_{1-x}, Ca_x)Cu_2O_{7-\delta}$ without high pressure oxygen annealing **213**, 161
Narang, S.N., V.B. Kartha and N.D. Patel, Fourier transform infrared spectra and normal vibrations of CuO **204**, 8
Narayan, J., see A. Kumar **209**, 421
Narlikar, A.V., see B.R. Sekhar **206**, 139
Narlikar, A.V., see S.P. Pandey **206**, 207
Narumi, E., see S.Y. Lee **203**, 378
Narumi, E., see A. Shah **211**, 58
Narumi, E., see S. Chen **218**, 191
Narymbetov, B.Zh., see L.A. Novomlinsky **204**, 322
Nath, A., see Z. Homonnay **209**, 137
Naumov, N., Yu. Kotlyarov, P. Samoilov and V. Fedorov, Existence conditions, stability and solid solutions of the family of $Bi_2BaLnCuO_{6+\delta}$ cuprates with 2201-type structure **214**, 291
Naumov, S.V., see V.A. Kostylev **208**, 189
Naumov, V.N., see E.B. Amitin **209**, 407
Navarro, J.M., see N. Casañ-Pastor **216**, 478
Navarro, R., see J.M. González-Calbet **203**, 223
Navrotsky, A., see E. Takayama-Muromachi **218**, 164
Nebendahl, B., C. Kessler, D.-N. Peligrad and M. Mehring, Comparative investigation of intrinsic Josephson contacts in HTC superconductors by modulated microwave absorption measurements **209**, 362
Neeb, H., see R. Flegel **206**, 1
Nefedov, I., see A. Andronov **213**, 193
Negm, Y.Z., see G.O. Zimmerman **209**, 291
Neminsky, A.M. and P.N. Nikolaev, Temperature dependence of anisotropic penetration depth in $YBa_2Cu_3O_7$ measured on aligned fine powder **212**, 389
Nemudry, A.P., B.B. Bokhonov, S.S. Shatskaya, V.V. Boldyrev, I.G. Vasilyeva and N.F. Zakharchuk, The reaction of $YBa_2Cu_3O_6$ with iodine. Part I. The phase composition of the reaction products **211**, 366
Nemudry, A.P., I.I. Gainutdinov, Yu.T. Pavlyukhin and V.V. Bodyrev, The reaction of $YBa_2Cu_3O_6$ with iodine. Part II. Influence of iodine on the superconducting characteristics of yttrium barium cuprite **211**, 375
Neuhaus, M., see R. Dolata **214**, 365
Neumann, Ch., K. Yamaguchi, K. Hayashi, K. Suzuki, Y. Enomoto and S. Tanaka, Fabrication of high $I_c \times R_n$ YBCO–Josephson-junctions on MgO-substrates using a focused-ion-beam system **210**, 138
Neumayer, D.A., see J. Hu **210**, 97
Neumeier, J.J., see A.E. Schlögl **216**, 417
Nevřiva, M., see A.I. Beskrovnyi **206**, 27
Newville, M., see B. Rechav **209**, 55
Nexhip, C., see P. Goodman **217**, 325
Nguyen, N., see A. Rykov **205**, 63
Ni, Y.M., see H.L. Ji **217**, 127
Niarchos, D., see R. Suryanarayanan **213**, 88; **214**, 277
Nicklow, R.M., see S. Katano **215**, 92
Nieber, S. and H. Kronmüller, Intrinsic pinning in high-T_c superconductors **210**, 188
Nieber, S. and H. Kronmüller, Elastic properties of the flux line lattice in high-T_c superconductors **213**, 43
Nieminen, R., see E. Podkletnov **203**, 441
Nien, C.H., see M.Z. Cieplak **209**, 31
Nigavekar, A.S., see P. Lele **206**, 202
Nigro, A., see A.M. Cucolo **207**, 21
Nikitenko, M.V.I.V.I., see L.A. Dorosinskii **206**, 360
Nikitenko, V., see M. Turchinskaya **216**, 205
Nikitenko, V.I., see L.A. Dorosinskii **203**, 149, 342
Nikitenko, V.I., see M.V. Indenbom **209**, 259
Nikitina, A.M., see P.J. King **215**, 67
Nikitina, A.M., see Yu.I. Latyshev **216**, 471
Nikolaev, P.N., see A.M. Neminsky **212**, 389
Nikulov, A.V., see V.A. Marchenko **210**, 466
Nisenoff, M., S.A. Wolf, J.C. Ritter and G. Price, Space applications of high temperature superconductivity: the high temperature superconductivity space experiment (HTSSE) **209**, 263
Nishikawa, T., S. Shamoto, M. Sera, M. Sato, S. Ohsugi, Y. Kitaoka and K. Asayama, Hole density dependence of the low temperature electronic specific heat coefficient of $La_{2-x}Sr_xCaCu_2O_6$ with weakly localized electrons **209**, 553
Nishikawa, T., H. Harashina and M. Sato, Study on sulfur doping of the $La_{2-y}M_yCuO_4$ (M=Sr and Ba) system **211**, 127
Nishikawa, T., see H. Harashina **212**, 142
Nishizaki, T., see T. Fukami **202**, 167; **215**, 375
Nishizaki, T., F. Ichikawa, T. Fukami, T. Aomine, T. Terashima and Y. Bando, Lorentz-force dependence of

transport critical currents and anisotropic pinning properties in $YBa_2Cu_3O_{7-\delta}$ single-crystalline thin films **204**, 305
Nissen, H.-U., M. Cantoni, S. Kemmler-Sack, A. Ehmann, S. Lösch, W. Wischert and P. Zoller, High-resolution transmission electron microscopy of (1212) Bi-cuprate superconductor materials **203**, 436
Nissen, H.-U., see S. Tao **204**, 117; **213**, 276
Nissen, H.-U., see M. Cantoni **211**, 404; **215**, 11
Nissen, H.-U., see T. Kroener **214**, 1
Nkum, R.K., A. Punnett and W.R. Datars, Substitution of 3d metals for Cu in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ **202**, 371
Nkum, R.K., see T.W. Krause **210**, 333
Noce, C., see A.M. Cucolo **202**, 33
Noji, H., W. Zhou, B.A. Glowacki and A. Oota, Influence of cooling and annealing procedure on the intergranular coupling of Ag–$Bi_2Sr_2CaCu_2O_x$ screen-printed tape **205**, 397
Noji, T., see A. Fujiwara **203**, 411; **208**, 29
Noji, T., see Y. Koike **208**, 363; **211**, 409
Noji, T., see M. Mochida **212**, 191
Noji, T., see M. Kato **217**, 189
Nojima, T., M. Kinoshita, S. Nakano and Y. Kuwasawa, Transport critical current density and dimensional crossover in superconducting Nb/NbZr multilayers **206**, 387
Nonaka, H., T. Shimizu and K. Arai, In situ observation of the growing surface of $YBa_2Cu_3O_{7-\delta}$ films by reflection high-energy electron diffraction beam excited AES **217**, 280
Norton, D.P., see N.D. Browning **212**, 185
Norton, D.P., B.C. Chakoumakos, E.C. Jones, D.K. Christen and D.H. Lowndes, Anomalous transport and structural properties of $Sr_{1-x}CuO_{2-\delta}$ thin films **217**, 146
Norton, M.G., E.S. Hellman, E.H. Hartford Jr. and C.B. Carter, Compositionally modulated nucleation and growth of barium bismuth oxide thin films on MgO **205**, 347
Nouvertné, F., see M. Boekholt **203**, 180
Novikov, D.L., V.A. Gubanov and A.J. Freeman, Electronic structure and Fermi surface topology of the infinite-layered superconductor $Sr_{1-x}Ca_xCuO_2$ **210**, 301
Novikov, D.L. and A.J. Freeman, Electronic structure and Fermi surface of the $HgBa_2CuO_{4+\delta}$ superconductor. Apparent importance of the role of van Hove singularities on high T_c **212**, 233
Novikov, D.L. and A.J. Freeman, Van Hove singularities and the role of doping in the stabilization, synthesis and superconductivity of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ **216**, 273
Novomlinsky, L.A., B.Zh. Narymbetov and V.Sh. Shekhtman, X-ray diffraction studies of high-T_c $Bi_2Sr_2CaCu_2O_{8-x}$ superconductor **204**, 322
Nowik, I., I. Felner and E.R. Bauminger, Competition between superconductivity and magnetism in high-T_c systems **209**, 151
Nowik, I., see M. Müther **209**, 428
Nowik, I., see I. Felner **210**, 55
Nücker, N., see A. Zibold **212**, 365
Numai, K., see M. Sugihara **214**, 159
Nyholm, R., see M. Qvarford **214**, 119
Nyholm, R., see H. Bernhoff **218**, 103

Oboznov, V.A., see V.M. Krasnov **215**, 265
Obradors, X., P. Visani, M.A. De la Torre, M.B. Maple, M. Tovar, F. Pérez, P. Bordet, J. Chenavas and D. Chateigner, Rare-earth magnetic ordering in the R_2CuO_4 cuprates (R=Tb, Dy, Ho, Er and Tm) **213**, 81
Odagawa, A., Y. Enomoto, Y. Yamada, Y. Shiohara and S. Tanaka, Superconductive properties of a $YBa_2Cu_3O_{7-\delta}$ single crystal prepared by crystal pulling **217**, 222
Odier, P., see J. Marfaing **206**, 242
Odier, P., see D. Delagnes **211**, 355
Odier, P., see F.J. Gotor **218**, 429
O'Donnell, T.A., see P. Goodman **217**, 325
Oesterreicher, H., see M.G. Smith **204**, 130
Ogale, S.B., see R.D. Herrmann **202**, 61
Ogale, S.B., see P. Guptasarma **203**, 129
Ogawa, M., see Y. Matsui **217**, 287
Ogawa, S., see J. Arai **206**, 257
Ogura, T., see I. Matsubara **218**, 181
Oguro, I., see T. Tamegai **213**, 33
Ohara, S., S. Mori, B. Huybrechts, Y. Watanabe and M. Takata, Synthesis of 90 K superconducting $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ in oxygen at ordinary pressure by Ag_2O addition **217**, 294
Ohlsén, H., see L.B. Kiss **207**, 318
Ohnishi, N., see Y. Muraoka **204**, 65
Ohnishi, N., Y. Miyazaki, H. Yamane, T. Kajitani, T. Hirai and K. Hiraga, Ordered arrangement of carbon and copper atoms in $(C_{0.4}Cu_{0.6})Sr_2(Y_{0.86}Sr_{0.14})Cu_2O_7$ **207**, 175
Ohshima, E., M. Kikuchi, M. Nagoshi, R. Suzuki, S. Nakajima, K. Nagase and Y. Syono, Structure and superconductivity of $Tl_{0.5}Pb_{0.5}Sr_2CuO_y$ **214**, 182
Ohsugi, S., see G.-Q. Zheng **208**, 339
Ohsugi, S., see T. Nishikawa **209**, 553
Oishi, A., see W. Ito **204**, 295
Oka, K., T.-S. Han, D.-H. Ha, F. Iga and H. Unoki, Crystal growth of $Bi_2Sr_2CaCu_2O_8$ by the top-seeded solution-growth method **215**, 407
Okayama, S., see W. Ito **204**, 295
Oku, T., see S. Nakajima **214**, 80
Oku, T., see A. Tokiwa-Yamamoto **215**, 243
Okuda, H., see T. Tohyama **215**, 382
Okuda, Y., see M. Suzuki **208**, 333
Olejniczak, J., see M. Ciszek **208**, 245
Olesch, T., E. Kemnitz, A.M. Gas'kov, T.A. Kouznetsova and G.N. Maso, New AES measurements on chlorinated tetragonal $YBa_2Cu_3O_{7-x}$ phases **218**, 443
Olšan, V. and M. Jelínek, Study of $YBa_2Cu_3O_{7-x}$ film growth by real-time resistance measurement **207**, 391
Omata, T., see S. Hosoya **202**, 188
Ondoño, S., see N. Casañ-Pastor **216**, 478
Ono, A. and M. Tsutsumi, Superconductivity in $Sr_2RCu_3O_z$ (R=Dy, Ho, Er, Tm and Yb) **204**, 43
Ono, A. and S. Horiuchi, Synthesis of a new superconductor $(Cu_{0.6}Ce_{0.4})Sr_2Y_{1.2}Ce_{0.8}Cu_2O_z$ under high oxygen pressures **216**, 165
Ōno, Y., see K. Sano **205**, 170

Ono, Y., see M. Kato **217**, 189
Onufrieva, F., V. Kushnir and B. Toperverg, Evolution of spin dynamics with doping in copper oxide superconductors within the t–t'–J model The doped AF state **218**, 463
Oosterlaken, T.G.M., G.J. Leusink, G.J. Kuiper, S.J.M. Bakker, A.H. Verbruggen, H.M. Jaeger, G.C.A.M. Janssen and S. Radelaar, Resistivity and superconducting transition temperature of very thin amorphous tungsten–germanium films deposited by chemical vapour deposition **214**, 359
Oota, A., see H. Noji **205**, 397
Oota, A., H. Matsui, M. Funakura, J. Iwaya and K. Mitsuyama, Fabrication, microstructure and critical current density of screen-printed Ag–$(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ superconducting tapes **210**, 489
Oota, A., M. Funakura, J. Iwaya, H. Matsui and K. Mitsuyama, Critical current density and microstructure of c-axis-oriented $Bi_2Sr_2CaCu_2O_x$ and $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ superconducting tapes **212**, 23
Oota, A., J. Iwaya, P. Songsak, T. Saigou and M. Funakura, Critical current density, morphology and microstructure of Ag-sheathed $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ tapes **214**, 9
Opagiste, C., see J.L. Jorda **205**, 177
Opagiste, C., M. Couach, A.F. Khoder, T. Graf, A. Junod, G. Triscone, J. Muller, T.K. Jondo, J.-L. Jorda, R. Abraham, M.Th. Cohen-Adad, L.A. Bursill, O. Leckel and M.G. Blanchin, Metallurgy, HRTEM, magnetic properties and specific heat of $Tl_2Ba_2Cu_1O_{6+\delta}$ 90 K-superconductors obtained by a new process **205**, 247
Opagiste, C., G. Triscone, M. Couach, T.K. Jondo, J.-L. Jorda, A. Junod, A.F. Khoder and J. Muller, Phase diagram of the $Tl_2Ba_2CuO_6$ compounds in the $T, p(O_2)$ plane **213**, 17
O'Reilly, J.W., see N. Rosov **204**, 171
Orlando, T.P., see L.M. Rubin **217**, 227
Osborn, R., see A.T. Boothroyd **217**, 425
Oshima, K., see Y. Kubozono **217**, 21
Osquiguil, E., see B. Wuyts **203**, 235
Osquiguil, E., see S. Libbrecht **206**, 51
Ossip'yan, Yu.A., see L.A. Dorosinskii **203**, 149
Ott, H.R., see S.P. Zhao **214**, 345
Ott, H.R., see M. Cantoni **215**, 11
Ott, H.R., see A. Schilling **216**, 6
Ott, H.R., see O. Jeandupeux **216**, 17
Otto, H.H., R. Baltrusch and H.-J. Brandt, Further evidence for Tl^{3+} in Tl-based superconductors from improved bond strength parameters involving new structural data of cubic Tl_2O_3 **215**, 205
Ottosson, M., see L.B. Kiss **207**, 318
Oudet, X., see N.C. Mishra **212**, 465
Ousset, J.C., see C. Escribe-Filippini **210**, 133
Oyanagi, H., see H. Yamaguchi **213**, 375

Pa, L.-J., see M.W. Huck **207**, 261
Paasi, J.A.J. and M.J. Lahtinen, Characterization of high-T_c superconducting tapes using Hall sensors **216**, 382
Padmanaban, V.P.N. and K. Shahi, Superconducting properties of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ti,V) **208**, 263
Page, D., see S.J. Golden **217**, 313
Pai, S.P., see R. Pinto **207**, 13
Pai, S.P., see S. Kumar **215**, 286
Paiusco, M., see M. Acquarone **209**, 327; **210**, 373
Palistrant, M.E., V.M. Vakalyuk and M.Gh. Calalb, Collective oscillations in two-band low-dimensional superconductors and in superconductors with three overlapping bands **208**, 170
Pan, G., see Y. Xu **204**, 288
Panagopoulos, C., see T. Fukami **215**, 375
Pandey, D., A.K. Singh and A.P. Singh, Towards the rapid synthesis of pure 2223 powders with $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ compositions by semi-wet methods I.Reaction sequence for $Pb_{0.2}SrCa(CO_3)_{2.2}$ precursor **204**, 179
Pandey, S.P., M.S. Hegde, B.V. Kumaraswamy and A.V. Narlikar, Zn and Ga substitution in superconducting $YBa_2Cu_4O_8$ **206**, 207
Paracchini, C. and L. Romanó, The temperature dependence of the non-linear electrical response in HTSC **207**, 143
Paranthaman, M., see A.M. Hermann **209**, 199
Paranthaman, M., J.R. Thompson, Y.R. Sun and J. Brynestad, Synthesis and magnetic characterization of the high-T_c superconducting compound $HgBa_2CuO_{4+\delta}$ **213**, 271
Paranthaman, M., see C.S. Gopinath **214**, 153
Parberry, J.M., see T.P. Beales **205**, 383
Parfionov, O.E. and A.A. Konovalov, Influence of structural changes on electronic states in the 1-2-3 HTSC system **202**, 385
Parik, N., see R.D. Herrmann **202**, 61
Parilla, P.A., see R.N. Bhattacharya **211**, 475
Parish, J.L., Note on dynamic conductivity from tunneling experiments in a high-T_c superconductor **210**, 106
Parisi, L.A., see W.L. Holstein **212**, 110
Park, J.C., see I.-K. Jeong **217**, 376
Park, J.-H., see N.H. Hur **218**, 365
Park, Y.K., see I.-K. Jeong **217**, 376
Parmon, V.N., see N.S. Belousov **217**, 170
Parodi, R., see B. Zhang **203**, 51
Parodi, R., see P. Fabbricatore **213**, 200
Pashenko, A.V., see A.K. Asadov **206**, 119
Pasternak, M.P. and R.D. Taylor, Pressure induced metallization of Mott insulators; the Mott transition **209**, 113
Patel, N.D., see S.N. Narang **204**, 8
Patel, S., see A. Shah **211**, 58
Patel, S., see S. Chen **218**, 191
Patella, F., see A. Balzarotti **218**, 301
Patil, S., see P.L. Paulose **208**, 11
Patlagan, L., see U. Yaron **208**, 18
Patnaik, B., see R.D. Herrmann **202**, 61
Patnaik, B., see A. Kumar **209**, 421
Patrakeev, M.V., I.A. Leonidov, V.L. Kozhevnikov, V.I. Tsidilkovskii and A.K. Demin, The oxygen conductivity and chemical diffusion in $YBa_2Cu_3O_{6+x}$ **210**, 213
Paul, D.M., see G. Balakrishnan **206**, 148
Paul, D.M., see A. Gencten **216**, 491
Paul, W. and J.P. Meier, Inductive measurements of voltage–

current characteristics between 10^{-12} V/cm and 10^{-2} V/cm in rings of Bi2212 ceramics **205**, 240
Paulose, P.L., S. Patil, H. Frank and G. Güntherodt, Influence of Pb and Nb substitution on pinning and irreversibility behaviour of Bi2212 **208**, 11
Pavese, F., M. Bianco, D. Andreone, R. Cresta and P. Rellecati, Magnetic shielding properties of $YBa_2Cu_3O_{7-x}$ thick films deposited on silver cylinders with the continuous detonation spray technique **204**, 1
Pavljuk, A.A., see V.P. Dyakonov **208**, 23
Pavlov, V.V., see A. Burau **216**, 284
Pavlyukhin, Yu.T., see A.P. Nemudry **211**, 375
Pawłowski, G., see S. Robaszkiewicz **210**, 61
Payne, D.A., see J.R. LaGraff **212**, 470, 478, 487
Pebler, J., see K. Bente **202**, 379
Pedersen, N.F., see V.M. Krasnov **209**, 579
Pederson, D.O., see Z.Y. Chen **212**, 206
Pederson, D.O., see Y.Q. Tang **214**, 190
Pekala, K., see M. Pekala **209**, 311
Pekala, M., K. Pekala, I. Lapsker, A. Verdyan and J. Azoulay, Thermoelectric study of Y–Ba–Cu–O thin film on MgO substrate prepared by resistive evaporation **209**, 311
Peligrad, D.-N., see B. Nebendahl **209**, 362
Pellerin, N., see D. Delagnes **211**, 355
Pelloquin, D., M. Caldes, A. Maignan, C. Michel, M. Hervieu and B. Raveau, The bismuth oxycarbonate $Bi_2Sr_4Cu_2CO_3O_8$. A new superconductor with a $T_{c\,onset}$ of 30 K **208**, 121
Pelloquin, D., A. Maignan, M. Caldès, M. Hervieu, C. Michel and B. Raveau, The bismuth oxycarbonate $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$. A new 40 K superconductor, second member of the series $(Bi_2Sr_2CuO_6)_n(Sr_2CuO_2CO_3)_{n'}$ **212**, 199
Pelloquin, D., C. Michel, G. Van Tendeloo, A. Maignan, M. Hervieu and B. Raveau, A new "1201" mercury cuprate The 27 K-superconductor $Hg_{0.5}Bi_{0.5}Sr_{2-x}La_xCuO_{5-\delta}$ **214**, 87
Pelloquin, D., M. Hervieu, C. Michel, G. Van Tendeloo, A. Maignan and B. Raveau, A 94 K Hg-based superconductor with a "1212" structure $Hg_{0.5}Bi_{0.5}Sr_2Ca_{1-x}R_xCu_2O_{6+\delta}$ (R=Nd, Y, Pr) **216**, 257
Pelloquin, D., M.T. Caldès, C. Michel, A. Maignan, M. Hervieu and B. Raveau, Lead substitution in the 30 K-superconductor $Bi_2Sr_{4-y}Cu_2CO_3O_{8-\delta}$ **217**, 27
Peltzer y Blancá, E.L., see C.O. Rodriguez **216**, 12
Peluso, L.A., see A. Mogro-Campero **214**, 187
Peña, J.L., see V. Sosa **216**, 89
Peña, O., see M. Mokhtari **202**, 141
Peña, O., see K. Nanda Kishore **204**, 299
Peña, O., M. Mokhtari, C. Perrin, C. Thivet, M. Guilloux-Viry, A. Perrin and M. Sergent, T_c enhancement and superconducting properties of a $YBa_2Cu_3O_{\sim 6.5}$ thin film after fluorine insertion **206**, 6
Peng, H. and L. Luo, High-T_c superconductors and interaction between pairs **211**, 380
Peng, J.L., see D. Prasad Beesabathina **208**, 79
Peng, J.L., see H. Srikanth **218**, 245
Peng, S.J., M.D. Lan, P. Klavins, J.Z. Liu and R.N. Shelton, Improved superconducting properties in melt-textured $ErBa_2Cu_3O_{7-\delta}$ ceramic material **212**, 301
Peng, Y., see Z. Gao **203**, 45
Peng, Y., see Y. Yao **210**, 80
Pennycook, S.J., M.F. Chisholm, D.E. Jesson, R. Feenstra, S. Zhu, X.Y. Zheng and D.J. Lowndes, Growth and relaxation mechanisms of $YBa_2Cu_3O_{7-x}$ films **202**, 1
Pennycook, S.J., see N.D. Browning **212**, 185
Pérez, F., see X. Obradors **213**, 81
Perez Rodriguez, F., see L.M. Fisher **206**, 195
Perin, A., see B. Hensel **205**, 329
Perin, A., G. Grasso, M. Däumling, B. Hensel, E. Walker and R. Flükiger, Hot rolling of silver-sheathed Bi(2223) tapes **216**, 339
Perin, A., see G. Grasso **217**, 335
Perkins, G.K., see A.D. Caplin **209**, 167
Perkins, G.K., see H.K. Liu **213**, 95
Pernambuco-Wise, P., see N. Rosov **204**, 171
Perrin, A., see O. Peña **206**, 6
Perrin, C., see M. Mokhtari **202**, 141
Perrin, C., see O. Peña **206**, 6
Peter, M., see B. Barbiellini **209**, 75
Peterse, W.J.A.M., see H.M. Appelboom **214**, 323
Petersen, K., see M. Serwe **213**, 370
Petrov, Y.V., see S.A. Ktitorov **207**, 9
Pfuch, A., see J. Arnold **213**, 71
Pham, A.Q., see M. Hervieu **209**, 449
Pham, A.Q., N. Merrien, A. Maignan, F. Studer, C. Michel and B. Raveau, Origin of the metal–insulator transition in the superconducting series $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **210**, 350
Phita, I.M., see A.K. Asadov **206**, 119
Picard, C., see P. Gerdanian **204**, 419; **212**, 1
Pickett, W.E., see D.J. Singh **203**, 193
Piel, H., see A.A. Golubov **213**, 139
Pike, W.T., see J.B. Barner **207**, 381
Pinatel-Philippot, A., see J.A. Hodges **218**, 272
Piñol, S., see M.A. Crusellas **209**, 537; **210**, 221; **213**, 403
Pinto, R., P.R. Apte, S.P. Pai and D. Kumar, Role of Ag in laser-ablated $YBa_2Cu_3O_{7-\delta}$ thin films. Evidence for grain enlargement and alignment **207**, 13
Pinto, R., see S. Kumar **215**, 286
Plakida, N.M., see C. Minh-Tien **206**, 90
Plecenik, A., see M. Grajcar **218**, 82
Plewa, J., see J. Hauck **212**, 435
Pluth, J.J., see B. Dabrowski **202**, 271
Pochylý, J., see J. Wild **209**, 486
Podel'shchikov, A.I., see E.L. Nagaev **205**, 91
Podkletnov, E. and R. Nieminen, A possibility of gravitational force shielding by bulk $YBa_2Cu_3O_{7-x}$ superconductor **203**, 441
Podloucky, R., see J.J. Yu **214**, 335
Poeppel, R.B., see S.E. Dorris **212**, 66
Poeppelmeier, K.R., see J.P. Zhang **202**, 51
Polak, M., see A. Golub **209**, 207
Polak, M., see N. Froumin **209**, 315
Pollert, E., see V. Šíma **203**, 59

Pollert, E., see J. Hejtmanek **209**, 47; **215**, 411
Pollert, E., see K. Knížek **216**, 211
Pollert, E., see D. Sedmidubský **217**, 203
Pollini, A., see B. Hensel **205**, 329
Polturak, E., see E. Aharoni **209**, 215
Polyanski, A.A., see L.A. Dorosinskii **203**, 342
Polyanskii, A., see M. Turchinskaya **216**, 205
Polyanskii, A.A., see L.A. Dorosinskii **203**, 149; **206**, 360; **212**, 211
Polyanskii, A.A., see M.V. Indenbom **209**, 259
Pomar, A., see C. Torrón **212**, 440
Pomar, A., see A. Díaz **215**, 105
Pomar, A., A. Díaz, M.V. Ramallo, C. Torrón, J.A. Veira and F. Vidal, Measurements of the paraconductivity in the *a*-direction of untwinned $Y_1Ba_2Cu_3O_{7-\delta}$ single crystals **218**, 257
Pongratz, P., see H. Budin **207**, 208
Ponomarev, A.I., see V.A. Kostylev **208**, 189
Pooke, D., see H.J. Trodahl **213**, 427
Popova, A.A., see A.F. Maiorova **218**, 137
Pöppl, L., see Z. Homonnay **209**, 137
Porch, A., J.R. Cooper, D.N. Zheng, J.R. Waldram, A.M. Campbell and P.A. Freeman, Temperature dependent magnetic penetration depth of Co and Zn doped $YBa_2Cu_3O_7$ obtained from the AC susceptibility of magnetically aligned powders **214**, 350
Porter, W.D., see F.A. List **202**, 134
Pouchard, M., see J.-C. Grenier **202**, 209
Poullain, G., R. Desfeux and H. Murray, Conditions for in-situ growth of BiSrCaCuO thin films by laser deposition **214**, 195
Poulsen, H.F., see J.V. Andersen **214**, 143
Poulsen, H.F., see T. Fiig **217**, 34
Powers, R.E., see G.O. Zimmerman **209**, 291
Požek, M., see A. Dulčić **218**, 449
Prachařová, J., see J. Wild **209**, 486
Prachařová, J., see K. Knížek **216**, 211
Pradhan, A.K., S.J. Hazell, J.W. Hodby, C. Chen, Hu. Y and B.M. Wanklyn, Vortex motion and energy dissipation in single crystal (Bi–Pb)–Sr–Ca–Cu–O **204**, 325
Pradhan, A.K., S.B. Roy, S. Kumar, P. Chaddah, R. Prasad, N.C. Soni and K. Adhikari, H_{c1} measurements in sintered YBaCuO and Bi(Pb)SrCaCuO using remanent second-harmonic generation **216**, 169
Pradhan, A.K., S.J. Hazell, J.W. Hodby, C. Chen, Y. Hu and B.M. Wanklyn, Dissipative behaviour in single crystal $Y_{0.85}Pr_{0.15}Ba_2Cu_3O_{7-y}$ **218**, 208
Pradhan, A.K., see S.B. Roy **218**, 476
Prasad, R., see A.K. Pradhan **216**, 169
Prasad, R., see S.B. Roy **218**, 476
Prasad Beesabathina, D., L. Salamanca-Riba, J.L. Peng, Z.Y. Li and R.L. Greene, Structural comparison of $Nd_{2-x}Ce_xCuO_{4-y}$ single crystals and polycrystals **208**, 79
Preisinger, A., see R. Miletich **209**, 415
Preisler, E., see W. Schnelle **209**, 456
Price, G., see M. Nisenoff **209**, 263
Prorok, B.C., see S.E. Dorris **212**, 66
Provoost, R., see A. Steegmans **218**, 295
Provost, J., see V. Hardy **205**, 371; **206**, 220
Proyer, S., see P. Schwab **214**, 257
Prozorov, R.L., see L.A. Dorosinskii **206**, 360
Prozorov, R.L., see M.V. Indenbom **209**, 259
Prusseit, W., see O. Eibl **203**, 445
Psycharis, V., see R. Suryanarayanan **213**, 88
Pudikov, V., Peculiarity of vortex interaction near the surface in highly layered superconductors **212**, 155
Pugachev, A.T., see A.A. Milner **209**, 225
Pulver, M., see G. Wahl **209**, 195
Punnett, A., see R.K. Nkum **202**, 371
Pureur, P., see P. Rodrigues Jr. **211**, 13
Pust, L., see M. Jirsa **207**, 85
Putilin, S.N., see I. Bryntse **212**, 223
Putilin, S.N., see O. Chmaissem **212**, 259; **217**, 265
Putilin, S.N., E.V. Antipov and M. Marezio, Superconductivity above 120 K in $HgBa_2CaCu_2O_{6+\delta}$ **212**, 266
Putilin, S.N., see E.V. Antipov **215**, 1; **218**, 348
Putlayev, V.I., see P.E. Kazin **211**, 227
Pye, S.L., see T.B. Lindemer **216**, 99

Qi, Z.Q., see P. Wei **209**, 400
Qian, M., see E.A. Stern **209**, 331
Qian, Q., see M.J. Kramer **203**, 83
Qian, Y.T., K.B. Tang, P.D. Yang, Z.Y. Chen, R.K. Li, G. Zhou, Y.H. Zhang and N.L. Wang, The synthesis and superconductivity of a new type of Bi-1212 phase (Bi, Cd)Sr_2(Y, Ca)Cu_2O_z **209**, 516
Qian, Y.T., see S.W. Wang **210**, 463
Qian, Y.T., see W.B. Wu **213**, 133
Qian, Y.T., see X.H. Chen **216**, 458
Qiao, G.W., see A.Q. He **204**, 85, 365
Qiaonan, Q., see W. Wenbin **217**, 156
Qin, Q.N., see W.B. Wu **213**, 133
Qing, H., see H.T. Ren **216**, 447
Qiu, X.D., see Z.J. Huang **217**, 1
Qiu, X.D., see Y.T. Ren **217**, 6
Qiu, X.G., see B.R. Zhao **204**, 341
Qiu, X.G. and M. Tachiki, Resistive dissipation in the flux liquid state in high-temperature superconductors **207**, 255
Qiu, X.G., S. Takahashi and M. Tachiki, Magnetic pinning by planar defects in type-II superconductors **216**, 49
Quan, Y.T., see K.B. Tang **205**, 406
Qui, X.G., see Z.X. Shi **215**, 439
Quitmann, C., see C.H. Rüscher **204**, 30
Qvarford, M., N.L. Saini, J.N. Andersen, R. Nyholm, E. Lundgren, I. Lindau, J.F. Van Acker, L. Leonyuk, S. Söderholm and S.A. Flodström, Polarisation-dependent X-ray absorption in high- and low-T_c $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ superconductors **214**, 119
Qvarford, M., see H. Bernhoff **218**, 103

Raban Jr., G.W., see S. Wu **213**, 483
Racah, D., see Z. Barkay **209**, 81
Racah, D., U. Dai and G. Deutscher, Long coherence lengths in *c*-axis oriented $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ thin films determined by

the resistive transitions under applied magnetic fields **209**, 229
Radaelli, P.G., see J.L. Wagner **210**, 447
Radaelli, P.G., J.L. Wagner, B.A. Hunter, M.A. Beno, G.S. Knapp, J.D. Jorgensen and D.G. Hinks, Structure, doping and superconductivity in $HgBa_2CaCu_2O_{6+\delta}$ ($T_c \leqslant 128$ K) **216**, 29
Radelaar, S., see T.G.M. Oosterlaken **214**, 359
Radousky, H.B., see T.J. Goodwin **204**, 212
Radousky, H.B., T.J. Goodwin and R.N. Shelton, Absence of superconductivity in $(Pr_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$ – a general correlation with magnetic ordering **209**, 155
Raffy, H., see F.J. Muller **202**, 268
Raffy, H., see Z.Z. Li **206**, 367
Raghunathan, V.S., see P. Kuppusami **215**, 213
Rajkumar, K.C., see R.D. Herrmann **202**, 61
Rajput, R., Y.S. Reddy, R.G. Sharma, G.V. Subbarao and D. Kumar, Thermoelectric power studies on the BPSCCO system with silver addition **213**, 211
Rakoto, H., see C. Escribe-Filippini **210**, 133
Ramachandran, J.S., M.X. Huang, S.M. Bhagat, K. Kish and S. Tyagi, Microwave absorption and resistively shunted Josephson junctions in high temperature CuO superconductors **202**, 151
Ramachandra Rao, M.S., see P. Sumana Prabhu **211**, 279
Ramachandra Rao, M.S., see C.S. Gopinath **218**, 117
Ramakrishna, K., see G.D. Verma **202**, 327
Ramallo, M.V., see C. Torrón **212**, 440
Ramallo, M.V., see A. Pomar **218**, 257
Ramasamy, P., see R. Jayavel **215**, 429
Ramírez, J., see J.M. González-Calbet **203**, 223
Rangavittal, N., see V. Manivannan **208**, 253
Ranno, L., see P. Wagner **215**, 123
Rao, C.N.R., see R. Vijayaraghavan **206**, 81
Rao, C.N.R., see V. Manivannan **208**, 253
Rao, K.V.R., see B.R. Sekhar **206**, 139
Rapp, Ö., see M. Andersson **205**, 105
Rappaport, M., see Y. Scolnik **209**, 305
Ratner, A., see I. Fugol' **216**, 391
Ratz, S., see N. Schroeder **218**, 220
Rauch, W., see Y. Sun **206**, 291
Rauch, W., see H. Behner **208**, 419; **216**, 333
Rauch, W., M. Seitz, G.M. Daalmans, H. Behner, G. Gieres, M. Römheld, R.J. Seeböck, G. Saemann-Ischenko and E. Gornik, A low noise DC SQUID using edge junctions on *c*-axis oriented $YBa_2Cu_3O_{7-x}$ thin films **211**, 234
Ravat, K.B., see K.K. Saini **216**, 59
Raveau, B., see A. Rykov **205**, 63
Raveau, B., see M. Huvé **205**, 219
Raveau, B., see R. Vijayaraghavan **206**, 81
Raveau, B., see B. Domengès **207**, 65
Raveau, B., see A. Maignan **208**, 116, 149; **212**, 239; **216**, 1
Raveau, B., see D. Pelloquin **208**, 121; **212**, 199; **214**, 87; **216**, 257; **217**, 27
Raveau, B., M. Huvé, A. Maignan, M. Hervieu, C. Michel, B. Domengès and C. Martin, Copper oxycarbonates with a layered structure, new promising high-T_c superconductors **209**, 163
Raveau, B., see M. Hervieu **209**, 449; **216**, 264
Raveau, B., see E. Suard **210**, 164
Raveau, B., see A.Q. Pham **210**, 350
Raveau, B., see F. Goutenoire **210**, 359; **216**, 243
Raveau, B., see Ph. Daniel **211**, 209
Raveau, B., see C. Martin **212**, 274; **217**, 106
Raveau, B., see J.F. Hamet **214**, 55
Ravel, B., see B. Rechav **209**, 55
Raychaudhuri, A.K., see H. Srikanth **218**, 245
Rebello, N.S., see G. Xiao **211**, 433
Rechav, B., N. Sicron, Y. Yacoby, B. Ravel, M. Newville and E.A. Stern, Structural disorder in oxygen perovskite crystals **209**, 55
Reddy, Y.S., see R. Rajput **213**, 211
Redoules, J.P., see D. Delagnes **211**, 355
Reefman, D., S.I. Mukhin and L.J. De Jongh, Monte Carlo study of the NMR properties of the quasi-2D Heisenberg antiferromagnet doped with real space pairs **211**, 93
Reefman, D. and H.B. Brom, Langevin dynamics simulation of vortices in a layered superconductor **213**, 229
Reeves, M.E., see V.Z. Kresin **209**, 319
Reich, S., see V.M. Nabutovsky **209**, 63
Reich, S., see D. Veretnik **209**, 191
Reich, S., see P. Rodrigues Jr. **211**, 13
Reiderman, A., Y. Wolfus, Y. Abulafia and Y. Yeshurun, Hall probe response to a distribution of vortices in superconductor **209**, 145
Reiner, J., see T. Ishida **202**, 356
Reiner, J., see T. Arndt **210**, 417
Reisner, G.M., see D. Goldschmidt **217**, 217
Rellecati, P., see F. Pavese **204**, 1
Ren, H.T., see J.A. Xia **215**, 152
Ren, H.T., K.N.R. Taylor, Y.J. Chen, J.A. Xia and H. Qing, Enhanced critical current density in melt-textured $(Y_{1-x}Pr_x)Ba_2Cu_3O_y$ **216**, 447
Ren, H.T., J.A. Xia and K.N.R. Taylor, AC susceptibility in Y_{123} and Ag-doped Y_{123} compounds prepared by the melt-textured-growth method **218**, 87
Ren, Y.T., Y.Y. Xue, Y.Y. Sun and C.W. Chu, Raman scattering study of site substitution in $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) **213**, 224
Ren, Y.T., J. Clayhold, F. Chen, Z.J. Huang, X.D. Qiu, Y.Y. Sun, R.L. Meng, Y.Y. Xue and C.W. Chu, Thermopower and resistivity measurements on oxygen-annealed $HgBa_2CaCu_2O_{6+\delta}$ **217**, 6
Ren, Y.T., H. Chang, Q. Xiong, Y.Q. Wang, Y.Y. Sun, R.L. Meng, Y.Y. Xue and C.W. Chu, Micro-Raman scattering on superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ ($n=1, 2, 3$) ceramics **217**, 273
Ren, Z.F. and J.H. Wang, Enhanced formation of 1223 phase by partial replacement of Bi for Tl in in-situ synthesized silver-sheathed superconducting tape of $Tl_{1-x}Bi_xSr_{2-y}Ba_yCa_2Cu_3O_{9-\delta}$ **216**, 199
Renk, K.F., see W. Andrä **213**, 471
Rentschler, T., see A. Ehmann **215**, 83

Reuvekamp, E.M.C.M., see J.G. Wen **218**, 29
Revcolevschi, A., see C. Torrón **212**, 440
Revenko, Ju., see M. Grajcar **218**, 82
Revenko, Ju.F., see V.P. Dyakonov **208**, 23
Reyes, A.P., see E.T. Ahrens **212**, 317
Rezchikov, K.B., see A.V. Bazhenov **208**, 197; **214**, 45
Rhyner, J., Magnetic properties and AC-losses of superconductors with power law current–voltage characteristics **212**, 292
Ri, H.-C., see R.P. Huebener **209**, 27
Richardson, J.T., see S.-C. Lin **218**, 130
Riesemeier, H., see J. Freytag **209**, 59
Rietschel, H., see Th. Schreiner **204**, 161
Rietveld, G., see H.M. Appelboom **214**, 323
Rifi, H., see Z.Z. Li **206**, 367
Rigamonti, A., see P. Carretta **209**, 121
Riise, A.B., T.H. Johansen, H. Bratsberg and A.T. Skjeltorp, Mapping of magnetic field and Maxwell stress T_{zz} in a plane between a magnet and a high-T_c superconductor **218**, 489
Rijken, H.A., see H.M. Appelboom **214**, 323
Rijnders, A.J.H.M., see D. Terpstra **217**, 151
Riley Jr., G.N., see L. Civale **208**, 137
Rillo, C., see J.M. González-Calbet **203**, 223
Rinderer, L., see T. Yasuda **208**, 385
Rinderer, L., see A. Mariño **210**, 16
Ritter, J.C., see M. Nisenoff **209**, 263
Roas, B., see G. Friedl **209**, 287
Robaszkiewicz, S. and G. Pawłowski, Effects of finite pair binding energy in a model of a superconductor with local electron pairing **210**, 61
Robinson, M., see K.H. Young **203**, 37
Roden, B., see M. Breuer **208**, 217
Rodrigues Jr. , P., L. Ghivelder, P. Pureur and S. Reich, Resistive transition and fluctuation conductivity in YBaCuO–Ag nonrandom composites **211**, 13
Rodriguez, C.O., see I.I. Mazin **209**, 125
Rodriguez, C.O., N.E. Christensen and E.L. Peltzer y Blancá, Electronic structure of mercury-based high-T_c compounds: $HgBa_2Ca_{n-1}Cu_nO_{2n+2}$ ($n=1, 2, 3$) **216**, 12
Rodríguez, D.S., see G. D'Anna **218**, 238
Rodríguez, E., see G. D'Anna **218**, 238
Rodriguez, M.A., R.L. Snyder, B.J. Chen, D.P. Matheis, S.T. Misture, V.D. Frechette, G. Zorn, H.E. Göbel and B. Seebacher, The high-temperature reactions of $YBa_2Cu_3O_{7-\delta}$ **206**, 43
Rodriguez, M.A., see B.J. Chen **217**, 367
Roesthuis, F.H.G., see D. Terpstra **217**, 151
Rogalla, H., see D.J. Adelerhof **209**, 477
Rogalla, H., see D. Terpstra **217**, 151
Rogalla, H., see J.G. Wen **218**, 29
Rom, A.I., see T. Maniv **209**, 35
Romano, A., see A.M. Cucolo **202**, 33
Romanó, L., see C. Paracchini **207**, 143
Romanov, B.N., see Yu.F. Shepelev **215**, 371
Romanov, S.G., see V.N. Bogomolov **208**, 371
Römheld, M., see W. Rauch **211**, 234
Rong, X.S., see Z.X. Shi **215**, 439
Rong, X.S., see H.L. Ji **217**, 127
Ropers, B., F. Carmona and S. Flandrois, Phenomenological approach to the resistive transition of YBaCuO–Ag superconducting random composites **204**, 71
Rosenberg, Yu., On the use of X-ray forbidden and oxygen reflections for crystal properties study **209**, 171
Rosengren, A., see V.E. Zubkus **206**, 155
Rosenman, I., see L. Legrand **204**, 50; **208**, 356; **211**, 239
Rosov, N., J.W. Lynn, G. Cao, J.W. O'Reilly, P. Pernambuco-Wise and J.E. Crow, Magnetic ordering of the Cu spins in $PrBa_2Cu_3O_{6+x}$ **204**, 171
Rosová, A., C. Boulesteix and I. Vávra, Role of microtwins in twin lamella intersections and interconnections in $YBa_2Cu_3O_{7-y}$ **214**, 247
Rosseel, E., see C.M. Fu **206**, 110
Rossel, C., see H. Schwer **211**, 165
Rößler, H., see N. Schroeder **218**, 220
Routbort, J.L., Tracer diffusion of oxygen in $NdBa_2Cu_3O_{7-\delta}$ **214**, 408
Roy, S.B., see A.K. Pradhan **216**, 169
Roy, S.B., S. Kumar, A.K. Pradhan, P. Chaddah, R. Prasad and N.C. Soni, Study of minor hysteresis loops of YBaCuO: dc and ac hysteresis effects in granular samples **218**, 476
Roys, W.B., see P.J. King **215**, 67
Roytburd, A., see L.A. Dorosinskii **203**, 342
Roytburd, A., see M. Turchinskaya **216**, 205
Rozell Jr., J.M., G.W. Book, J. Cunningham, C. Glorioso, M. Vlasse and J.P. Golben, A powder X-ray diffraction and electrical study of $Dy(Ba_{2-x}Sr_x)Cu_3O_{7-\delta}$ superconducting cuprates **204**, 384
Rubin, L.M., T.P. Orlando, J.B. Vander Sande, G. Gorman, R. Savoy, R. Swope and R. Beyers, Phase stability limits and solid-state decomposition of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ in reduced oxygen pressures **217**, 227
Rührnschopf, K., see H. Behner **208**, 419; **216**, 333
Rupeng, Z., M.J. Goringe, S. Myhra and J.L. Tallon, HREM studies of defect structure in $YBa_{1.85}La_{0.15}Cu_4O_8$ **203**, 75
Rüscher, C.H., M. Götte, B. Schmidt, C. Quitmann and G. Güntherodt, Coexistence of localized and delocalized states in Bi-2212 Y/Ca An investigation of the infrared and optical absorption **204**, 30
Rusiecki, S., see P. Fischer **205**, 259
Russell, G.J., see A. Hartmann **205**, 78
Russell, G.J., see H.B. Sun **205**, 266
Russell, G.J., see J. Wang **205**, 363
Russo, R.E., see S.K. Gupta **206**, 335
Ryazanov, V.V., see V.M. Krasnov **215**, 265
Rykov, A., V. Caignaert, N. Nguyen, A. Maignan, E. Suard and B. Raveau, The complex distribution of iron in the $(Y, Ca)Ba_2(Cu, Fe)_3O_{6+y}$ cuprate A Mössbauer study **205**, 63
Ryndyk, D.A., see V.V. Kurin **205**, 85
Ryu, S., see X.D. Wu **218**, 417
Ryzhov, V.N. and E.E. Tareyeva, Hexatic phase in thin-film superconductors **205**, 55

Sa, D. and S.N. Behera, Phonon-Raman scattering in a correlated superconductor **203**, 347

Saalfrank, P. and J. Ladik, Hartree–Fock energy bands of $YBa_2Cu_3O_7$ **204**, 279
Sadowski, W., see B. Barbiellini **209**, 75
Saemann-Ischenko, G., see Th. Schuster **203**, 203
Saemann-Ischenko, G., see W. Rauch **211**, 234
Saemann-Ischenko, G., see I. Fugol' **216**, 391
Safari, A., see M.M. Bedekar **202**, 42
Sagdahl, L.T., see M.G. Karkut **215**, 19
Saigou, T., see A. Oota **214**, 9
Saikawa, T. and H. Kaga, Non-Fermi-liquid-like behaviors of the CuO_2 model of the high-T_c systems **217**, 210
Saini, K.K., C.P. Sharma, C. Kant, D.K. Suri, S. Chandra and S.P. Tiwari, Optimization of synthetic parameters for Tl-2201 superconducting phase by flash sintering process **210**, 502
Saini, K.K., C.P. Sharma, . Chanderkant, D.K. Suri, K.B. Ravat, S. Chandra and S.P. Tewari, Effect of thallium concentration on Tl-2201 superconducting phase by flash sintering process **216**, 59
Saini, N.L., see B.R. Sekhar **206**, 139
Saini, N.L., see M. Qvarford **214**, 119
Saito, Y., see A. Fujiwara **203**, 411; **208**, 29
Saito, Y., see Y. Koike **208**, 363; **211**, 409
Saito, Y., see M. Mochida **212**, 191
Saito, Y., see M. Kato **217**, 189
Sakai, N., T. Maeda, H. Yamauchi and S. Tanaka, Superconductivity in (Pb/Cu)-"1222" copper oxides **212**, 75
Sakurai, T., see S. Adachi **206**, 329
Sakurai, T., see G.H. Kwei **213**, 455
Salama, K., see D.F. Lee **202**, 83
Salama, K., see S. Zannella **205**, 14
Salama, K., see V. Selvamanickam **208**, 238; **217**, 113
Salama, K., V. Selvamanickam and D.F. Lee, Process-induced flux pinning in melt-textured YBCO superconductor **209**, 187
Salama, K., see H. Küpfer **209**, 243
Salama, K., see M. Mironova **211**, 188
Salamanca-Riba, L., see D. Prasad Beesabathina **208**, 79
Salje, E.K.H., see A.S. Alexandrov **215**, 359
Salsi, G., see G. Calestani **206**, 33
Samoilov, P., see N. Naumov **214**, 291
Samoilov, P.P., see E.B. Amitin **209**, 407
Samokhvalov, A.V., see V.A. Kozlov **213**, 103
Samovarov, V., see I. Fugol' **216**, 391
Sanchez, J.M., see J.L. Morán-López **210**, 401
Sánchez-Quesada, F., see M.L. Lucía **204**, 359; **218**, 59
Sanchis, M.J., see N. Casañ-Pastor **216**, 478
Sano, K. and Y. Ōno, Charge fluctuation and superconductivity in the one-dimensional d–p model **205**, 170
Sano, Y., see K. Yoshida **206**, 127
Santamaría, J., see M.L. Lucía **204**, 359; **218**, 59
Santoro, A., see O. Chmaissem **212**, 259; **217**, 265
Santoro, A., see E.V. Antipov **218**, 348
Sarma, B.K., see G.Y. Meng **214**, 297
Sarnelli, E., see A. Barone **209**, 219
Sarrhini, O., see S. Senoussi **211**, 288
Sarti, S., see E. Silva **214**, 175
Sarychev, A.K., see M. Golosovsky **209**, 337
Sasaki, K., see A. Fujiwara **203**, 411; **208**, 29
Sasaki, K., see Y. Koike **208**, 363
Sasaki, K., see M. Mochida **212**, 191
Sasaki, T., see E. Takayama-Muromachi **207**, 97
Sasakura, H., K. Tsuji and K. Yoshiara, Synthesis of Bi-2222 compounds not containing tetravalent ions: $Bi_2Sr_{2-x}La_{2-y}Ln_{x+y}Cu_2O_z$ (Ln=Sm, Eu, Gd and Dy) **218**, 495
Sathaiah, S., see L.S. Grigoryan **205**, 296
Sato, H., see K. Tatsuhara **212**, 459
Sato, H., see H.B. Zhang **214**, 265
Sato, M., see S. Shamoto **203**, 7
Sato, M., see T. Nishikawa **209**, 553; **211**, 127
Sato, M., see H. Fujishita **210**, 529
Sato, M., see H. Harashina **212**, 142
Sato, R., see S. Takeno **211**, 179
Sato, Y., see M. Suzuki **208**, 333
Sauerzopf, F.M., see H.P. Wiesinger **203**, 121
Savić, I.M., see R. Cubitt **213**, 126
Savoy, R., see L.M. Rubin **217**, 227
Savvides, N., see H.K. Liu **213**, 95
Sawada, T., see M. Itoh **204**, 194
Sayer, M., see J. Wang **212**, 395
Schachinger, E., see I.V. Stasyuk **213**, 57
Schafroth, S., see T. Schneider **216**, 432
Schauer, W., see T. Ishida **202**, 356
Schauer, W., see T. Arndt **210**, 417
Scheel, H.J., see W. Marti **206**, 158
Schieber, M., see Y. Yaroslavsky **209**, 179
Schilling, A., see M. Cantoni **215**, 11
Schilling, A., O. Jeandupeux, J.D. Guo and H.R. Ott, Magnetization and resistivity study on the 130 K superconductor in the Hg–Ba–Ca–Cu–O system **216**, 6
Schilling, A., see O. Jeandupeux **216**, 17
Schilling, J.S., see S. Klotz **209**, 499
Schilling, J.S., see A.-K. Klehe **213**, 266
Schilling, J.S., see A.E. Schlögl **216**, 417
Schilling, J.S., see H. Takahashi **217**, 163
Schilling, J.S., see A.L. Cornelius **218**, 369
Schilling, O.F., H. Fujisaki, K. Aihara and S.-P. Matsuda, Relaxation of the remanent magnetization of the (Tl/Pb)$(Ba/Sr)_2Ca_2Cu_3O_9$ high-T_c superconductor at high temperatures Evidence for flux elimination via microstructural channels **204**, 109
Schirber, J.E., see E.T. Ahrens **212**, 317
Schirber, J.E., W.R. Bayless, A.R. Kortan and N. Kopylov, Pressure dependence of the superconducting transition of calcium fullerene Ca_5C_{60} **213**, 190
Schlesinger, Y., see E. Sheriff **209**, 79
Schlögl, A.E., J.J. Neumeier, J. Diederichs, C. Allgeier, J.S. Schilling and W. Yelon, Transport, structural, and magnetic properties of the single-copper–oxygen layer $Bi_2Sr_{2-x}La_xCuO_y$ system **216**, 417
Schlueter, J.A., see A.M. Kini **204**, 399
Schlueter, J.A., see K.D. Carlson **215**, 195

Schlueter, J.A., U. Welp, H.H. Wang, U. Geiser, J.M. Williams, M.J. Bauer, J.M. Cho, J.L. Smart and S.A. Taha, Synthesis, superconductivity and ESR characterization of Rb_3C_{60} crystals **216**, 305
Schmid-Beurmann, P., see K. Bente **202**, 379
Schmidt, A., see T. Schneider **216**, 432
Schmidt, B., see C.H. Rüscher **204**, 30
Schmidt, H., see Th. Schreiner **204**, 161
Schmidt, W.A., see N. Ernst **213**, 495
Schnack, H.G., see M. Jirsa **207**, 85
Schneider, R., see G.Y. Meng **214**, 297
Schneider, T. and H. Keller, Extreme type II superconductors. Universal properties and trends **207**, 366
Schneider, T., see N. Lazarides **210**, 228
Schneider, T., H. Beck, D. Bormann, T. Meintrup, S. Schafroth and A. Schmidt, Attractive Hubbard model in the strong-coupling regime. Relation between transition temperature, magnetic penetration depth and gap **216**, 432
Schnelle, W., N. Knauf, J. Bock, E. Preisler and J. Hüdepohl, The specific heat anomaly of $Bi_2Sr_2CaCu_2O_{8+\delta}$ at T_c in dependence on the oxygen content **209**, 456
Schöllhorn, R., see W. Günther **203**, 115
Schreiner, Th., R. Ahrens, T. Wolf, H. Schmidt and H. Rietschel, Magnetic low-temperature specific heat of $YBa_2Cu_3O_{7-\delta}$ due to localized charge carriers **204**, 161
Schroeder, N., S. Weiss, R. Böttner, S. Marquardt, S. Ratz, E. Dietz, U. Gerhardt, G. Ecke, H. Rößler and Th. Wolf, Scanning Auger and photoemission spectroscopy at the two single-cleavage $YBa_2Cu_3O_{7-\delta}$ (001) surfaces **218**, 220
Schultz, A.J., U. Geiser, H.H. Wang, J.M. Williams, L.W. Finger and R.M. Hazen, High pressure structural phase transitions in the organic superconductor κ-$(ET)_2Cu[N(CN)_2]Cl$ **208**, 277
Schultz, L., see G. Friedl **209**, 287
Schulz, D.L., see J. Hu **210**, 97
Schulz, G., see M. Serwe **213**, 370
Schuster, Th., M.R. Koblischka, H. Kuhn, B. Ludescher and H. Kronmüller, Geometry dependence of intergranular currents in sintered $YBa_2Cu_3O_{7-\delta}$ **202**, 249
Schuster, Th., M. Leghissa, M.R. Koblischka, H. Kuhn, M. Kraus, H. Kronmüller and G. Saemann-Ischenko, Magneto-optical study of flux penetration in heavy-ion irradiated high-T_c single crystals **203**, 203
Schuster, Th., see M.V. Indenbom **209**, 259
Schuster, Th., see M.R. Koblischka **211**, 263
Schuster, Th., see J. Taubert **211**, 338
Schwab, P., see W. Lang **209**, 71
Schwab, P., X.Z. Wang, S. Proyer, A. Kochemasov and D. Bäuerle, Synthesis of $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ by pulsed-laser deposition **214**, 257
Schwartz, J., see S. Wu **213**, 483
Schwartzkopf, L.A., see M.W. Huck **207**, 261
Schweizer, Th., see R. Müller **203**, 299
Schwer, H., E. Kaldis, J. Karpinski and C. Rossel, Effect of structural changes on the transition temperatures in $Y_2Ba_4Cu_7O_{14+x}$ single crystals **211**, 165
Schwerdtfeger, M., see A. Alimoussa **202**, 23
Scolnik, Y., M. Rappaport, N. Hass, U. Dai and D. Cahen, Electrochemical room temperature reduction and reoxydation of thin films and pellets of $YBa_2Cu_3O_{7-x}$ **209**, 305
Scorzelli, R.B., see E. Baggio-Saitovitch **215**, 77
Sedmidubský, D., see K. Knížek **216**, 211
Sedmidubský, D. and E. Pollert, Phase stability and structural properties of $Bi_{2+x}Sr_{2-y}Cu_1O_{6+y+\epsilon}$ solid solutions **217**, 203
Seebacher, B., see M.A. Rodriguez **206**, 43
Seeböck, R.J., see W. Rauch **211**, 234
Seidel, P., see J. Arnold **213**, 71
Seidel, P., see J. Borck **213**, 145
Seidenbusch, W., see Y. Sun **206**, 291
Seiji, N., see S. Adachi **206**, 329; **207**, 127
Seitz, M., see G. Friedl **209**, 287
Seitz, M., see W. Rauch **211**, 234
Sekhar, B.R., P. Srivastava, N.L. Saini, K.V.R. Rao, S.K. Sharma, K.B. Garg, S.K. Agarwal, V.P.S. Awana and A.V. Narlikar, Core-level X-ray photoemission studies of $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_y$ **206**, 139
Sekirnjak, C., see W. Lang **209**, 71
Selinder, T.I., U. Helmersson, Z. Han, J.-E. Sundgren, H. Sjöström and L.R. Wallenberg, Yttrium oxide inclusions in $YBa_2Cu_3O_x$ thin films. Enhanced flux pinning and relation to copper oxide surface particles **202**, 69
Selke, W. and G.V. Uimin, Oxygen ordering in $YBa_2Cu_3O_z$ A Monte Carlo study **214**, 37
Selvamanickam, V., see D.F. Lee **202**, 83
Selvamanickam, V., see S. Zannella **205**, 14
Selvamanickam, V., M. Mironova, S. Son and K. Salama, Flux pinning by dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors **208**, 238
Selvamanickam, V., see K. Salama **209**, 187
Selvamanickam, V., see H. Küpfer **209**, 243
Selvamanickam, V., M. Mironova, S. Son, B.C. Meyer and K. Salama, Formation and phase decomposition of textured $YBa_2Cu_4O_8$ superconductor **217**, 113
Sembira, A.N., see Y. Massalker **209**, 295
Semenchenko, M.G., see Yu.A. Fedorov **217**, 63
Semiat, R., see S.-C. Lin **218**, 130
Sen, P., see P. Barat **218**, 63
Sengupta, S., see D.L. Shi **213**, 179
Senoussi, S., see M. Mosbah **209**, 463
Senoussi, S., F. Mosbah, O. Sarrhini and S. Hammond, The anisotropy of the irreversible magnetizations of YBCO and LaSrCuO. Evidence for a transition from Abrikosov to Josephson vortices in LaSrCuO **211**, 288
Sera, M., see T. Nishikawa **209**, 553
Sergeenkov, S.A., On weak-link behavior of silver-doped high-T_c granular superconductors **205**, 1
Sergent, M., see M. Mokhtari **202**, 141
Sergent, M., see K. Nanda Kishore **204**, 299
Sergent, M., see O. Peña **206**, 6
Serwe, M., G. Schulz, K. Petersen, H. Adrian and R. Fischer, Effect of an a-Si layer on the superconducting properties of high-T_c YBCO-films **213**, 370

Setty, A.K., Non-monotonic transition temperature variation and the enhancement of superconductivity by oxygen loss in layered high-T_c superconductors **215**, 113
Shah, A., S. Patel, E. Narumi and D.T. Shaw, RF plasma deposition and in-situ property enhancement of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ thin films **211**, 58
Shah, N., see P. Ganguly **206**, 70; **208**, 307
Shahi, K., see V.P.N. Padmanaban **208**, 263
Shaked, H., J.D. Jorgensen, D.G. Hinks, R.L. Hitterman and B. Dabrowski, Structural properties of $YBa_2Cu_3O_{6+x}$ at elevated temperatures in controlled oxygen atmospheres **205**, 225
Shalaev, B.N., see S.A. Ktitorov **207**, 9
Shaltiel, D., V. Ginodman, M. Golosovsky, U. Katz, H. Boasson, W. Gerhouser and P. Fischer, Investigation of the magnetic field-induced microwave absorption across T_c in single crystals of $YBa_2Cu_3O_{7-\delta}$ and BiSrCaCuO. Anisotropy and magnetic field dependence **202**, 303
Shaltiel, D., see Y. Yaroslavsky **209**, 179
Shamoto, S., T. Kiyokura, M. Sato, K. Kakurai, Y. Nakamura and S. Uchida, Study on magnetic ordering in (La, Nd, Sr)$_2CuO_4$ **203**, 7
Shamoto, S., see T. Nishikawa **209**, 553
Shamoto, S., see H. Harashina **212**, 142
Shanker, J., see R. Jayaprakash **205**, 377
Shao, B., see C.D. Wei **206**, 285
Shapiro, A.J., see M. Turchinskaya **216**, 205
Shapiro, B.Ya., see I.B. Khalfin **202**, 393; **207**, 359
Shapiro, B.Ya. and I.B. Khalfin, The electric field action on high-T_c superconductors **209**, 99
Sharma, A.C., N. Chaturvedi and Y.M. Gupta, Effective interaction potential for copper oxide superconductors **209**, 507
Sharma, C.P., see K.K. Saini **210**, 502; **216**, 59
Sharma, R.G., see R. Rajput **213**, 211
Sharma, S.K., see B.R. Sekhar **206**, 139
Shastry, M.D., see L.S. Grigoryan **205**, 296
Shatskaya, S.S., see A.P. Nemudry **211**, 366
Shavkin, S.V., see T.D. Aksenova **205**, 271
Shaw, D.T., see S.Y. Lee **203**, 378
Shaw, D.T., see A. Shah **211**, 58
Shaw, D.T., see S. Chen **218**, 191
Sheen, S.R., see C.H. Kao **205**, 186
Sheen, S.R., see D.H. Chen **213**, 383
Sheikh, A.B., A.A. Finch, C.C. Mather and J.T.S. Irvine, Critical current behaviour in reduced magnesium titanate spinel showing zero resistance **212**, 95
Shekhar, S., see P. Venugopal Reddy **216**, 116
Shekhatman, V.Sh., see A.N. Maljuk **214**, 93
Shekhtman, V.Sh., see L.A. Novomlinsky **204**, 322
Shelkova, I.G., see A.I. Beskrovnyi **206**, 27
Shelton, R.N., see T.J. Goodwin **204**, 212
Shelton, R.N., see H.B. Radousky **209**, 155
Shelton, R.N., see S.J. Peng **212**, 301
Shelton, R.N., see T. Uchida **215**, 350
Shelton, R.N., see T.W. Clinton **217**, 53
Shelton, R.N., see M.D. Lan **218**, 69
Shen, G.J., C.C. Lam, J.C.L. Chow and S.T. Tang, Twin formation due to irradiation of energetic electron beam in high-temperature superconductors of In- and Sb-doped YBCO **214**, 426
Shen, J.G., see W.F. Huang **208**, 7
Sheng, Z.Z., see X.C. Wu **203**, 426
Sheng, Z.Z., see Z.Y. Chen **212**, 206
Sheng, Z.Z., see Y.Q. Tang **214**, 190
Shepelev, Yu.F., A.A. Levin, Yu.I. Smolin, A.A. Bush and B.N. Romanov, The crystal structure of a new 84 K superconductor, $Bi_4Sr_4CaCu_3O_{14+x}$ **215**, 371
Shereshevsky, I., see A. Andronov **213**, 193
Sheriff, E. and Y. Schlesinger, Anomalous magnetoresistance in bulk polycrystalline $Y_1Ba_2Cu_3O_{7-d}$ **209**, 79
Sherman, A., see S. Cunsolo **211**, 22
Sherman, A.V., Coupling of holes in the t–J model on an infinite plane **211**, 329
Sherman, E.Ya., Long-wave Raman active phonons in $YBa_2Cu_3O_{7-x}$ crystals with site-selective isotope substitution **216**, 439
Sherstinov, V.S., see S.A. Ktitorov **207**, 9
Shi, A.-C., see T.W. Krause **205**, 99
Shi, C., see H. Jin **211**, 49
Shi, D.L., see Z.Y. Chen **212**, 206
Shi, D.L., S. Sengupta, J.S. Luo, C. Varanasi and P.J. McGinn, Extremely fine precipitates and flux pinning in melt-processed $YBa_2Cu_3O_x$ **213**, 179
Shi, F., see Y. Zhao **212**, 451
Shi, J.B., J.C. Ho, T.J. Lee, B.S. Chiou and H.C. Ku, Cobalt ordering in layered $Bi_2Sr_2CoO_{6+\delta}$ single crystal **205**, 129
Shi, J.B. and H.C. Ku, Anisotropy in normal-state magnetic susceptibility of c-axis aligned (Bi, Pb)$_2Sr_2Ca_2Cu_3O_{10+\delta}$ powders **212**, 372
Shi, L., see G.E. Zhou **212**, 151
Shi, T.S., see X.C. Wu **203**, 426
Shi, Y.H., see K.C. Hewitt **216**, 463
Shi, Z.X., H.L. Ji, X. Jin, X.X. Yao, X.S. Rong, X.G. Qui and Z. Li, Scaling behavior of the flux-pinning force in YBaCuO/PrBaCuO superlattice films ☆ **215**, 439
Shi, Z.X., see H.L. Ji **217**, 127
Shibauchi, T., A. Maeda, H. Kitano, T. Honda and K. Uchinokura, Microwave complex conductivity in single crystals of $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_y$ **203**, 315
Shieh, S.H. and W.J. Thomson, Low-temperature synthesis of $YBa_2Cu_3O_{7-x}$ powders from citrate and nitrate precursors **204**, 135
Shields, T.C., J.S. Abell, A. Hui and A. Smeets, YBCO thick films on alumina substrates with $BaSO_4/BaF_2$ barrier layers **213**, 338
Shigematsu, T., see T. Furukawa **204**, 103; **205**, 39
Shih, I., see A.L. Li **208**, 64
Shiina, Y., N. Matsuda and Y.O. Nakamura, A possible explanation of gap features in high-T_c cuprates. Tunneling density of states and infrared conductivity **212**, 173
Shikov, A.K., see T.D. Aksenova **205**, 271
Shilimanov, S.N., see S.I. Shkuratov **211**, 158; **213**, 321
Shimada, H., see H. Teshima **206**, 103

Shimakawa, Y., Low-temperature crystal structures of $Tl_2Ba_2CuO_{6+\delta}$ and $TlSr_2CaCu_2O_{7-\delta}$ **202**, 199
Shimakawa, Y., see T.W. Ebbesen **203**, 163
Shimakawa, Y., Chemical and structural study of tetragonal and orthorhombic $Tl_2Ba_2CuO_6$ **204**, 247
Shimakawa, Y., see H. Takahashi **217**, 163
Shimizu, H., T. Kiyama and F. Nakamura, Gd^{3+} – EPR study of $GdBa_2(Cu_{1-x}M_x)_3O_7$ (M = Fe, Co, Ni, Zn) **207**, 225
Shimizu, T., see H. Nonaka **217**, 280
Shimoji, N., see T. Nagashima **212**, 6
Shin, H.-S., see N.H. Hur **218**, 365
Shinzato, M., see T. Goto **212**, 339
Shiohara, Y., see Y. Yamada **217**, 182
Shiohara, Y., see A. Odagawa **217**, 222
Shiue, Y.S., see C.H. Kao **205**, 186
Shizuka, K., see Y. Idemoto **211**, 36
Shklovskij, V.A., see A.I. Bezuglyj **202**, 234
Shkuratov, S.I., S.N. Ivanov and S.N. Shilimanov, Limiting current densities of $YBa_2Cu_3O_{6.9}$ single crystal submicron specimens **211**, 158
Shkuratov, S.I., S.N. Ivanov and S.N. Shilimanov, Field electron emission microscopy and spectroscopy of $YBa_2Cu_3O_{6.9}$ single crystals at different temperatures **213**, 321
Shokhor, S., see S. Tolpygo **209**, 211
Shter, G., see G. Grader **209**, 273
Shter, G., see V. Sokolovsky **209**, 277
Shukla, A., see B. Barbiellini **209**, 75
Shulga, S.V., see A.A. Golubov **213**, 139
Shustov, L.D., see A.M. Bogdanovich **215**, 253
Shvaika, A.M., see I.V. Stasyuk **213**, 57
Shy, D.S., see R.S. Liu **216**, 237
Si, Q.M., see Y. Zha **212**, 413
Sibieude, F., see J.L. Jorda **205**, 177
Sicron, N., see B. Rechav **209**, 55
Sidorenko, A., see V. Fesenko **211**, 343
Sil, S., see A.N. Das **207**, 51
Silva, E., see M. Giura **209**, 341
Silva, E., R. Marcon, R. Fastampa, M. Giura and S. Sarti, Magnetic 3D–2D crossover in $Bi_2Sr_2CaCu_2O_{8+x}$ **214**, 175
Silva, E., R. Marcon and F.C. Matacotta, Flux-flow dissipation in $GdBa_2Cu_3O_7$ at microwave frequencies **218**, 109
Silverans, R.E., see A. Steegmans **218**, 295
Šíma, V., K. Knížek, J. Chval, E. Pollert, P. Svoboda and P. Vašek, Influence of combined mechanical and heat treatment on $Bi_2Sr_2Ca_2Cu_3O_{10+y}$ phase formation **203**, 59
Simon, A., see N. Winzek **205**, 45
Simon, A., see E.G. Haanappel **209**, 39
Simon, Ch., see L. Legrand **204**, 50; **208**, 356; **211**, 239
Simon, Ch., see V. Hardy **205**, 371; **206**, 220
Simón, M.E., M. Baliña and A.A. Aligia, Effective one-band hamiltonian for cuprate superconductor metal–insulator transition **206**, 297
Simonov, A.Yu., Layered high-T_c superconductors in an AC field **211**, 455
Sinchenko, A.A., see V.F. Elesin **213**, 490
Sinclair, D.C., S. Tait, J.T.S. Irvine and A.R. West, Superconductivity in La-doped Bi "2201" **205**, 323
Singh, A.K., see D. Pandey **204**, 179
Singh, A.P., see D. Pandey **204**, 179
Singh, D.J. and W.E. Pickett, Electronic characteristics of $Tl_2Ba_2CuO_6$. Fermi surface, positron wavefunction, electric field gradients, and transport parameters **203**, 193
Singh, D.J., Electronic structure of $HgBa_2CuO_4$ **212**, 228
Singh, P., see R. Kishore **215**, 59
Sinha, A.P.B., see H.B. Liu **204**, 262
Sinha, K.P., Photon-induced superconducting phase transition in some cuprates **212**, 128
Sinha, S., see S.E. Dorris **212**, 66
Sjöström, H., see T.I. Selinder **202**, 69
Skalicky, P., see H. Budin **207**, 208
Skjeltorp, A.T., see A.B. Riise **218**, 489
Slaski, M., see P.R. Slater **208**, 193; **213**, 14
Slaski, M., see M.G. Karkut **215**, 19
Slater, P.R., C. Greaves, M. Slaski and C.M. Muirhead, Copper oxide superconductors containing sulphate and phosphate groups **208**, 193
Slater, P.R., see T. Krekels **210**, 439
Slater, P.R., C. Greaves, M. Slaski and C.M. Muirhead, Superconductivity in the system (Y, Ca, Sr)(Ba, Sr)$_2$($Cu_{3-z}(SO_4)_zO_x$ **213**, 14
Slater, P.R. and C. Greaves, BO_3^{3-} substitutions in phases related to $YBa_2Cu_3O_7$. Superconducting properties of (Y, Ca)(Ba, Sr)$_2Cu_{3-z}(BO_3)_zO_y$ **215**, 191
Slobodjan, S.A., see E.B. Amitin **209**, 407
Sloof, W.G., see H.M. Appelboom **214**, 323
Smart, J.L., see J.A. Schlueter **216**, 305
Smeets, A., see T.C. Shields **213**, 338
Smilga, V., see V. Fesenko **211**, 343
Smith, G.S., see C.E. Violet **207**, 347
Smith, H.J.T., see V. Keith **218**, 8
Smith, M.G., see S. Tao **204**, 117
Smith, M.G., H. Oesterreicher, M.P. Maley and R.D. Taylor, Indications for enhanced flux pinning below magnetic ordering of Fe clusters in $YBa_2(Cu_{0.94}Fe_{0.06})_3O_{6+y}$ **204**, 130
Smith, M.G., R.D. Taylor and J.D. Thompson, Fe environments and magnetic order in $YSr_2Cu_2FeO_{7.26}$ **208**, 91
Smith, M.G., J. Chan and J.B. Goodenough, High-temperature superconductivity in $Y_{1-z}Ca_zSr_2Cu_{2.5}Fe_{0.5}O_{6+x}$ **208**, 412
Smith Jr., V.H., see C.J. Mei **209**, 389; **213**, 157
Smolin, Yu.I., see Yu.F. Shepelev **215**, 371
Smyth, J., see H.M. Duan **203**, 257
Snapiro, I.B., see R.G. Mints **209**, 233
Snead, L., see M.J. Kramer **203**, 83
Snyder, R.L., see M.A. Rodriguez **206**, 43
Snyder, R.L., see L.M. Fisher **206**, 195
Snyder, R.L., see D.P. Matheis **207**, 134; **217**, 319
Snyder, R.L., see S.S. Bayya **208**, 69; **214**, 25
Snyder, R.L., see B.J. Chen **217**, 367
Sobolewski, R., see W. Lang **209**, 71
Söderholm, S., see M. Qvarford **214**, 119
Söderholm, S., see H. Bernhoff **218**, 103

Sodtke, E., H. Münder and A.I. Braginski, The influence of the template growth method on the properties of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films **204**, 375
Soeta, A., see W. Zhou **202**, 335
Sokolov, A.I., Yu.A. Kufaev and E.B. Sonin, Penetration depth and Ginzburg number in Rb_3C_{60} **212**, 19
Sokolovsky, V., V. Meerovich, G. Grader and G. Shter, Experimental investigation of current-limiting device model based on high-T_c superconductors **209**, 277
Soltner, H., see C.L. Jia **210**, 1
Somasundaram, P. and A.M. Umarji, Structural and physical characterization of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) glasses **209**, 393
Sommer, M., see G. Wahl **209**, 195
Sommerschield, J.G., see J.G. Larsen **217**, 135
Somnitz, H., see M. Brinkmann **217**, 418
Son, S., see V. Selvamanickam **208**, 238; **217**, 113
Song, Y., C.E. Helsley, A. Misra and J.R. Gaines, Angular dependence of low-field remanent magnetization in $YBa_2Cu_3O_{7-\delta}$ **215**, 313
Songsak, P., see A. Oota **214**, 9
Soni, N.C., see A.K. Pradhan **216**, 169
Soni, N.C., see S.B. Roy **218**, 476
Sonin, E.B., see A.I. Sokolov **212**, 19
Sonntag, R., see T. Zeiske **207**, 333
Sorensen, D.B., see J.A. DeLuca **205**, 21
Sørensen, M.P., see N. Lazarides **210**, 228
Sosa, V. and J.L. Peña, Behavior of superconducting samples levitated in a static magnetic field Study in a non-vertical configuration **216**, 89
Sosulnikov, M.I., see Yu.A. Teterin **212**, 306
Šouc, J., see K. Fröhlich **202**, 121
Souza Azevedo, I., see E. Baggio-Saitovitch **215**, 77
Specht, E.D., see T.B. Lindemer **216**, 99
Spinolo, G., U. Anselmi-Tamburini, P. Ghigna and G. Flor, Chemical diffusion in the Bi, Sr, Ca, Cu/O system **217**, 347
Srikanth, H., A.K. Raychaudhuri, J.L. Peng and R.L. Greene, Point contact tunneling studies on $(Y_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ single crystals **218**, 245
Srivastava, C.M., see A. Datta **210**, 408
Srivastava, O.N., see G.D. Verma **202**, 327
Srivastava, P., see B.R. Sekhar **206**, 139
Stankowski, J., B. Andrzejewski, B. Czyżak and W. Hilczer, Influence of microwave power on magnetically modulated microwave absorption in a granular high-temperature superconductor **215**, 167
Starikov, M.A., see E.B. Amitin **209**, 407
Stasyuk, I.V., A.M. Shvaika and E. Schachinger, On the electron spectrum of the Hubbard model including interactions with local anharmonic vibrations **213**, 57
Steegmans, A., R. Provoost, V.V. Moshchalkov, R.E. Silverans, S. Libbrecht, A. Buekenhoudt and Y. Bruynseraede, Study of the vortex-state field distribution in superconducting Nb_3Sn by the NMR decoration technique **218**, 295
Steger, P.L. and X.Z. Wang, Fabrication of $YBa_2Cu_4O_8$ from tartrate gel precursors **213**, 433
Steigmeier, E.F., see K. Conder **210**, 282
Steinborn, T., see P. Wagner **215**, 123
Stepanov, Yu.P., see V.G. Fleisher **206**, 305
Stern, E.A., see B. Rechav **209**, 55
Stern, E.A., M. Qian, Y. Yacoby, S.M. Heald and H. Maeda, Apical Cu–O bond in $YBa_2Cu_3O_{7-\delta}$ superconductors by XAFS **209**, 331
Stetsenko, A.N., see A.A. Milner **209**, 225
Stizza, S., see M. Gazda **207**, 300
Stobbs, W.M., see E.J. Williams **208**, 96
Stokłosa, A., see J. Molenda **207**, 147
Stolle, R., see G. Wahl **209**, 195
Stolt, L., see L.B. Kiss **207**, 318
Stölzel, C., M. Huth and H. Adrian, *c*-Axis oriented thin $Bi_2Sr_2CaCu_2O_{8+\delta}$-films prepared by flash-evaporation **204**, 15
Stoppard, O., see D. Gugan **213**, 109
Stoppard, O. and D. Gugan, Temperature dependence of AC susceptibility using a general magnetization model **217**, 197
Stout, P., see A.M. Kini **204**, 399
Stout, P., see K.D. Carlson **215**, 195
Strasser, G., see Y. Sun **206**, 291
Street, R., see M. Muroi **208**, 107; **216**, 345
Strehlau, B., see T. Kroener **214**, 1
Stritzker, B., see G. Friedl **209**, 287
Ströbel, J., see J. Mannhart **216**, 401
Ström, C., see N. Winzek **205**, 45
Strother, D.D., see K.H. Young **208**, 1
Studer, F., see A.Q. Pham **210**, 350
Suard, E., see A. Rykov **205**, 63
Suard, E., V. Caignaert, A. Maignan, F. Bourée and B. Raveau, Influence of thermal treatment on $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$. A neutron diffraction study **210**, 164
Subba Rao, G.V., see P. Sumana Prabhu **211**, 279
Subbarao, G.V., see R. Rajput **213**, 211
Subba Rao, G.V., see C.S. Gopinath **218**, 117
Subramani, K., see S. Mohan **203**, 157
Subramaniam, C.K., A.B. Kaiser, H.J. Trodahl, A. Mawdsley and R.G. Buckley, Thermoelectric power of thallium-based 1212 superconductors with varying hole concentration **203**, 98
Subramanian, C., see R. Jayavel **215**, 429
Subramanian, S., see C.S. Gopinath **214**, 153; **218**, 117
Sudha, A., see S. Mohan **203**, 157
Sueno, S., see S. Miyashita **213**, 283
Suga, M., S. Tajima and N. Koshizuka, Optical characterization on normal conducting cuprate used in all oxide S/N/S junctions **206**, 22
Sugihara, M., K. Numai, Y. Nakao, Y. Kikuchi and M.A. Ikeda, Optical absorption of hole doped cuprate materials **214**, 159
Sugii, N., M. Ichikawa, K. Hayashi, K. Kubo, K. Yamamoto and H. Yamauchi, Microstructure of the infinite-layer structural $Sr_{1-x}CuO_{2-\delta}$ thin films **213**, 345
Sugiyama, J., see H. Yoshikawa **203**, 144
Sugiyama, J., T. Machi, I. Tomeno, H. Yamauchi,

N. Koshizuka and H. Yasuoka, An NMR study of superconducting $Nd_2CuO_{3.8}F_{0.2}$ **214**, 316
Sum, R., see D. Hesse **202**, 277
Sum, R., see H.P. Lang **202**, 289
Sumana Prabhu, P., M.S. Ramachandra Rao and G.V. Subba Rao, Structure and superconductivity studies on Fe and Co doped Bi-2212 **211**, 279
Sumana Prabhu, P., see C.S. Gopinath **218**, 117
Summers, G.P., see E.M. Jackson **206**, 163
Sun, H.B., K.N.R. Taylor and G.J. Russell, Pinning energies of oxygen deficient YBCO using time dependent AC susceptibility measurements **205**, 266
Sun, Y., G. Strasser, E. Gornik, W. Seidenbusch and W. Rauch, Critical temperature dependence of $YBa_2Cu_3O_y$ and $Y_{1-x}Ca_xBa_2Cu_3O_y$ on carrier concentration **206**, 291
Sun, Y.K. and W.Y. Lee, Preparation of high purity 110 K phase in the Bi(Pb)–Sr–Ca–Cu–O superconductor using the modified citrate process **212**, 37
Sun, Y.R., see M. Paranthaman **213**, 271
Sun, Y.Y., see Q. Xiong **205**, 307
Sun, Y.Y., H.H. Feng, Y.K. Tao and P.H. Hor, On the superconductivity of $Pb_2Sr_2(Ln_{2-y}Ce_y)Cu_3O_{10+d}$ **212**, 169
Sun, Y.Y., see Y.T. Ren **213**, 224; **217**, 6, 273
Sun, Y.Y., see L. Gao **213**, 261
Sun, Y.Y., see R.L. Meng **214**, 307; **216**, 21
Sun, Y.Y., see Z.J. Huang **217**, 1
Sun, Y.Y., see A.Z. Moshfegh **218**, 396
Sunagawa, H., see Y. Koike **211**, 409
Sundgren, J.-E., see T.I. Selinder **202**, 69
Sundqvist, B., see B.M. Andersson **216**, 187
Suri, D.K., see K.K. Saini **210**, 502; **216**, 59
Suryanarayanan, R. and A. Das, Enhancement of the irreversibility line in $Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$ **203**, 111
Suryanarayanan, R., V. Psycharis, S. Leelaprute, H. Kishen, O. Gorochov and D. Niarchos, Structural and superconducting properties of $Sm_{1-x}Ca_xSrBaCu_3O_{6+z}$ (x=0, 0.05 and 0.1) **213**, 88
Suryanarayanan, R., S. Leelaprute and D. Niarchos, Irreversibility line of $Y_{1-x}Ca_xSrBaCu_{2.9}Co_{0.1}O_{6+z}$ ($0<x<0.25$) A comparative study of DC magnetization and complex AC susceptibility **214**, 277
Sushkov, O.P., The t–J model. I. Vertex function for the interaction of a hole with long-wave-length magnons **206**, 264
Sushkov, O.P. and V.V. Flambaum, The t–J model. II. Instability of the magnetic order and of the Fermi surface under doping **206**, 269
Sushkov, O.P., see M.Yu. Kuchiev **218**, 197
Suslov, I.M., see Yu.A. Krotov **213**, 421
Suzuki, H., see K.H. Young **203**, 37
Suzuki, K., see Ch. Neumann **210**, 138
Suzuki, M., Y. Sato, Y. Kashiwagi, Y. Okuda and Y. Hidaka, Anomalous pinning of Pt-doped single crystalline $La_{1.88}Sr_{0.12}CuO_4$ studied by ultrasound **208**, 333
Suzuki, N., see T. Uchida **215**, 350
Suzuki, R., see Y. Muraoka **204**, 65; **215**, 402
Suzuki, R., see S. Nakajima **214**, 80
Suzuki, R., see E. Ohshima **214**, 182
Suzuki, R.O., see R. Müller **203**, 299
Svedlindh, P., see L.B. Kiss **207**, 318
Svetchnikov, V., see C. Træholt **206**, 318
Svistunov, V.M., see M. Grajcar **218**, 82
Svoboda, P., see V. Šíma **203**, 59
Swartzendruber, L.J., see J. Bohandy **203**, 139
Swope, J., see H.M. Duan **203**, 257
Swope, R., see L.M. Rubin **217**, 227
Syono, Y., see Y. Muraoka **204**, 65; **215**, 402
Syono, Y., see H. Nameki **206**, 227
Syono, Y., see H. Yamaguchi **213**, 375
Syono, Y., see S. Nakajima **214**, 80
Syono, Y., see E. Ohshima **214**, 182
Syono, Y., see A. Tokiwa-Yamamoto **215**, 243
Szpunar, B., Periodic boundary cluster calculations for various solid C_{60} structures **213**, 389
Szymczak, H., see Z. Drzazga **203**, 335
Szymczak, R., see Z. Drzazga **203**, 335
Szytuła, A., see M. Bałanda **205**, 280

Tachiki, M., see N. Takezawa **207**, 231
Tachiki, M., see X.G. Qiu **207**, 255; **216**, 49
Tachiki, M., see T. Koyama **210**, 509
Tada, K., see H. Takei **210**, 109
Taffin, A., see J.F. Hamet **214**, 55
Tafuri, F., see S. Tolpygo **209**, 211
Taguchi, T., see H. Fujimoto **211**, 393
Taha, S.A., see J.A. Schlueter **216**, 305
Tahar, M.Z., see G.O. Zimmerman **209**, 291
Tait, S., see D.C. Sinclair **205**, 323
Tajima, S., see M. Suga **206**, 22
Takács, S., see F. Gömöry **217**, 297
Takagi, A., see K. Kitazawa **209**, 23
Takagi, H., see C.H. Chen **206**, 183
Takagi, K., see M. Hiratani **203**, 327
Takahashi, H., N. Môri, Y. Nagata, S. Nakamura, T. Uchida, J. Akimitsu and Y. Tokura, High pressure study on the superconducting transition temperature and Hall coefficient of $Ba_{1-x}K_xBiO_3$ up to 8 GPa **210**, 485
Takahashi, H., A.-K. Klehe, C. Looney, J.S. Schilling, N. Môri, Y. Shimakawa, Y. Kubo and T. Manako, Effect of the pressure–temperature history on T_c and the Hall coefficient in superconducting $Tl_2Ba_2CuO_{6+x}$ **217**, 163
Takahashi, H., A. Tokiwa-Yamamoto, N. Môri, S. Adachi, H. Yamauchi and S. Tanaka, Large enhancement of T_c in the 134 K superconductor $HgBa_2Ca_2Cu_3O_y$ under high pressure **218**, 1
Takahashi, S., see X.G. Qiu **216**, 49
Takanaka, K. and T. Nagashima, Magnetic properties of superconducting uniaxial materials **218**, 379
Takano, M., see Z. Hiroi **208**, 286
Takano, M., see N. Ikeda **210**, 367
Takano, S., see M. Karppinen **208**, 130
Takano, S., see J. Wang **208**, 323
Takano, S., see T. Yasuda **208**, 385
Takano, S., see L. Grigoryan **218**, 153

Takashima, H., see J. Yu **209**, 442
Takata, M., see S. Ohara **217**, 294
Takayama-Muromachi, E., T. Sasaki and Y. Matsui, Direct oxidation of La_2CuO_4 in an aqueous solution of $KMnO_4$ **207**, 97
Takayama-Muromachi, E., F. Izumi and T. Kamiyama, Oxygen deficiency and structural phase transition in $(La_{1-x}Ba_x)_2CuO_4$ **215**, 329
Takayama-Muromachi, E. and A. Navrotsky, Superconducting, structural and thermochemical properties of $La_2CuO_{4+\delta}$ prepared by $KMnO_4$ oxidation **218**, 164
Takebayashi, S., see S. Uji **207**, 112
Takeda, Y., see Z. Hiroi **208**, 286
Takeda, Y., see N. Ikeda **210**, 367
Takei, H., H. Kugai, Y. Torii and K. Tada, Resistive transition in TlBiSrCaCuO thin films in magnetic fields **210**, 109
Takeno, S., S. Nakamura, Y. Terashima and T. Miura, A high-resolution electron microscopy study on epitaxial infinite-layer $SrCuO_2$ thin films grown on a $SrTiO_3(100)$ substrate **206**, 75
Takeno, S., S. Nakamura, R. Sato and T. Miura, An electron microscopic study on the incipient crystal growth of Bi–Sr–Ca–Cu–O superconducting thin films on a MgO(001) substrate **211**, 179
Takezawa, N., T. Koyama and M. Tachiki, Angular dependence of the upper critical field in layered superconductors **207**, 231
Talanov, Yu.I., see R.I. Khasanov **218**, 51
Tallon, J.L., see Z. Rupeng **203**, 75
Tallon, J.L. and N.E. Flower, Stoichiometric $YBa_2Cu_3O_7$ is overdoped **204**, 237
Tallon, J.L., see D. Tristan Jover **218**, 24
Tamegai, T., Y. Iye, I. Oguro and K. Kishio, Anomalous peak effect in single crystal $Bi_2Sr_2CaCu_2O_{8+y}$ studied by Hall probe magnetometry **213**, 33
Tamura, H., see A. Hayashi **216**, 77
Tamura, H., A. Hayashi and Y. Ueda, Phase diagram of $La_2NiO_{4+\delta}$ $(0 \leq \delta \leq 0.18)$ I. Phases at room temperature and phase transition above $\delta = 0.15$ **216**, 83
Tanaka, I., see K. Gamayunov **218**, 437
Tanaka, K., see H. Teshima **206**, 103
Tanaka, M., see S. Uji **207**, 112
Tanaka, S., see S. Adachi **208**, 226; **212**, 164
Tanaka, S., see Ch. Neumann **210**, 138
Tanaka, S., see N. Sakai **212**, 75
Tanaka, S., see K. Higashiyama **212**, 101
Tanaka, S., see G.H. Kwei **213**, 455
Tanaka, S., see A. Odagawa **217**, 222
Tanaka, S., see H. Takahashi **218**, 1
Tang, H.Y., see S.F. Lee **209**, 141
Tang, K.B., Y.T. Quan, R.K. Li, Z.Y. Chen, B. Lu and Y.B. Jia, Synthesis and structure of $Sr_2(YCe)_nCuFeO_y$ $(n = 2, 3, 4)$, a new series of layered cuprates with fluorite layers **205**, 406
Tang, K.B., see Y.T. Qian **209**, 516
Tang, S.T., see G.J. Shen **214**, 426
Tang, X.M., see M.Q. Wang **210**, 413
Tang, Y.Q., see Z.Y. Chen **212**, 206
Tang, Y.Q., Z.Z. Sheng, W.A. Luo, I.N. Chan, Z.Y. Chen, Y.F. Li and D.O. Pederson, Phase transformation during low temperature Tl-diffusion in the fabrication of Tl–Ba–Ca–Cu–O thin films **214**, 190
Tanigaki, K., see T.W. Ebbesen **203**, 163
Taniguchi, O., see H. Iwasaki **204**, 406
Tanizoe, K., see I. Matsubara **218**, 181
Tao, H.J., see A.D. Caplin **209**, 167
Tao, S., H.-U. Nissen, C. Beeli, M. Cantoni, M.G. Smith, J. Zhou and J.B. Goodenough, Electron microscopy of the infinite-layer superconducting oxide phase and related compounds **204**, 117
Tao, S., H.-U. Nissen, M. Cantoni and J.D. Guo, High-resolution electron microscopy of triclinic modulations in bismuth–barium cuprates **213**, 276
Tao, Y.K., see Y.Y. Sun **212**, 169
Tareyeva, E.E., see V.N. Ryzhov **205**, 55
Tarnawski, Z., see A. Gerber **209**, 147
Tarnawski, Z., see Z. Kozioł **212**, 133
Tarnawski, Z., see R. Cubitt **213**, 126
Tartaj, J., J.F. Fernandez, P. Duran and C. Moure, Preparation and characterization of superconducting $YBa_2Cu_3O_x$ thick films obtained by screen-printing **209**, 301
Tarutani, Y., see M. Hiratani **203**, 327
Tătaru, L., see M. Crisan **215**, 34
Tateno, J., Coexistence of Anderson localization and small polarons in the normal phase of $La_{2-x}Sr_xCuO_4$ **214**, 377
Tatsuhara, K., N. Miura, H. Sato and S. Uchida, Magnetoresistance and upper critical fields of $Ba_{1-x}K_xBiO_3$ thin films **212**, 459
Taubert, J., Magnetization and relaxation curves of TlBaCaCuO. Measurements and simulation **208**, 86
Taubert, J., Th. Köhler, M. Manzel, G. Bruchlos, H. Bruchlos and Th. Schuster, Influence of sample inhomogeneities on characterization and application of HTSC material **211**, 338
Taubert, J., see W. Andrä **213**, 471
Taylor, G.M., see T.B. Lindemer **216**, 99
Taylor, K.N.R., see A. Hartmann **205**, 78
Taylor, K.N.R., see H.B. Sun **205**, 266
Taylor, K.N.R., see J. Wang **205**, 363
Taylor, K.N.R., see H.T. Ren **216**, 447; **218**, 87
Taylor, R.D., see M.G. Smith **204**, 130; **208**, 91
Taylor, R.D., see M.P. Pasternak **209**, 113
Tedrow, P.M., see A. Kussmaul **203**, 16
Tellgren, R., see M. Andersson **205**, 105
Temst, K., see C.M. Fu **205**, 111
Terashima, T., see T. Nishizaki **204**, 305
Terashima, Y., see S. Takeno **206**, 75
Terpstra, D., A.J.H.M. Rijnders, F.H.G. Roesthuis, D.H.A. Blank, G.J. Gerritsma and H. Rogalla, Observation of the AC Josephson effect up to THz frequencies in YBCO/PBCO/YBCO ramp-type Josephson junctions **217**, 151
Teruzzi, T., see K. Aupke **209**, 255
Teshima, H., H. Shimada, M. Imafuku and K. Tanaka, Possibility of in situ orthorhombic I growth of $YBa_2Cu_3O_y$ thin films **206**, 103

Tesker, A.M., see P.E. Kazin **211**, 227
Testa, A.M., see L. Dimesso **203**, 403
Testelin, C. and R.S. Markiewicz, Optically detected flux lattice melting above the irreversibility line in $Bi_2Sr_2CaCu_2O_8$ **202**, 219
Teterin, Yu.A. and M.I. Sosulnikov, X-ray photoelectron study of Ca, Sr and Ba ion chemical states in high-T_c superconductors **212**, 306
Tewari, S.P., see K.K. Saini **216**, 59
Tewordt, L., see S. Wermbter **211**, 132
Tewordt, L., see T. Dahm **211**, 440
Thamizhavel, A., see R. Jayavel **215**, 429
Theodorakis, S., A new kinetic term in the phenomenology of layered superconductors **216**, 173
Theuss, H., Flux line pinning by point defects in single crystalline high-T_c superconductors **208**, 155
Theuss, H., see A. Forkl **211**, 121
Thivet, C., see O. Peña **206**, 6
Tholence, J.L., see E.V. Antipov **215**, 1; **218**, 348
Tholence, J.L., see S.M. Loureiro **217**, 253
Tholence, J.L., see O. Chmaissem **217**, 265
Thomas, J.K., see J. Koshy **215**, 209
Thompson, J.D., see M.G. Smith **208**, 91
Thompson, J.D., see E.T. Ahrens **212**, 317
Thompson, J.R., see M. Paranthaman **213**, 271
Thomsen, C. and M. Cardona, A comment on the superconductivity-induced broadening of the 340 cm^{-1} Raman-active phonon in $YBa_2Cu_3O_7$ **206**, 137
Thomsen, C., see J. Humlíček **206**, 345
Thomsen, C., see I.E. Trofimov **209**, 51
Thomson, W.J., see S.H. Shieh **204**, 135
Timofeev, V.N., see Yu.I. Latyshev **216**, 471
Timusk, T., see D.A. Crandles **216**, 94
Tiwari, S.P., see K.K. Saini **210**, 502
Tkaczyk, J.E., see J.A. DeLuca **205**, 21
Tohyama, T., H. Okuda and S. Maekawa, Exact diagonalization study of magnetic properties at finite temperatures in the t–J model **215**, 382
Tokiwa-Yamamoto, A., see M. Itoh **212**, 271
Tokiwa-Yamamoto, A., see S. Adachi **214**, 313
Tokiwa-Yamamoto, A., F. Izumi, T. Oku and Y. Syono, Disordering of Pb and Cu arrangements in the block layers of $Pb_2Sr_2YCu_3O_{8+\delta}$ and $PbBaSrYCu_3O_{7+\delta}$ by oxygen introduction **215**, 243
Tokiwa-Yamamoto, A., K. Isawa, M. Itoh, S. Adachi and H. Yamauchi, Composition, crystal structure and superconducting properties of Hg–Ba–Cu–O and Hg–Ba–Ca–Cu–O superconductors **216**, 250
Tokiwa-Yamamoto, A., see K. Isawa **217**, 11
Tokiwa-Yamamoto, A., see H. Takahashi **218**, 1
Toko, K., see K. Yamafuji **212**, 424
Tokura, Y., see H. Takahashi **210**, 485
Tolpygo, S., B. Nadgorny, S. Shokhor, F. Tafuri, Y. Lin, A. Bourdillon and M. Gurvitch, Electron beam writing in fabricating planar high-T_c Josephson junctions **209**, 211
Tomeno, I., see J. Sugiyama **214**, 316
Tomii, Y., see K. Yoshida **206**, 127
Tomimoto, K., see Y. Miyazaki **202**, 162
Tomioka, Y., M. Naito and K. Kitazawa, The Meissner and shielding effects in niobium in relation to oxide superconductors **215**, 297
Tomkowicz, Z., see M. Bałanda **205**, 280
Toperverg, B., see F. Onufrieva **218**, 463
Torii, Y., see H. Takei **210**, 109
Torikachvili, M.S., see S. Moehlecke **211**, 113
Tornau, E.E., see V.E. Zubkus **206**, 155
Torriani, I.C.L., see S. Moehlecke **211**, 113
Torrón, C., A. Díaz, J. Jegoudez, A. Pomar, M.V. Ramallo, A. Revcolevschi, J.A. Veira and F. Vidal, Measurements of the magnetic susceptibility above the superconducting transition of $YBa_2Cu_3O_{7-\delta}$ single crystals in the weak magnetic field limit **212**, 440
Torrón, C., see A. Díaz **215**, 105
Torrón, C., see A. Pomar **218**, 257
Tournier, R., see B. Loegel **210**, 432
Tovar, M., see X. Obradors **213**, 81
Traeholt, C., see J.G. Wen **205**, 354; **218**, 29
Træholt, C., J.G. Wen, V. Svetchnikov, A. Delsing and H.W. Zandbergen, A reliable method of TEM cross section specimen preparation of YBCO films on various substrates **206**, 318
Tressaud, A., see J. Hejtmanek **209**, 47; **215**, 411
Tressaud, A., see M. Cassart **213**, 327
Tretyakov, Yu.D., see P.E. Kazin **211**, 227
Trigunayat, G.C., see G.L. Bhalla **213**, 78
Trippetti, R., see S. Cunsolo **211**, 22
Triscone, G., see C. Opagiste **205**, 247; **213**, 17
Triscone, G., see A. Junod **211**, 304
Triscone, G., see M. Däumling **214**, 403
Triscone, G., see E. Janod **216**, 129
Tristan Jover, D., R.J. Wijngaarden, R.S. Liu, J.L. Tallon and R. Griessen, Superconductivity at 133 K in $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ under high pressure **218**, 24
Trodahl, H.J., see C.K. Subramaniam **203**, 98
Trodahl, H.J., D. Pooke, G.J. Gainsford and K. Kishio, Raman investigation of I_3^- ions in I-intercalated $Bi_2Sr_2Ca_{n-1}Cu_nO_x$, $n=1, 2$ **213**, 427
Trofimov, I.E., see J. Humlíček **206**, 345
Trofimov, I.E., D.H. Leach, A.P. Litvinchuk, K. Kamarás, C. Thomsen, H.-U. Habermeier and M. Cardona, On a possible charge transfer in superconducting superlattices **209**, 51
Trofimova, V.A., see Yu.M. Yarmoshenko **211**, 29
Trounov, V., see P. Fischer **205**, 259
Trübenbach, K., see E.G. Haanappel **209**, 39
Trunin, M.R., see A.A. Golubov **213**, 139
Tsai, J.S., see T.W. Ebbesen **203**, 163
Tsay, H.L., see H.D. Yang **203**, 320
Tsetlin, M.B., see A.V. Bazhenov **208**, 197; **214**, 45
Tsidilkovskii, V.I., see M.V. Patrakeev **210**, 213
Tsindlekht, M., see M. Golosovsky **209**, 337
Tsui, R.F., see J.J. Lin **210**, 455
Tsuji, K., see H. Sasakura **218**, 495
Tsukamoto, A., see M. Hiratani **203**, 327

Tsutsumi, M., see A. Ono **204**, 43
Tuinstra, F., see H.M. Appelboom **214**, 323
Turanov, A.N., see A.N. Maljuk **214**, 93
Turchinskaya, M., D.L. Kaiser, F.W. Gayle, A.J. Shapiro, A. Roytburd, V. Vlasko-Vlasov, A. Polyanskii and V. Nikitenko, Direct observation of anisotropic flux penetration in twinned $YBa_2Cu_3O_{7-x}$ single and polycrystals **216**, 205
Turneaure, J., see J. Zhu **212**, 216
Turner, L.G., see A. Mogro-Campero **214**, 187
Tyagi, S., see J.S. Ramachandran **202**, 151
Tyagulski, I.P., see Yu.V. Gomeniuk **214**, 127

Uchida, S., see S. Shamoto **203**, 7
Uchida, S., see K. Tatsuhara **212**, 459
Uchida, T., see H. Takahashi **210**, 485
Uchida, T., S. Nakamura, N. Suzuki, Y. Nagata, W.D. Mosley, M.D. Lan, P. Klavins and R.N. Shelton, Effect of growth conditions on the superconductivity of $Ba_{1-x}K_xBiO_3$ crystals **215**, 350
Uchinokura, K., see T. Shibauchi **203**, 315
Ueda, Y., see S. Katano **214**, 64
Ueda, Y., see A. Hayashi **216**, 77
Ueda, Y., see H. Tamura **216**, 83
Uehara, M., H. Nakata, J. Akimitsu, T. Den, T. Kobayashi and Y. Matsui, Superconductivities in the (Bi,Pb)-oxycarbonate system **213**, 51
Uehara, M., H. Nakata and J. Akimitsu, Superconductivity in the new compound $Sr_2CuO_2(CO_3)_{1-x}(BO_3)_x$ The new method for carrier doping on layered copper-oxycarbonates **216**, 453
Uehara, M., see Y. Matsui **217**, 287
Uhl, D., see G. Friedl **209**, 287
Uimin, G.V., see W. Selke **214**, 37
Uji, S., H. Aoki, S. Takebayashi, M. Tanaka and M. Hashimoto, Flux creep by quantum tunneling in $YBa_2Cu_3O_{7-\delta}$ **207**, 112
Umarji, A.M., see P. Somasundaram **209**, 393
Umezawa, K., see J. Arai **206**, 257
Unger, K., see M. Lorenz **215**, 445
Unoki, H., see K. Oka **215**, 407
Urban, K., see C.L. Jia **210**, 1
Ushida, T., see K. Higashiyama **212**, 101
Usoskin, A.I., see P.N. Mikheenko **212**, 332
Utz, B., see O. Eibl **203**, 445
Uusimäki, A., see J. Hagberg **216**, 325
Uzawa, Y., see I. Matsubara **218**, 181
Uzumaki, T., K. Hashimoto and N. Kamehara, Raman scattering and X-ray diffraction study in layered cuprates **202**, 175

V. Löhneysen, H., see A. Zibold **212**, 365
V. Löhneysen, H., see A.I. Akimenko **213**, 399
Vacaru, D., F. Zuo, H.M. Duan and A.M. Hermann, Direct evidence of spontaneous creation of flux lines in $Tl_2Ba_2Cu_1O_6$ superconductors **203**, 393
Vad, K., see S. Mészáros **218**, 471
Vadlamannati, S., see M.Z. Cieplak **209**, 31
Vagner, I.D., see T. Maniv **209**, 35
Vagner, I.D., see E.G. Haanappel **209**, 39
Vakalyuk, V.M., see M.E. Palistrant **208**, 170
Vallet-Regí, M., see J.M. González-Calbet **203**, 223
Vallier, J.C., see A. Junod **211**, 304
Van Acker, J.F., see M. Qvarford **214**, 119
Van Aken, P.A., W.F. Müller and J. Choisnet, Strong reduction of the electron-doped superconductor $Nd_{2-x}Ce_xCuO_{4-\delta}$. Correlation between crystal and electronic structure **211**, 421
Van Beelen, H., see J.A. Geurst **208**, 43
Vander Sande, J.B., see L.M. Rubin **217**, 227
Van Deusen, S.B., see T.L. Aselage **203**, 25
Van IJzendoorn, L.J., see H.M. Appelboom **214**, 323
Vankó, Gy., see Z. Homonnay **209**, 137
Van Landuyt, J., see T. Krekels **210**, 439
Van Tendeloo, G., see G. Calestani **206**, 33
Van Tendeloo, G., see T. Krekels **210**, 439
Van Tendeloo, G., see A. Maignan **212**, 239; **216**, 1
Van Tendeloo, G., see C. Martin **212**, 274
Van Tendeloo, G., see D. Pelloquin **214**, 87; **216**, 257
Van Tendeloo, G., see X.F. Zhang **215**, 39
Van Tendeloo, G., see F. Goutenoire **216**, 243
Van Tendeloo, G., see M. Hervieu **216**, 264
Varadaraju, U.V., see T.A. Mary **215**, 269
Varanasi, C. and P.J. McGinn, The effect of $PtO_2 \cdot H_2O$ additions on the Y_2BaCuO_5 morphology in melt textured $YBa_2Cu_3O_{7-x}$ **207**, 79
Varanasi, C., see D.L. Shi **213**, 179
Varlamov, A.A., see G. Balestrino **210**, 386
Varsamis, C.P., see S. Cunsolo **211**, 22
Vašek, P., see V. Šíma **203**, 59
Vashakidze, Yu.M., see R.I. Khasanov **218**, 51
Vasilyeva, I.G., see A.P. Nemudry **211**, 366
Vasquez, R.P., M.C. Foote, B.D. Hunt and J.B. Barner, Growth of $YBa_2Cu_3O_{7-\delta}$ on alkaline earth fluoride substrates and thin films **207**, 266
Vasquez, R.P., see J.B. Barner **207**, 381
Vaures, A., see Z.Z. Li **206**, 367
Vávra, I., see A. Rosová **214**, 247
Veal, B.W., see M. Lindroos **212**, 347
Veal, B.W., see H. Claus **213**, 185
Vedheswar, A.G., see P. Kuppusami **215**, 213
Veira, J.A., see C. Torrón **212**, 440
Veira, J.A., see A. Pomar **218**, 257
Velner, S., D. Weiner, M. Blau and Y. Yeshurun, Application of high temperature superconductive magnetic energy storage (SMES) system to an electric utility grid – a demonstration plant **209**, 335
Venkataramani, N., see A. Datta **210**, 408
Venturini, E.L., see T.L. Aselage **203**, 25
Venugopal Reddy, P. and S. Shekhar, Ultrasonic velocity and attenuation studies of RE–Ba–Cu–O superconductors **216**, 116
Verbruggen, A.H., see T.G.M. Oosterlaken **214**, 359
Verdyan, A., I. Lapsker and J. Azoulay, Electrical properties of

Y–Ba–Na–Cu–O high-T_c superconductor thin films **209**, 307
Verdyan, A., see M. Pekala **209**, 311
Veretnik, D., A. Mombru and S. Reich, Enhancement of crystallinity in $YBa_2Cu_3O_{7-x}$ ceramic by water or NaOH solution attack **209**, 191
Verkovskij, S.V., see A.M. Bogdanovich **215**, 253
Verma, G.D., K. Ramakrishna and O.N. Srivastava, On electron microscopic studies of structural characteristics of the Tl(Bi, Pb)–Sr–Ca–Cu–O high-temperature superconductor **202**, 327
Vértes, A., see Z. Homonnay **209**, 137
Vicent, J.L., see M.A. Crusellas **210**, 221
Vidal, F., see C. Torrón **212**, 440
Vidal, F., see A. Díaz **215**, 105
Vidal, F., see A. Pomar **218**, 257
Vijayaraghavan, R., see P. Guptasarma **203**, 129
Vijayaraghavan, R., see L.S. Grigoryan **205**, 296
Vijayaraghavan, R., C. Michel, A. Maignan, M. Hervieu, C. Martin, B. Raveau and C.N.R. Rao, Structure and properties of $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ **206**, 81
Vijayaraghavan, R., see H. Jhans **207**, 247; **215**, 181
Villard, C., see A. Alimoussa **202**, 23
Villegier, J.C., see A. Alimoussa **202**, 23
Violet, C.E., R.G. Bedford, N.W. Winter, G.S. Smith, Z. Mei, M.J. Durst and J.K. Wu, ^{57}Fe Mössbauer spectrometry and thermogravimetry of the high-T_c superconductor $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7.02}$ **207**, 347
Visani, P., see K. Aupke **209**, 255
Visani, P., see X. Obradors **213**, 81
Viswanathan, H.K., see H. Claus **213**, 185
Vlasko-Vlasov, V., see M. Turchinskaya **216**, 205
Vlasko-Vlasov, V.K., see L.A. Dorosinskii **203**, 149, 342; **206**, 360
Vlasko-Vlasov, V.K., see M.V. Indenbom **209**, 259
Vlasse, M., see J.M. Rozell Jr. **204**, 384
Vogt, U., see G. Wahl **209**, 195
Voigt, J.A., see T.L. Aselage **203**, 25
Volkov, A.F., A.V. Zaitsev and T.M. Klapwijk, Proximity effect under nonequilibrium conditions in double-barrier superconducting junctions **210**, 21
Voloshin, I.F., see L.M. Fisher **206**, 195
Voronin, G.F., see S.A. Degterov **208**, 403
Voronin, V., A. Mirmelstein, V. Kozhevnikov and B. Goshchitskii, Neutron-diffraction study of anisotropy of crystal-lattice expansion in $La_{2-x}Sr_xCuO_4$under doping with Sr and radiation-induced disorder **218**, 407
Voronkova, V.I. and Th. Wolf, Thermomechanical detwinning of $YBa_2Cu_3O_{7-x}$ single crystals under reduced oxygen partial pressure **218**, 175

Wagner, J.L., see B. Dabrowski **202**, 271; **208**, 183; **217**, 455
Wagner, J.L., P.G. Radaelli, D.G. Hinks, J.D. Jorgensen, J.F. Mitchell, B. Dabrowski, G.S. Knapp and M.A. Beno, Structure and superconductivity of $HgBa_2CuO_{4+\delta}$ **210**, 447
Wagner, J.L., see P.G. Radaelli **216**, 29
Wagner, J.L., see U. Welp **218**, 373
Wagner, N., see P.E. Kazin **211**, 227
Wagner, P., F. Hillmer, U. Frey, H. Adrian, T. Steinborn, L. Ranno, A. Elschner, I. Heyvaert and Y. Bruynseraede, Preparation and structural characterization of thin epitaxial $Bi_2Sr_2CaCu_2O_{8+\delta}$ films with T_c in the 90 K range **215**, 123
Wahl, G., W. Decker, M. Pulver, R. Stolle, O.Y. Gorbenko, A.R. Kaul, Y.Y. Erokhin, I.E. Graboy, M. Sommer and U. Vogt, Chemical engineering of CVD of HT_c superconductors **209**, 195
Wakata, M., see M. Karppinen **208**, 130
Wakata, M., see J. Wang **208**, 323
Wakata, M., see L. Grigoryan **218**, 153
Waldram, J.R., see A. Porch **214**, 350
Walker, E., see B. Barbiellini **209**, 75
Walker, E., see A. Perin **216**, 339
Wallenberg, L.R., see T.I. Selinder **202**, 69
Wang, C.A., see S. Lei **214**, 133
Wang, C.M., see D.S. Wu **212**, 32; **214**, 261
Wang, C.M., see T.P. Wei **214**, 179
Wang, C.M., T.P. Wei and H.-C.I. Kao, Kinetic study of $Bi_{1.8}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ superconductor in water **215**, 391
Wang, D.M., R. Bramley and K.-P. Dinse, Cooling-rate dependent vortex structure in Rb_3C_{60}. Vortex-glass phase in a quenched sample **217**, 16
Wang, D.M., see K.-P. Dinse **218**, 341
Wang, G., see G. Cao **205**, 133
Wang, H., see X.L. Wang **208**, 259
Wang, H.H., see M. Dressel **203**, 247
Wang, H.H., see A.M. Kini **204**, 399
Wang, H.H., see A.J. Schultz **208**, 277
Wang, H.H., see K.D. Carlson **215**, 195
Wang, H.H., see J.A. Schlueter **216**, 305
Wang, J., H.S. Gamchi, K.N.R. Taylor, G.J. Russell and Y. Yue, Field dependent AC loss in YBCO superconductors **205**, 363
Wang, J., see C.D. Wei **206**, 285
Wang, J., see M. Karppinen **208**, 130
Wang, J., M. Wakata, T. Kaneko, S. Takano and H. Yamauchi, Enhancement of T_c in (Bi,Pb)-2223 superconductor by vacuum encapsulation and post-annealing **208**, 323
Wang, J. and M. Sayer, Critical current models and magnetic shielding of high temperature superconductors **212**, 395
Wang, J.H., see Q. Hong **214**, 286; **217**, 439
Wang, J.H., see Z.F. Ren **216**, 199
Wang, J.Y., see S.E. Hsu **207**, 159
Wang, K.L., see S.E. Hsu **207**, 159
Wang, K.-Q., see E. Janod **216**, 129
Wang, M.J., see D.H. Chen **213**, 383
Wang, M.Q., G.H. Xiong, X.M. Tang and Z.L. Hong, The formation mechanism of $Bi_2Sr_2Ca_2Cu_3O_x$ superconducting phase **210**, 413
Wang, N.L., see Y.T. Qian **209**, 516
Wang, N.L., see S.W. Wang **210**, 463
Wang, R.L., see S. Lei **214**, 133
Wang, S.W., Y.T. Qian, R.K. Li, Z.Y. Chen, N.L. Wang, L.H. Cao, G.E. Zhou and Y.H. Zhang, Superconductivity at

27 K in Nb-1222 cuprate: $NbSr_2(GdCe)_2Cu_2O_y$ **210**, 463
Wang, W., see Z. Gao **203**, 45
Wang, W., see Y. Xu **204**, 288
Wang, W., see Y. Yao **210**, 80
Wang, X.L., Z. Wang, H. Wang and M.H. Jiang, Study of the electric hysteresis loop from properties of the Bi–O_2 layer on the cleaved surface of a $Bi_2Sr_2CaCu_2O_y$ single crystal **208**, 259
Wang, X.Z., see W. Lang **209**, 71
Wang, X.Z., see P.L. Steger **213**, 433
Wang, X.Z., see P. Schwab **214**, 257
Wang, Y.Q., see Y.T. Ren **217**, 273
Wang, Y.Q., see A.Z. Moshfegh **218**, 396
Wang, Y.Y., see H. Zhang **207**, 167; **208**, 231
Wang, Y.Y., see V.P. Dravid **213**, 353
Wang, Y.Z., see A.Q. He **204**, 365
Wang, Z., see Z. Gao **203**, 45
Wang, Z., see X.L. Wang **208**, 259
Wang, Z., see B. Dabrowski **217**, 455
Wang, Z.Z., see L. Legrand **204**, 50
Wanklyn, B.M., see A.K. Pradhan **204**, 325; **218**, 208
Wanklyn, B.M., see C.K. Chen **214**, 231
Wanklyn, B.M.R., see A.J.S. Chowdhury **204**, 394
Warden, M., see R. Cubitt **213**, 126
Wasczak, J.V., see G. D'Anna **218**, 238
Watanabe, N., see S. Adachi **207**, 127
Watanabe, Y., see S. Ohara **217**, 294
Wattiaux, A., see J.-C. Grenier **202**, 209
Weaver, B.D., see E.M. Jackson **206**, 163
Weber, H.-J., see A. Burau **216**, 284
Weber, H.W., see H.P. Wiesinger **203**, 121
Weber, H.W., see R. Miletich **209**, 415
Weber, T., see R. Benischke **203**, 293
Weber, T., see J. Metzger **214**, 371
Wedler, G., see H. Behner **208**, 419; **216**, 333
Weger, M., see N. Hass **209**, 85
Weger, M. and L. Burlachkov, Enhancement of Fermi velocity by electron–electron interactions, and the transport properties of high-T_c superconductors **209**, 129
Wehler, D., see M. Boekholt **203**, 180
Wehler, D., see A.A. Golubov **213**, 139
Wei, C.D., Z.X. Liu, B. Ye, Y. Zhou, R. Zeng, J. Zhang, A. Liu, B. Shao, J. Wang, M. Zhou and G. Yuan, The irreversibility lines of silver-sheathed Bi2223 superconducting tapes **206**, 285
Wei, C.D., see H. Gu **208**, 391
Wei, J.Y.T., see W.Y. Guan **209**, 19
Wei, J.Y.T., see S.F. Lee **209**, 141
Wei, P., H.W. Ying and Z.Q. Qi, Localization of holes on CuO_2 conduction planes in $Y_{1-x}R_xBa_2Cu_3O_7$ (R = Ce, Pr, Tb and Gd) **209**, 400
Wei, Q., X.H. Zhou, J.G. Cai, X.H. Gao, X.L. Wu, U.S. Fu, J.H. Zhu and X.W. Cao, Studies of superconductivity in 118 K high-T_c (Bi,Pb)SrCaCuO–F superconductors **208**, 347
Wei, T.P., C.M. Wang and H.-C.I. Kao, Qualitative study on the reaction of $Bi_{1.8}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ superconductor with water **214**, 179
Wei, T.P., see C.M. Wang **215**, 391
Weiman, T., see D.J. Adelerhof **209**, 477
Weiner, D., see S. Velner **209**, 335
Weinstock, H., Prospects on the application of HTS SQUID magnetometry to nondestructive evaluation (NDE) **209**, 269
Weiss, S., see N. Schroeder **218**, 220
Weissmann, M. and H. Bonadeo, On the interaction of holes with apical oxygen vibrations in the high-T_c cuprates **218**, 213
Weller, M.T., see D.B. Currie **214**, 204; **216**, 140
Wellhöfer, F., see A. Marshall **210**, 518
Welp, U., see J.A. Schlueter **216**, 305
Welp, U., G.W. Crabtree, J.L. Wagner and D.G. Hinks, Flux pinning and the irreversibility lines in the $HgBa_2CuO_{4+\delta}$, $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ compounds **218**, 373
Wen, J.G., C. Traeholt and H.W. Zandbergen, Stacking sequence of $YBa_2Cu_3O_7$ thin film on $SrTiO_3$ substrate **205**, 354
Wen, J.G., see C. Træholt **206**, 318
Wen, J.G., C. Traeholt, H.W. Zandbergen, K. Joosse, E.M.C.M. Reuvekamp and H. Rogalla, A HREM study of the atomic structure and the growth mechanism at the $YBa_2Cu_3O_7$/YSZ interface **218**, 29
Wenbin, W., J. Yunbo, S. Lei, Z. Guien, Z. Yuheng, Q. Qiaonan and Q. Yitai, Observation of the modulated structure in $Bi_2Sr_2CaCu_2O_y$ single crystals by using an X-ray rotating-anode diffractometer **217**, 156
Wenk, P., see R. Cubitt **213**, 126
Werder, D.J., C.H. Chen, H.L. Kao and J. Kwo, Microstructures of thin film $La_{2-x}Sr_xCuO_4$ on $SrTiO_3$ and $LaAlO_3$ **204**, 155
Werder, D.J., see C.H. Chen **206**, 183
Wermbter, S. and L. Tewordt, Self-consistent calculation of physical properties for 2D Hubbard model and comparison with cuprate superconductors **211**, 132
Werner, D.W., see M.W. Huck **207**, 261
Wery, J., see P. Dupouy **204**, 203
West, A.R., see D.C. Sinclair **205**, 323
Westerholt, K., see M. Brinkmann **217**, 418
Westphal, C.H., see S. Moehlecke **211**, 113
Wheatley, J., Aspects of the normal state magnetic properties of $YBa_2Cu_3O_{6+x}$ **207**, 102
Wheatley, J.M., see M.J. Lercher **215**, 145
Wheeler IV, R., see L. Civale **208**, 137
White, J.W., see K.-P. Dinse **218**, 341
Widder, L., see A. Zibold **212**, 365
Widder, W., M. Franz, L. Bauernfeind and H.F. Braun, Superconductivity at 40 K in the 1212 system $(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)Cu_2O_{7-\delta}$ **217**, 121
Widmer, Ch., see K. Kwasnitza **202**, 75
Wiesinger, H.P., F.M. Sauerzopf and H.W. Weber, On the calculation of J_c from magnetization measurements on superconductors **203**, 121
Wijngaarden, R.J., see D. Tristan Jover **218**, 24
Wilber, W., see M.M. Bedekar **202**, 42

Wild, J., P. Boháček, J. Macl, P. Engst, J. Prachařová and J. Pochylý, Preparation of thin superconducting Bi–Sr–Ca–Cu–O layers using laser deposition in air **209**, 486
Williams, E.J. and W.M. Stobbs, The development of orientation relations between sputtered $YBa_2Cu_3O_{7-\delta}$ and MgO substrates **208**, 96
Williams, J.M., see M. Dressel **203**, 247
Williams, J.M., see A.M. Kini **204**, 399
Williams, J.M., see A.J. Schultz **208**, 277
Williams, J.M., see K.D. Carlson **215**, 195
Williams, J.M., see J.A. Schlueter **216**, 305
Willis, J.O., see G.H. Kwei **213**, 455
Winter, N.W., see C.E. Violet **207**, 347
Winzek, N., Hj. Mattausch, S.-G. Eriksson, C. Ström, R.K. Kremer, A. Simon and M. Mehring, ^{205}Tl NMR in oxygen depleted cuprate superconductors $Tl_2Ba_2CaCu_2O_{8-\delta}$ **205**, 45
Winzek, N., see A.M. Bogdanovich **215**, 253
Winzer, K., see W. Andrä **213**, 471
Wischert, W., see H.-U. Nissen **203**, 436
Wischert, W., see A. Ehmann **215**, 83
Wisniewski, A., see I. Mangelschots **203**, 369
Woermann, E., see H. Idink **204**, 267
Wohlleben, D., see M. Breuer **208**, 217
Wojakowski, A., see Z. Henkie **202**, 97
Wolf, E.L., see A.D. Caplin **209**, 167
Wolf, S.A., see M. Nisenoff **209**, 263
Wolf, S.A., see V.Z. Kresin **209**, 319
Wolf, T., see R. Benischke **203**, 293
Wolf, T., see Th. Schreiner **204**, 161
Wolf, T., see T. Zeiske **207**, 333
Wolf, T., see J. Metzger **214**, 371
Wolf, Th., see V.I. Voronkova **218**, 175
Wolf, Th., see N. Schroeder **218**, 220
Wolfe, J.C., see Q. Xiong **205**, 307
Wolfus, Y., see A. Reiderman **209**, 145
Wondre, F.R., see C.K. Chen **214**, 231
Wortmann, G., see M. Müther **209**, 428
Wright, A.J., see O. Milat **217**, 444
Wu, D.S., Y.F. Yang, H.-C.I. Kao and C.M. Wang, The effect of the Ca/Ba ratio on the superconductivity of the $La_3Ca_xBa_{4-x}Cu_7O_y$ system **212**, 32
Wu, D.S., H.-C.I. Kao, M.K. Wu and C.M. Wang, Superconductivity of the single phase $La_{4-x}Ca_xBa_3Cu_7O_y$ system **214**, 261
Wu, J.K., see C.E. Violet **207**, 347
Wu, M.K., see C.H. Kao **205**, 186
Wu, M.K., see W.Y. Guan **209**, 19
Wu, M.K., see S.F. Lee **209**, 141
Wu, M.K., see D.H. Chen **213**, 383
Wu, M.K., see D.S. Wu **214**, 261
Wu, N.-L., H.-D. Yu and S.-H. Lin, Silver-accelerated phase transformation from $YBa_2Cu_3O_{7-x}$ to $YBa_2Cu_4O_8$ **204**, 21
Wu, S., J. Schwartz and G.W. Raban Jr., Effects of varying initial Bi stoichiometry on phase formation of partial melt-processed $Bi_2Sr_2CaCu_2O_x$ **213**, 483
Wu, W.B., F.Q. Li, Y.B. Jia, G.E. Zhou, Y.T. Qian, Q.N. Qin and Y.H. Zhang, Growth of $Bi_2Sr_2CaCu_2O_8$ single crystals from Bi-rich melts **213**, 133
Wu, X.C., T.S. Shi, Z.Z. Sheng and T.G. Chen, Two new modulated structures in the $(BiPb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ superconductor **203**, 426
Wu, X.D., J.G. Fanton, G.S. Kino, S. Ryu, D.B. Mitzi and A. Kapitulnik, Thermal diffusivity of $Bi_2Sr_2CaCu_2O_8$ single crystals **218**, 417
Wu, X.L., see Q. Wei **208**, 347
Wühl, H., see R. Benischke **203**, 293
Wühl, H., see O. Kraut **205**, 139
Wühl, H., see J. Metzger **214**, 371
Wurz, P., see A.M. Kini **204**, 399
Wuyts, B., Z.X. Gao, S. Libbrecht, M. Maenhoudt, E. Osquiguil and Y. Bruynseraede, Growth of particle-free $YBa_2Cu_3O_7$ films by off-axis sputtering **203**, 235
Wuyts, B., see S. Libbrecht **206**, 51
Wyder, P., see T. Maniv **209**, 35
Wyder, P., see E.G. Haanappel **209**, 39
Wysokiński, K.I., see T. Domański **215**, 97

Xia, J.A., H.T. Ren, Y. Zhao, C. Andrikidis, P.R. Munroe, H.K. Liu and S.X. Dou, Critical current density and the irreversibility line in melt textured $YBa_2Cu_3O_y$ and $YBa_2Cu_3O_y$/Ag superconductors **215**, 152
Xia, J.A., see H.T. Ren **216**, 447; **218**, 87
Xianhui, C., X. Cheng, C. Liezhao and C. Zhaojia, The influence of Pb on the stability of the Bi-type modulated structure **208**, 38
Xiao, G. and N.S. Rebello, Electrical transport and superconductivity in the $(Y_{0.8}Ca_{0.2})Ba_2Cu_3O_y$ system with variable oxygen content **211**, 433
Xiao-Guang, L., see S. Lei **214**, 133
Xie, M., L.W. Zhang, T.G. Chen, X.T. Li and J. Cai, Formation and decomposition of a Ca_2PbO_4-modified phase in the $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ compound **206**, 251
Xing, W., B. Heinrich, J. Chrzanowski, J.C. Irwin, H. Zhou, A. Cragg and A.A. Fife, Determination of critical current densities of $YBa_2Cu_3O_{7-\delta}$ thin films from AC susceptibility measurements **205**, 311
Xiong, G.C., see X. Zhu **216**, 153
Xiong, G.H., see M.Q. Wang **210**, 413
Xiong, Q., Y.Y. Xue, Y.Y. Sun, P.H. Hor, C.W. Chu, M.F. Davis, J.C. Wolfe, S.C. Deshmukh and D.J. Economou, Effect of pressure on the critical current density of $YBa_2Cu_3O_{7-\delta}$ thin films **205**, 307
Xiong, Q., see Y.T. Ren **217**, 273
Xu, L. and P. Minnhagen, Self-consistent equations for the two-dimensional non-neutral Coulomb gas and vortex fluctuations **218**, 94
Xu, P., see B.R. Zhao **204**, 341
Xu, W., see Y. Yao **210**, 80
Xu, Y., C. Jin, Z. Mai, G. Pan, D. Dai, Y. Yao and W. Wang, High-pressure sintering and structural study of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor **204**, 288
Xu, Y. and W. Guan, Hopping conductivity in the $PrBa_2Cu_{3-x}Ga_xO_{7-y}$ system **206**, 59

Xu, Y., see D.A. Fischer **215**, 279
Xu, Y.H., see W.Y. Guan **209**, 19
Xu, Y.H. and W.Y. Guan, Ion size effect on T_c in $RBa_2Cu_{3-x}Ga_xO_{7-y}$ systems (R=Er, Y, Dy, Eu and Nd) **212**, 119
Xu, Z., H. Drulis, J.-C. Hou, L.E. DeLong and J.W. Brill, Double-peak in the dissipation of $NbSe_2$ vibrating reeds **202**, 256
Xue, Y.Y., see Q. Xiong **205**, 307
Xue, Y.Y., see Y.T. Ren **213**, 224; **217**, 6, 273
Xue, Y.Y., see L. Gao **213**, 261
Xue, Y.Y., see R.L. Meng **214**, 307; **216**, 21
Xue, Y.Y., see Z.J. Huang **217**, 1

Y, Hu., see A.K. Pradhan **204**, 325
Yacoby, E.R., see L. Klein **209**, 251
Yacoby, Y., see B. Rechav **209**, 55
Yacoby, Y., see E.A. Stern **209**, 331
Yaconi, G.A., see A.M. Kini **204**, 399
Yadava, Y.P., see J. Koshy **215**, 209
Yaegashi, Y., see S. Adachi **206**, 329
Yakhmi, J.V., see I.K. Gopalakrishnan **204**, 413; **218**, 457
Yakhmi, J.V., see R.A. Gunasekaran **208**, 143; **216**, 181
Yakubovskii, A.Yu., see A.M. Bogdanovich **215**, 253
Yakushi, K., see L. Grigoryan **218**, 153
Yamada, K., see S. Hosoya **202**, 188
Yamada, N. and M. Ido, Pressure effects on superconductivity and structural phase transitions in $La_{2-x}M_xCuO_4$ (M=Ba,Sr) **203**, 240
Yamada, T., see T. Furubayashi **204**, 315
Yamada, Y., see G.-Q. Zheng **208**, 339
Yamada, Y. and Y. Shiohara, Continuous crystal growth of $YBa_2Cu_3O_{7-x}$ by the modified top-seeded crystal pulling method **217**, 182
Yamada, Y., see A. Odagawa **217**, 222
Yamafuji, K., T. Fujiyoshi, K. Toko, T. Matsuno, K. Kishio and T. Matsushita, A theory of thermal-fluctuation-induced depinning line in weakly pinning high-T_c superconductors **212**, 424
Yamaguchi, H., S. Nakajima, Y. Kuwahara, H. Oyanagi and Y. Syono, Temperature dependence of the local structure in superconducting and non-superconducting $Tl_2Ba_2CuO_y$ studied by extended X-ray absorption fine structure **213**, 375
Yamaguchi, K., see Ch. Neumann **210**, 138
Yamaguchi, K., see T. Mitsuzuka **218**, 229
Yamamoto, K., see N. Sugii **213**, 345
Yamane, H., see Y. Miyazaki **202**, 162; **215**, 159
Yamane, H., see N. Ohnishi **207**, 175
Yamashita, H., see I. Matsubara **218**, 181
Yamashita, T., see K.H. Young **203**, 37
Yamashita, T., see S.J. Golden **217**, 313
Yamauchi, H., see H. Yoshikawa **203**, 144
Yamauchi, H., see S. Adachi **206**, 329; **207**, 127; **208**, 226; **212**, 164; **214**, 313
Yamauchi, H., see M. Karppinen **208**, 130
Yamauchi, H., see J. Wang **208**, 323
Yamauchi, H., see N. Sakai **212**, 75
Yamauchi, H., see M. Itoh **212**, 271
Yamauchi, H., see N. Sugii **213**, 345
Yamauchi, H., see G.H. Kwei **213**, 455
Yamauchi, H., see J. Sugiyama **214**, 316
Yamauchi, H., see C.-J. Liu **215**, 395
Yamauchi, H., see A. Tokiwa-Yamamoto **216**, 250
Yamauchi, H., see K. Isawa **217**, 11
Yamauchi, H., see H. Takahashi **218**, 1
Yamauchi, H., see L. Grigoryan **218**, 153
Yamaya, K., see W. Ito **204**, 295
Yamaya, K., see S. Katano **217**, 73
Yamazaki, H., see Y. Kubozono **217**, 21
Yampol'skii, V.A., see L.M. Fisher **206**, 195
Yanagi, K., see T. Matsushita **213**, 477
Yanagida, Y., see J. Yu **209**, 442
Yanagisawa, K., Y. Matsui, T. Hasegawa and T. Koizumi, Effects of Fe-doping on the modulated structures of Bi–Sr–Cu–O superconductors **208**, 51
Yang, H.D., M.W. Lin, C.H. Luo, H.L. Tsay and T.F. Young, Effects of Ca substitution on the structural, electrical and magnetic properties of $PrBa_2Cu_3O_{7-y}$ **203**, 320
Yang, H.D., T.H. Meen and Y.C. Chen, Structural transformation and magnetic properties of Sr-doped Gd_2CuO_4 **209**, 573
Yang, I.-S., see N.H. Hur **218**, 365
Yang, J., see Z. Gao **203**, 45
Yang, P.D., see Y.T. Qian **209**, 516
Yang, S., see H. Claus **213**, 185
Yang, Y., see Y.G. Zhao **209**, 472
Yang, Y.F., see D.S. Wu **212**, 32
Yao, L.Z., see G.E. Zhou **212**, 151
Yao, X.X., see Z.X. Shi **215**, 439
Yao, X.X., see H.L. Ji **217**, 127
Yao, Y., see Y. Xu **204**, 288
Yao, Y., W. Xu, X. Zhou, J. Li, Z. Zhao, Y. Peng, F. Li, S. Liu and W. Wang, Superconductivity and microstructure of infinite-layered $(SrNd)CuO_2$ prepared under high pressure **210**, 80
Yarmoshenko, Yu.M., V.A. Trofimova, L.V. Elokhina, E.Z. Kurmaev, S. Butorin, R. Cloots and M. Ausloos, Sulphur–oxygen substitution in $YBa_2Cu_3O_{6+x}S_y$ analyzed by means of X-ray emission spectroscopy **211**, 29
Yaron, U., see Y. Kornyushin **207**, 273
Yaron, U., Y. Kornyushin, I. Felner, O. David and L. Patlagan, Field dependence of the magnetization of melt textured and ceramic Y–Ba–Cu–O **208**, 18
Yaron, U., I. Felner, Y. Kornyushin and Y. Yeshurun, Anisotropy of the magnetization of single crystals and bulk high-T_c superconductors **209**, 159
Yaron, U., see U. Asaf **209**, 183; **211**, 45
Yaron, U., see I. Felner **210**, 55; **214**, 169
Yaroslavsky, Y., M. Schieber, V. Beilin, S. Litvin, V. Burtman, V. Ginodman and D. Shaltiel, Doping of BiSrCaCuO compounds with (V+Y), As, Sb, Pb, Cr and Ge **209**, 179
Yasuda, K., see H. Muto **211**, 147
Yasuda, T., S. Takano and L. Rinderer, Effects of oxygen non-

stoichiometry on the anisotropic resistivity in $Bi_2Sr_2CaCu_2O_{8+x}$ **208**, 385
Yasuda, T., see A. Mariño **210**, 16
Yasuda, Y., see Y. Idemoto **211**, 36
Yasuoka, H., see J. Sugiyama **214**, 316
Ye, B., see C.D. Wei **206**, 285
Ye, H.Q., see A.Q. He **204**, 85, 365
Ye, J.H., see K. Nakamura **213**, 1
Yelon, W., see A.E. Schlögl **216**, 417
Yeshurun, Y., see A. Reiderman **209**, 145
Yeshurun, Y., see U. Yaron **209**, 159
Yeshurun, Y., see L. Klein **209**, 251
Yeshurun, Y., see S. Velner **209**, 335
Yi, H.R., see S. Lei **214**, 133
Yin, B., see W.J. Zhu **218**, 5
Yin, D.L., see H. Gu **208**, 391
Ying, H.W., see P. Wei **209**, 400
Yitai, Q., see W. Wenbin **217**, 156
Yona, G., see I. Felner **210**, 55
Yong, F. and Z. Lian, Superconducting properties and microstructures of the powder melting processed Y–Ho–Ba–Cu–O and Y–Gd–Ba–Cu–O superconductors **202**, 298
Yoo, S.I. and R.W. McCallum, Phase diagram in the Nd–Ba–Cu–O system **210**, 147
Yoo, S.I. and R.W. McCallum, Flux creep in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ (x=0.0–0.1) **210**, 157
Yoshiara, K., see H. Sasakura **218**, 495
Yoshida, K., Y. Sano and Y. Tomii, Percolative behavior of Ag-phase clusters in superconducting Bi–Pb–Sr–Ca–Cu–O ceramics **206**, 127
Yoshida, Y., see W. Ito **204**, 295
Yoshida, Y., see S. Mahajan **213**, 445
Yoshikawa, H., H. Hidaka, J. Sugiyama, K. Nakao and H. Yamauchi, Magnetic properties of Bi-based layered cobalt oxides, $Bi_2Ca_{3-x}La_xCo_2O_y$ **203**, 144
Yoshikawa, S., see T. Mitsuzuka **218**, 229
Yoshimoto, M., see S. Gonda **216**, 160
Yoshimura, K., see T. Furukawa **205**, 39
Yoshizaki, R., see N. Ishikawa **203**, 284
Youm, D., see S. Lee **211**, 205
Young, K.H., M. Robinson, A. Cardona, T. Yamashita, T. Hirai, H. Suzuki and H. Kurosawa, Correlations among structural, transport, and microwave properties of YBCO thin film on $LaAlO_3$ substrate by chemical vapor deposition **203**, 37
Young, K.H. and D.D. Strother, Microwave performance of epitaxial $YBa_2Cu_3O_{7-\delta}$ films on $YAlO_3$ (001) substrates **208**, 1
Young, K.H., Morphology and composition of YBaCuO targets after long period laser ablation **211**, 1
Young, T.F., see H.D. Yang **203**, 320
Yu, G., C.H. Lee, A.J. Heeger and S.-W. Cheong, Photoconductivity and optical conductivity in lightly doped $Nd_2CuO_{4-\delta}$ **203**, 419
Yu, H.-D., see N.-L. Wu **204**, 21
Yu, J., Y. Yanagida, H. Takashima, Y. Inaguma, M. Itoh and T. Nakamura, Single crystal growth of superconducting $La_{2-x}Ba_xCuO_4$ by TSFZ method **209**, 442
Yu, J.J., S. Massidda, A.J. Freeman and R. Podloucky, Electronic structure and properties of vacancy-ordered $YBa_2Cu_3O_{6.5}$ Chain versus plane Fermi surfaces in $YBa_2Cu_3O_{7-\delta}$ **214**, 335
Yu, T.F., see P.C.W. Fung **212**, 279
Yu, T.F., see Z.L. Du **215**, 319
Yuan, G., see C.D. Wei **206**, 285
Yuan, J., see N.D. Browning **202**, 12
Yue, J.J., see W.J. Zhu **205**, 118
Yue, Y., see J. Wang **205**, 363
Yuheng, Z., see S. Lei **203**, 398; **214**, 133
Yuheng, Z., see W. Wenbin **217**, 156
Yunbo, J., see S. Lei **203**, 398; **214**, 133
Yunbo, J., see W. Wenbin **217**, 156
Yunlong, G., see S. Lei **203**, 398
Yurgens, A.A. and N.V. Zavaritsky, Optically induced magnetic relaxation in Bi-2212 single crystals **203**, 277
Yuzhelevskii, Ya.I., see P.N. Mikheenko **217**, 97

Zach, K., see J. Arnold **213**, 71
Zach, K., see J. Borck **213**, 145
Zaitsev, A.V., see A.F. Volkov **210**, 21
Zakharchuk, N.F., see A.P. Nemudry **211**, 366
Zakharov, A.A., see A.V. Bazhenov **208**, 197; **214**, 45
Zaleski, A.J., see M. Ciszek **208**, 245
Zandbergen, H.W., see J.G. Wen **205**, 354; **218**, 29
Zandbergen, H.W., see C. Træholt **206**, 318
Zannella, S., L. Jansak, M. Majoros, V. Selvamanickam and K. Salama, AC energy dissipation in high-T_c superconductors **205**, 14
Zavaritsky, N.V., see A.A. Yurgens **203**, 277
Zavaritsky, V.N., see K. Aupke **209**, 255
Zazunov, A.L., see V.A. Khlus **214**, 413
Zech, D., see R. Cubitt **213**, 126
Zehnder, A., see S.P. Zhao **214**, 345
Zeisberger, M., see W. Andrä **213**, 471
Zeiske, T., D. Hohlwein, R. Sonntag, J. Grybos, K. Eichhorn and T. Wolf, X-ray anomalous scattering on the superconducting ortho-II phase of $YBa_2Cu_3O_{6.51}$. A verification of Ba displacements **207**, 333
Zeng, R., see C.D. Wei **206**, 285
Zeng, Z.Y., see H.L. Ji **217**, 127
Zettl, A., see G. Briceño **204**, 389
Zettl, A., see S.K. Gupta **206**, 335
Zettl, A., see S. McKernan **209**, 585
Zha, Y., Q.M. Si and K. Levin, Theory of contrasting spin dynamics in $YBa_2Cu_3O_{7-\delta}$ and $La_{2-x}Sr_xCuO_4$ **212**, 413
Zhang, B., see Z. Gao **203**, 45
Zhang, B., P. Fabbricatore, G. Gemme, R. Musenich, R. Parodi and P. Capobianco, Observation of anomalous RF dissipation in thick films of superconducting $YBa_2Cu_3O_{7-x}$ **203**, 51
Zhang, B., see P. Fabbricatore **213**, 200
Zhang, H., see J.P. Zhang **202**, 51
Zhang, H., Y.Y. Wang, V.P. Dravid, B. Dabrowski and

K. Zhang, Unusual defect and domain structure in $YBa_2Cu_4O_8$ (Y124) single crystals **207**, 167
Zhang, H., Y.Y. Wang, V.P. Dravid, B. Dabrowski, K. Zhang, D.G. Hinks and J.D. Jorgensen, Anisotropy of charge carriers and dielectric function of $YBa_2Cu_4O_8$ (Y124) **208**, 231
Zhang, H., see V.P. Dravid **213**, 353
Zhang, H.B. and H. Sato, Structural stability of Bi-based cuprates **214**, 265
Zhang, J., see C.D. Wei **206**, 285
Zhang, J.L., see B.R. Zhao **204**, 341
Zhang, J.L., see H. Gu **208**, 391
Zhang, J.P., D.A. Groenke, H. Zhang, D.I. DeLoach, B. Dabrowski, K.R. Poeppelmeier, V.P. Dravid and L.D. Marks, Local structure of $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ superconductors **202**, 51
Zhang, J.X., see Z.L. Du **215**, 319
Zhang, K., see B. Dabrowski **202**, 271
Zhang, K., see H. Zhang **207**, 167; **208**, 231
Zhang, L., see M.D. Lan **218**, 69
Zhang, L.W., see M. Xie **206**, 251
Zhang, W. and E.E. Hellstrom, The development of an aligned microstructure during melt processing of $Bi_2Sr_2CaCu_2O_x$ (BSCCO-2212) doctor-bladed films **218**, 141
Zhang, X.F., see G. Calestani **206**, 33
Zhang, X.F., G. Van Tendeloo, S.L. Ge, J.H.P.M. Emmen and V.A.M. Brabers, Two-phase intergrowth in $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ single crystals **215**, 39
Zhang, X.N., see R.L. Meng **216**, 21
Zhang, Y.-F., see C. Lin **204**, 127
Zhang, Y.H., see Y.T. Qian **209**, 516
Zhang, Y.H., see S.W. Wang **210**, 463
Zhang, Y.H., see G.E. Zhou **212**, 151
Zhang, Y.H., see W.B. Wu **213**, 133
Zhang, Y.Z., see B.R. Zhao **204**, 341
Zhang, Z.B., see W.L. Zhou **214**, 19
Zhang-MacCoy, V., see B. Dabrowski **208**, 183
Zhao, B.R., X.G. Qiu, S.Q. Guo, J.L. Zhang, P. Xu, Y.Z. Zhang, Y.Y. Zhao and L. Li, A study of dimensional crossover in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers **204**, 341
Zhao, L.Z., The base character of superconducting oxides **209**, 549
Zhao, S.P., F. Finkbeiner, Ph. Lerch, A. Jaggi, A. Zehnder and H.R. Ott, A $Nb/AlO_x/Nb$ trilayer process for the fabrication of X-ray detectors **214**, 345
Zhao, W., see W.L. Zhou **214**, 19
Zhao, Y., F. Shi, H.K. Liu, C. Andrikidis and S.X. Dou, Substitution effect of Mo and W on structure and superconductivity in Sr-based 123-compounds $YSr_2Cu_{2.7}M_{0.3}O_y$ (M = Mo and W) **212**, 451
Zhao, Y., see J.A. Xia **215**, 152
Zhao, Y.G., S.L. Jia, Y.Q. Zhou, Y. Yang and Z.X. Zhao, Effect of Zn doping on T_c of $Y_{1-x}Pr_xBa_2Cu_{3-y}Zn_yO_z$ and its dependence on Pr doping **209**, 472
Zhao, Y.Y., see B.R. Zhao **204**, 341
Zhao, Z., see Y. Yao **210**, 80
Zhao, Z.X., see W.J. Zhu **205**, 118; **218**, 5
Zhao, Z.X., see Y.G. Zhao **209**, 472
Zhao, Z.X., see H.L. Ji **217**, 127
Zhaojia, C., see C. Xianhui **208**, 38
Zhdanov, Yu.I., see A.M. Bogdanovich **215**, 253
Zheng, D.N., see A. Porch **214**, 350
Zheng, G.-Q., T. Kuse, Y. Kitaoka, K. Ishida, S. Ohsugi, K. Asayama and Y. Yamada, ^{17}O NMR study of $La_{2-x}Sr_xCuO_4$ in the lightly- and heavily-doped regions **208**, 339
Zheng, X.Y., see S.J. Pennycook **202**, 1
Zheng-zhong, L., see X. Ming-wen **202**, 363
Zhitomirsky, M., see I. Luk'yanchuk **206**, 373
Zhokhov, A.A., see A.N. Maljuk **214**, 93
Zhou, G., see Y.T. Qian **209**, 516
Zhou, G., see G.Y. Meng **214**, 297
Zhou, G.E., see S.W. Wang **210**, 463
Zhou, G.E., L. Shi, Y.L. Huang, L.Z. Yao, Y.B. Jia and Y.H. Zhang, The comparison of structural characteristics between 2212 and 2201 phases in the Bi–Sr–Ca–Cu–O system **212**, 151
Zhou, G.E., see W.B. Wu **213**, 133
Zhou, G.E., see X.H. Chen **217**, 342
Zhou, H., see W. Xing **205**, 311
Zhou, J., see S. Tao **204**, 117
Zhou, J.S., see J.-C. Grenier **202**, 209
Zhou, M., see C.D. Wei **206**, 285
Zhou, W., D.A. Jefferson, W.Y. Liang, A. Soeta, T. Kamo and S.P. Matsuda, Surface atomic images of superconducting $(Tl, Pb)Sr_2Ca_2Cu_3O_9$ **202**, 335
Zhou, W., see H. Noji **205**, 397
Zhou, W.L., W. Zhao, K.K. Fung, L.Q. Chen and Z.B. Zhang, Microstructures of C_{60} textured thin film **214**, 19
Zhou, X., see Y. Yao **210**, 80
Zhou, X.H., see Q. Wei **208**, 347
Zhou, Y., see C.D. Wei **206**, 285
Zhou, Y.Q., see Y.G. Zhao **209**, 472
Zhu, C., see Z. Gao **203**, 45
Zhu, J., J. Mester, J. Lockhart and J. Turneaure, Critical states in 2D disk-shaped type-II superconductors in periodic external magnetic field **212**, 216
Zhu, J.H., see Q. Wei **208**, 347
Zhu, S., see S.J. Pennycook **202**, 1
Zhu, W.J., J.J. Yue, Y.Z. Huang and Z.X. Zhao, $(B,Cu)Sr_2YCu_2O_7$, a new layered copper-oxide based on the boron–oxygen group **205**, 118
Zhu, W.J., Y.Z. Huang, L.Q. Chen, C. Dong, B. Yin and Z.X. Zhao, Synthesis of the superconductors $HgBa_2CaCu_2O_{6+\delta}$ and $HgBa_2Ca_2Cu_3O_{8+\delta}$ **218**, 5
Zhu, X., G.C. Xiong, R. Liu, Y.J. Li, G.J. Lian, J. Li and Z.Z. Gan, The growth mechanism and topography of superconducting $YBa_2Cu_3O_{7-\delta}$ and BiSrCaCuO-2201 films studied by scanning tunneling microscopy **216**, 153
Zhuchenko, N.K., Polarized neutron diffraction by vortex lattice in magnetic superconductors **206**, 133
Zhuchenko, N.K., Small angle scattering of polarized neutrons from an anisotropic superconductor in the mixed state **206**, 233

Zhukov, L.E., see A.F. Barabanov **212**, 375
Zhuravlev, V., see I. Fugol' **216**, 391
Zhuravlev, V.V., see V.N. Bogomolov **208**, 371
Zibold, A., L. Widder, H.P. Geserich, G. Bräuchle, H. Claus, H. V. Löhneysen, N. Nücker, A. Erb and G. Müller-Vogt, Optical investigation of the metal–insulator transition regime in single-domain crystals of $YBa_2Cu_3O_x$ **212**, 365
Zieliński, J., see R. Grabowski **205**, 154
Zieliński, J., see M. Mierzejewski **218**, 424
Zimmerman, G.O., Y.Z. Negm, M.Z. Tahar, S. Buczkowski, R.E. Powers and R. McConeghy, High current composite superconductor electrical power lead **209**, 291
Zimmermann, P., see R. Cubitt **213**, 126
Zoli, M., Lattice instabilities and critical fluctuations in high-T_c superconductors **203**, 264
Zoller, P., see H.-U. Nissen **203**, 436
Zoller, P., see A. Ehmann **215**, 83
Zorn, G., see M.A. Rodriguez **206**, 43
Zubkus, V.E., S. Lapinskas, A. Rosengren and E.E. Tornau, Cell tripled structure of $YBa_2Cu_3O_{6+x}$ for $x>0.5$ **206**, 155
Zuo, F., see D. Vacaru **203**, 393
Zver'kova, I.I., see A.N. Maljuk **214**, 93
Zybtsev, S.G., see P.J. King **215**, 67
Zybtsev, S.G., see Yu.I. Latyshev **216**, 471

Physica C, Subject Index Vols. 202–18 (1994) 57–67
North-Holland

PHYSICA C

Analytic Subject Index to Volumes 202–218

1/*f* noise **207**, 318; **209**, 289
1/*N*-expansion **214**, 385

2-D vortex **214**, 393; **218**, 94

A15 compound **209**, 13, 111, 171
Abrikosov vortex **213**, 103
Acid-base parameter **209**, 549
AC susceptibility **202**, 356; **203**, 111, 271, 293, 411; **204**, 50, 229, 299; **205**, 14, 39, 266, 311, 363; **206**, 305; **208**, 29, 245; **209**, 353, 456, 499; **210**, 432; **211**, 227; **212**, 43, 199, 216, 266, 292, 352, 389; **213**, 14, 81, 88, 109, 200, 266; **214**, 111, 277, 350, 371; **215**, 1, 19, 173; **216**, 111, 124, 129, 140, 169; **217**, 79, 170, 197, 297, 325; **218**, 87, 238, 476
AES **217**, 280; **218**, 443
Ag_2O addition **217**, 294
Aging **209**, 271
Analytical electron microscopy (AES) **202**, 109
Anderson lattice **202**, 363
Anderson model **209**, 1
Andreev reflection **209**, 85, 89, 104, 129; **213**, 490; **214**, 413
Angle-resolved photoemission **216**, 160; **218**, 220
Anharmonicity **207**, 281; **210**, 264; **213**, 375; **218**, 213, 407
Anisotropic compressibility **218**, 369
Anisotropic pairing **206**, 373
Anisotropic superconductor **202**, 167, 303, 401; **203**, 68, 139, 149, 167; **204**, 305, 325, 341, 389; **205**, 99, 111, 139, 289; **206**, 110, 119, 233, 367; **207**, 143, 193; **208**, 86, 385; **209**, 437, 537, 579, 591; **210**, 109, 301, 325, 432; **211**, 288, 455; **212**, 332, 389; **213**, 33, 43, 126, 229, 398, 495; **214**, 107, 175; **215**, 34, 51, 313, 375; **217**, 222; **218**, 19, 63, 75, 208, 373, 379, 417
Anisotropy **209**, 17, 22, 74, 85, 125, 129, 159, 199, 255, 341
Anomalous scattering **207**, 333
Antiferromagnetic order **202**, 104, 175, 188, 345; **203**, 1, 7, 284, 320; **204**, 127, 130, 171, 212, 331; **205**, 45, 91; **206**, 13, 257, 264, 269, 393; **207**, 102, 247; **208**, 91, 297, 328; **209**, 71, 113, 138, 160, 171, 177, 179, 184, 193, 198, 229, 295, 302, 305, 308, 428, 597; **211**, 77, 93; **212**, 413; **213**, 81; **214**, 169, 316; **215**, 92, 181, 253; **217**, 381; **218**, 197, 283, 463
–in $Bi_2Sr_2CoO_{6+\delta}$ **205**, 129
–in $ErBa_2Cu_3O_7$ **217**, 53
–in La_2CuO_4 **209**, 327; **210**, 373
–in $(Pr_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$ **209**, 155
–in $(R_{1-x}Pr_x)Ba_2Cu_3O_7$ (R = Yb, Tm, Er, Ho, Dy, Gd, Eu, Sm, Nd, Y) **209**, 19
Antiferromagnetism **209**, 20, 113, 121, 151, 157, 227, 327
Anyons **209**, 4
Applications, power plants **209**, 335
Applications of high-T_c superconductors **202**, 19, 61; **203**, 51, 441, 445; **204**, 1; **205**, 14, 271, 329, 397; **207**, 266; **208**, 1, 137, 205; **210**, 138, 489; **211**, 338; **212**, 23, 66, 395; **213**, 95, 200; **214**, 9, 179; **215**, 132, 213, 291; **216**, 89, 153, 199, 339, 401; **217**, 79, 151, 313, 335, 360, 405; **218**, 229, 489
ARPES **212**, 347
Atomic force microscopy **209**, 289
Auger electron spectroscopy **209**, 215, 312
Auger spectroscopy **215**, 411
Axial Cu–O bonds **218**, 43

Band structure **203**, 431; **205**, 154; **209**, 57, 75, 81, 107, 115, 129, 389; **210**, 350; **212**, 347, 375; **213**, 389; **214**, 73, 159; **216**, 12, 401
–of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ **218**, 301
–of $Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$ **214**, 153
–of $YBa_2Cu_3O_7$ **204**, 279
BCS model **206**, 217; **210**, 228; **211**, 380; **212**, 81; **216**, 432; **218**, 387
BCS theory **209**, 2, 65, 86, 94, 107, 127, 136
Bean model **209**, 203, 235, 245
BEDT-TTF **204**, 399
Bipolaronic model **213**, 359
Bipolaron model **209**, 1, 72, 117
Bipolarons **212**, 1
Bond length **209**, 331
Bond valency sums **218**, 43
Bose condensation **214**, 239, 377; **216**, 432
Buffer layer **209**, 421
Bulk modulus **218**, 369
Butterfly effect **211**, 65

C_{60} compounds **203**, 163; **206**, 217; **211**, 299; **212**, 19; **213**, 157, 190, 389; **217**, 21; **218**, 341
Cables **209**, 195
Calorimetry **218**, 164
Carbonate groups **215**, 159
Carrier concentration **202**, 127, 385; **203**, 98, 115; **204**, 237, 247, 331, 349; **206**, 291; **207**, 44, 51; **208**, 59, 217, 339; **210**, 315, 485; **211**, 45, 127, 433; **212**, 142, 375; **217**, 175; **218**, 24, 424
Cathodoluminescence
–in YBCO **209**, 81
CBED **217**, 325
Ceramic-polymer composites **209**, 353
Charge-density waves **207**, 281; **210**, 235, 264, 343
Charge transfer **203**, 419; **208**, 307; **209**, 38, 51, 115, 137; **216**, 187; **217**, 217
Charge transfer gap **209**, 491
Chemical coprecipitation **215**, 435
Chemical diffusion **217**, 347
Chemical vapour deposition **209**, 195, 307
Close-packing model **208**, 307
Cluster calculation **207**, 119; **212**, 407
CO_3 compounds **208**, 351; **213**, 51; **217**, 27; **218**, 429
Coherence length **209**, *xii*, 3, 71, 143, 167, 187, 207, 221, 229, 239, 253; **210**, 133; **213**, 421
Coherence peak **203**, 315; **213**, 139
Collective mode **203**, 347
Collective oscillation **208**, 170
Columnar defects **207**, 359; **208**, 137
–in BSCCO **209**, 247
–in YBCO **209**, 247
Combustion **218**, 130
Composites **209**, 337
–of Al_2O_3–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ **210**, 455
–of MgO–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$ **210**, 455

–of $YBa_2Cu_3O_{7-x}/Ag_2O$ **205**, 186
Composition **209**, 32, 141, 151, 163, 179, 183, 226, 295
Conductivity tensor **211**, 65
Configuration interaction **218**, 117
Contact geometry **209**, 63, 200, 207, 292
Cooper pairs **209**, 8, 35, 47, 65, 199
Copper-oxycarbonate **216**, 453
Copper valence **202**, 127; **210**, 315
Correlation bag **203**, 347
Coulomb interactions **212**, 465
Critical current **209**, 63, 90, 147, 167, 186, 187, 191, 207, 212, 221, 243, 262, 273, 278, 288, 301, 307
Critical current density **202**, 37, 61, 75, 83, 121, 167, 243, 249, 298, 401, 409; **203**, 37, 121, 129, 149, 335, 403; **204**, 15, 229, 305; **205**, 21, 123, 307, 311, 329, 363, 397; **206**, 6, 163, 169, 275, 285, 387; **207**, 13, 25, 85, 261; **208**, 7, 11, 137, 238, 245, 347, 356; **210**, 16, 114, 127, 188, 197, 489; **211**, 58, 113, 188, 227, 288, 338, 355, 393, 404, 475; **212**, 6, 23, 61, 66, 95, 110, 211, 279, 301, 323, 332, 339, 395; **213**, 71, 95, 167, 477; **214**, 9, 127, 187, 286, 403; **215**, 105, 152, 291, 375, 435; **216**, 6, 66, 199, 325, 339, 382, 447, 471; **217**, 63, 113, 127, 135, 170, 197, 297, 313, 335, 360, 376; **218**, 8, 51, 191, 485
–in BiSrCaCuO–metal-composites **209**, 207
–in NdCeCuO **204**, 50
Critical exponents **206**, 127
Critical field **203**, 129; **209**, 37, 63, 88, 107, 110, 128, 240, 341
Critical phenomena **207**, 366; **212**, 440
Critical state model **202**, 401; **203**, 121, 149; **204**, 229; **205**, 14, 311, 363; **206**, 169, 195; **208**, 356; **210**, 417; **211**, 239; **212**, 6, 133, 211, 216, 395; **213**, 109, 287; **214**, 111; **216**, 111; **217**, 63; **218**, 476
Crystal field **217**, 425
Crystal field effects **213**, 81
Crystal growth **213**, 283
Crystal structure **209**, 19, 156, 163, 238, 303
CSL theory **211**, 179
Cu-deficiency **214**, 93
CuO_2 planes **212**, 375
Cu–O chains **204**, 55, 171; **210**, 391; **211**, 165, 217; **212**, 487; **214**, 143, 335; **217**, 34
Cu–O planes **202**, 345; **203**, 431; **204**, 55, 171, 315; **205**, 154; **208**, 297; **209**, 472, 491; **211**, 217, 329; **212**, 347; **213**, 298, 375, 421; **214**, 37, 64, 119; **215**, 113; **216**, 160; **217**, 73, 210; **218**, 407, 417
Cuprate phosphates **208**, 193
Cuprate sulphates **208**, 193
Current limiting device **209**, 277
Cu valence **212**, 206

Defects **209**, 161, 203, 269
Defect structures **202**, 69, 83, 289; **203**, 59, 75, 83, 103, 203, 235; **204**, 155, 191, 322, 365, 375, 394; **205**, 161, 354; **206**, 75, 183; **207**, 167, 208; **208**, 18, 96; **209**, 463; **210**, 173, 197, 413, 447; **211**, 165, 188, 263, 338, 404, 421; **214**, 19, 143, 247; **215**, 291, 319, 421; **216**, 29, 365; **217**, 146
–in $YBa_2Cu_3O_{7-x}$ **209**, 415
De Haas–van Alphen effect **209**, *xii*, 39
Density of states **202**, 33; **205**, 147; **209**, 5, 26, 65, 107, 407; **211**, 467; **212**, 119, 228
Dielectric constant **209**, 10, 129, 337
–of composites **209**, 337
Dielectric function **208**, 231; **211**, 22
Dielectric response **210**, 308
Differential scanning calorimetry **209**, 295
Diffusion **209**, 121, 149, 305
Dimensional crossover
–in $Bi_2Sr_2CaCu_2O_{8+x}$ **214**, 175
Dimensional crossover of mixed state **206**, 387
Dislocations **208**, 238; **209**, 187
Disorder **209**, 55, 67, 211, 238
Dissipation **209**, 292, 341
Doctor-bladed film **218**, 141
Domain structure **214**, 247; **215**, 429; **218**, 175
Doping **209**, 13, 77, 133, 179, 237, 307
D-wave superconductor **218**, 424

EDAX **209**, 296, 316, 486
Eddy currents **209**, 41
EDX **214**, 80
EDXS **208**, 391
EELS **202**, 12; **208**, 231; **213**, 353
Effective mass **208**, 43
Elastic moduli **218**, 19
Electrical hysteresis **208**, 259
Electrical resistivity **202**, 19, 23, 61, 83, 97, 127, 209, 256, 417; **203**, 98, 320, 327, 411; **204**, 55, 71, 191, 194, 212, 267, 288, 384, 389, 413; **205**, 118; **206**, 1, 51, 59, 127; **207**, 127, 147, 391; **208**, 23, 29, 59, 64, 86, 189, 197, 253, 263, 351, 363, 385; **209**, 353, 381, 442, 491, 516, 537, 585; **210**, 109, 315, 333, 408, 455, 463, 485, 502; **211**, 13, 113, 132, 279, 433; **212**, 1, 191, 206, 470, 478; **213**, 161, 193, 211, 327, 438; **214**, 138, 195, 286, 359, 377, 393; **215**, 67, 159, 269, 350, 402; **216**, 6, 36, 59, 66, 187, 195, 458, 471; **217**, 1, 6, 11, 121, 146, 182, 217, 222, 405, 439; **218**, 24, 43, 63, 257, 309, 396, 457, 495
–in $Ba_{1-x}K_xBiO_3$ **209**, 141
–in $Bi_2Sr_2CaCu_2O_{8+x}$ **210**, 386
–in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ **213**, 403
–in $Tl_2Ba_2CuO_6$ **209**, 199
Electric field effect **209**, 99; **214**, 127
Electrochemical method **210**, 87
Electrochemical oxidation **216**, 66, 478
Electrochemistry **209**, 305
Electrodeposition **211**, 475
Electron diffraction **204**, 203; **205**, 347; **206**, 227; **207**, 97, 175; **211**, 179; **213**, 51; **214**, 272
Electron-doped superconductor **202**, 175; **203**, 16, 369; **211**, 421; **215**, 92
Electron doping **218**, 153
Electron energy loss spectroscopy **211**, 421
Electronic mechanism **211**, 329
Electronic properties **211**, 158
Electronic structure **202**, 175; **204**, 279, 349; **205**, 78, 170; **207**, 119, 147; **208**, 197; **209**, 327, 400; **211**, 132, 421; **212**, 128, 306, 407, 465; **213**, 57, 157, 321, 389; **214**, 119; **215**, 279; **216**, 273; **217**, 210; **218**, 103, 117, 220, 272
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2}$ ($n=1, 2,$) **216**, 12
–of $HgBa_2CuO_4$ **212**, 228
–of $HgBa_2CuO_{4+\delta}$ **212**, 233
–of $(Nd,Ce)_2(Ba,Nd)_2Cu_3O_y$ **210**, 315
–of $Sr_{1-x}Ca_xCuO_2$ **209**, 389; **210**, 301
–of $Tl_2Ba_2CuO_6$ **203**, 193
–of $YBa_2Cu_3O_{7-\delta}$ **214**, 335; **216**, 391
Electron irradiation **209**, 211
Electron microscopy **202**, 23, 69, 141; **208**, 391; **210**, 518; **213**, 95, 179; **215**, 1; **218**, 301
Electron–phonon coupling **205**, 338; **206**, 90, 217; **207**, 51, 281; **209**, 1, 3, 125, 319; **210**, 106, 235, 264, 408; **213**, 57, 327, 338; **214**, 335; **215**, 350; **216**, 147; **218**, 213, 417
–in $YBa_2Cu_3O_7$ **209**, 125
Electron spectroscopy **213**, 495
Eliashberg equations **205**, 147; **210**, 325
Eliashberg theory **212**, 173
Emission spectroscopy **211**, 158
Energy barrier **209**, 203, 237, 243, 247
Energy dispersive X-ray spectroscopy **212**, 279
Energy gap **203**, 68; **204**, 30; **205**, 147; **206**, 217, 269; **209**, 8, 23, 43, 51, 85,

89, 115, 121, 125, 131, 226, 319; **210**, 21, 106; **211**, 380, 467; **213**, 398, 490, 495; **214**, 73, 107, 385; **215**, 359; **216**, 293, 391; **218**, 197, 387
Epitaxial growth **209**, 13, 31, 90, 226, 287, 342
ESR **206**, 70, 257; **207**, 225; **209**, 393; **216**, 305; **217**, 16; **218**, 51, 341
–of $YBa_2Cu_3O_{7-\delta}$ **211**, 147
Exact diagonalization **215**, 382
EXAFS **209**, 373; **213**, 375
Excitonic mechanism **210**, 235
Excitonic superconductivity **209**, *xi*, 2, 133
Extended thick films **204**, 1

Faraday effect **203**, 203; **211**, 121, 263
Far-infrared spectra **202**, 219; **209**, 53, 89; **214**, 45
Fermi energy **209**, 35, 39, 76, 99, 107, 119, 125, 129, 135, 199
Fermi liquid **217**, 210
Fermi surface **203**, 91, 193, 431; **204**, 279; **205**, 154; **206**, 269; **209**, 513; **210**, 301, 408; **211**, 132; **212**, 228, 233; **214**, 335; **216**, 12, 273; **217**, 381
Fermi velocity **210**, 386
Ferrimagnetism **203**, 144
Ferroelastic transition **218**, 175
Ferroelectricity **208**, 259
Ferromagnetism **203**, 144
Fibers **207**, 261
Field-direction dependence **215**, 375
Field electron emission **213**, 321
Filamentory superconductivity
–of $Mg_{2-y}Ti_{1+y}O_4$ **212**, 95
Filter **209**, 265
Fine-structure constant **213**, 103
Floating zone method **206**, 148
Fluctuation effects **203**, 16, 264, 393; **205**, 111; **206**, 110, 119; **207**, 9, 318, 366; **208**, 170, 263; **209**, *xi*, 59, 31, 42, 59, 71, 101, 117, 121, 199, 222, 237, 288, 342, 456, 597; **210**, 61, 114, 235, 386, 466; **211**, 13, 304; **212**, 61, 332, 419, 424, 440; **213**, 403; **214**, 350; **215**, 34, 173; **216**, 17, 443; **218**, 94, 257
Fluorination **213**, 327
Flux **209**, 67, 80, 147, 232, 279, 341
Flux creep **203**, 277; **204**, 1, 15, 109; **205**, 123, 280; **209**, 231, 243, 247, 341; **210**, 109; **211**, 65, 227; **212**, 23; **214**, 9; **215**, 67; **216**, 315, 325; **217**, 127
Flux distribution **212**, 211
–in YBCO **209**, 259
Flux dynamics **202**, 61, 256; **203**, 378; **205**, 99, 266; **207**, 85, 112, 255; **208**, 86, 155, 356; **212**, 133, 292; **213**, 43, 193, 200, 229, 287; **215**, 343; **217**, 16, 97; **218**, 69, 208
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$ **210**, 157
–of $HgBa_2CuO_{4+\delta}$ **213**, 271
Flux flow **202**, 234; **209**, 27, 147, 222, 243, 251, 343, 437, 566; **210**, 473; **218**, 109, 449
Flux focusing **202**, 263
Flux jumps
–in BSCCO **209**, 147
Flux lattice **202**, 219, 321, 393; **203**, 203; **206**, 133, 233, 360, 373; **207**, 307; **209**, 559; **211**, 288; **212**, 155, 419; **213**, 126; **215**, 439; **218**, 19, 51, 295, 341, 379, 485
Flux lattice melting **205**, 55
Flux noise **212**, 352
Flux penetration **211**, 121, 263
Flux pinning **202**, 1, 69, 83, 167, 219, 321, 393, 401; **203**, 75, 129, 149, 203, 223, 335; **204**, 130, 305; **205**, 21, 240, 266, 289, 371; **206**, 220, 285, 360; **207**, 37, 112, 359; **208**, 7, 11, 137, 155, 238, 333; **209**, 59, 160, 170, 187, 191, 203, 241, 243, 247, 251, 255, 259, 289, 463, 559; **210**, 114, 127, 157, 188, 432; **211**, 263, 355, 393; **212**, 61, 407, 424; **213**, 43, 95, 179, 229, 261, 305, 403, 477; **214**, 100, 111, 277, 403; **215**, 19, 51, 297, 313; **216**, 49, 89, 205, 315; **217**, 1, 127, 297, 461; **218**, 51, 69, 208, 238, 373, 489
–in YBCO **209**, 187
Flux state **209**, 9, 42, 80, 189, 213, 243, 259
Fracture toughness **203**, 103
Frustration **209**, 67
Fullerene **209**, 13

Gap equation **209**, 8, 107, 127
Gapless superconductor **218**, 245
Ginzburg–Landau equations **211**, 343
Ginzburg–Landau theory **203**, 264; **207**, 9, 193, 231, 307; **209**, 100, 209, 239, 342, 579; **210**, 188; **212**, 19; **215**, 59, 113; **216**, 173; **218**, 379
Glasses
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) **209**, 393
Glassy state **205**, 123; **209**, 70, 203, 341
Grain alignment **204**, 295; **205**, 21, 271, 329; **206**, 275, 305; **207**, 13; **208**, 96; **210**, 97; **211**, 355; **212**, 66, 372; **213**, 145; **215**, 152; **216**, 339; **217**, 335; **218**, 59, 63
–of $Bi_2Sr_2CaCu_2O_x$ **218**, 141
Grain alignment (texturing) **212**, 23; **217**, 135
Grain boundaries **202**, 12, 417; **204**, 109; **205**, 329, 397; **207**, 159, 239, 318; **210**, 42, 127; **211**, 113, 179; **212**, 185; **213**, 353; **214**, 127; **215**, 105, 305; **216**, 153; **217**, 135; **218**, 59, 229, 471
Grain boundary junction **209**, 220, 287
Granular superconductivity **202**, 75, 151, 243, 249, 298, 371; **203**, 271; **204**, 71, 299; **205**, 1, 14, 123, 240, 280, 363; **206**, 127; **207**, 273; **208**, 7, 18, 107, 245, 371; **209**, *xi*, 39, 48, 63, 67, 83, 141, 159, 167, 186, 191, 199, 207, 221, 243, 303, 305, 307, 362; **210**, 333; **211**, 13, 263; **212**, 19, 43, 352; **213**, 88, 167; **214**, 111; **215**, 105, 167; **216**, 111, 116, 169, 205; **217**, 170, 360; **218**, 8, 87, 109, 471
Growth mechanisms **202**, 1
Gutzwiller projection **204**, 88

Hall effect **203**, 327; **204**, 194; **206**, 51, 291; **208**, 189; **209**, 28, 71, 129, 141, 145, 202, 247, 566; **210**, 221, 473, 485; **211**, 127; **212**, 142; **213**, 88; **216**, 382; **217**, 163; **218**, 489
–in $Ba_{1-x}K_xBiO_3$ **209**, 141
Hall probe magnetometry **213**, 33
Halogens **211**, 375
Harmonic susceptibility **202**, 356; **210**, 417
Heavy-fermion compounds **206**, 373
Heavy fermions **209**, 255
Hetero-interface **216**, 160
Heterophase superconductor **204**, 191
Hexatic phase **205**, 55
High oxygen pressure **216**, 165
High-pressure effect **203**, 240, 247, 293; **204**, 349; **205**, 139, 307; **206**, 97; **208**, 189; **209**, 513, 591; **210**, 80, 485; **213**, 190, 261, 266; **214**, 371; **215**, 92; **216**, 187; **217**, 163; **218**, 24, 369
–in $HgBa_2Ca_2Cu_3O_y$ **218**, 1
–on $Bi_2Ca_1Sr_2Cu_2O_{8+y}$ **209**, 499
–on $Ln_{2-x}Ce_xCuO_{4-y}$ **209**, 537
High-pressure synthesis **208**, 286
–of $Sr_{1-x}Ln_xCuO_2$ (Ln = La, Nd, Sm, Gd) **210**, 367
–of $Sr_2RCu_3O_z$ **204**, 43
High resolution EELS **212**, 185
High-tech SC **209**, *xii*
High-temperature superconductors **211**, 375
Hole concentration **214**, 64; **215**, 279
Hole depletion **212**, 185
Hole–magnon interaction **206**, 264
Holons **209**, 117
Hopping conductivity **206**, 59
Hopping parameter **213**, 298

HREM **202**, 335; **203**, 75, 426, 436, 445; **204**, 117, 394; **205**, 219, 247, 354; **206**, 33, 75, 242, 318; **207**, 65, 159, 167, 175, 208, 239; **208**, 51, 116, 121, 231, 277, 286; **209**, 393, 421; **210**, 1, 173, 359, 439; **211**, 404; **212**, 199, 223, 239, 274; **213**, 276; **214**, 19, 55, 307; **215**, 11, 39, 243; **216**, 1, 237, 243, 250, 257, 264, 365; **217**, 27, 287, 444; **218**, 29
Hubbard Hamiltonian **203**, 91; **205**, 170; **206**, 90, 297, 393; **207**, 51; **210**, 343; **215**, 97; **216**, 432
Hubbard model **209**, 111, 113, 117, 133; **211**, 132, 440; **213**, 57; **217**, 381; **218**, 424
Hybridization effect **209**, 400
Hydrogenation effect **214**, 138
Hydrogen reaction **212**, 435
Hyperfine interaction **209**, 121

Impurities **214**, 107
Impurity effect, in antiferromagnetic insulator **209**, 327
Impurity effects **210**, 373, 391
Impurity phases **215**, 421
Inclusions **215**, 19
Incommensurate modulation **213**, 276
Incommensurate structure **212**, 413; **217**, 287
Induced-pairing model **211**, 319
Inductive measurement **205**, 240
Infinite-layer compound **208**, 286; **210**, 367
Infinite layer structure **213**, 345
Infrared reflectivity **212**, 173
Infrared spectroscopy **204**, 8, 30; **206**, 345; **208**, 197; **209**, 111; **211**, 22; **212**, 37; **213**, 26, 305; **216**, 94
–of $YBa_2(Cu_{1-0.04}Fe_{0.04})_3O_7$ **209**, 89
Inhomogeneity **204**, 394; **218**, 437
Inhomogeneous superconductor **208**, 107; **216**, 345
Interacting hole-spin model **206**, 13
Interaction potential **209**, 507
Intercalation **203**, 411; **204**, 65; **205**, 296; **207**, 147; **208**, 363; **211**, 366; **212**, 191; **218**, 153
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8I$ **208**, 29
Interdiffusion **215**, 445
Interface irregularities **210**, 509
Interface reactions **206**, 202, 242
Interfaces **216**, 365
Interlayer coupling **218**, 153
Internal friction **207**, 300; **214**, 408
Intramolecular phonons **204**, 399; **215**, 195
Iodine intercalation **213**, 427; **215**, 402
Ionic radii **205**, 377
Ion implantation **214**, 127
Ion irradiation **209**, 233, 247, 251, 259
Ionization **209**, 133, 214
Irradiation effect **203**, 83, 203; **205**, 78, 371; **206**, 163, 220; **208**, 137; **211**, 263; **212**, 128; **213**, 78; **214**, 1; **218**, 407
–in $Bi_2Sr_2CaCu_2O_8$ **209**, 251
–in $Bi_2Sr_2CaCu_2O_x$ **203**, 335
–in $YBa_2Cu_3O_7$ **209**, 251
Irreversibility line **202**, 356; **203**, 111; **205**, 240, 289, 371; **206**, 285; **208**, 11, 347; **209**, 160, 170, 206, 237, 279, 341, 463; **210**, 432; **212**, 6, 424; **213**, 200, 477; **214**, 100, 277; **215**, 19, 152; **216**, 6, 315; **217**, 297, 461; **218**, 373
–in (Pb,Tl)-1212 **209**, 237
–in Tl-2233 **209**, 237
–in YBCO **209**, 237
Isotope effect **203**, 163; **204**, 8, 399; **209**, 9, 107, 142, 319; **210**, 35, 282; **213**, 359; **214**, 73; **215**, 195
–in $Ba_{1-x}K_xBiO_3$ **211**, 486
–in YBCO **209**, 319
Isotope substitution **216**, 439
I–V characteristics **206**, 335; **209**, 14, 31, 167, 212, 243, 279, 294

Josephson array **205**, 85; **208**, 205
Josephson coupling **209**, 4, 29, 69, 233; **210**, 179
–junction **209**, 68, 207, 211, 215, 219, 279, 341
Josephson effect **202**, 263; **205**, 1, 85; **207**, 21, 193, 203, 381; **208**, 371; **209**, 477; **210**, 42, 138, 228; **212**, 61; **213**, 193; **214**, 345, 365; **217**, 151; **218**, 229, 471
–of YBCO **209**, 281
Josephson junctions **202**, 151; **211**, 147
–in YBCO **209**, 211
Josephson-like vortex **217**, 97
Josephson penetration depth **202**, 249

$KMnO_{4\text{-}oxidation}$ **207**, 97
Knight shift **209**, 119
Kondo effect **214**, 385
Kosterlitz–Thouless model **203**, 393; **204**, 325; **206**, 119, 335; **207**, 143; **210**, 179; **218**, 19
Kosterlitz–Thouless transition **204**, 331; **209**, 31; **212**, 155

Langevin equation **215**, 51
Laser ablation **208**, 64; **209**, 23, 175, 259; **211**, 1
–deposition **209**, 31, 51, 71, 90, 175, 215, 287
Laser-induced grating spectroscopy
–of YBCO **209**, 95
Lattice dynamics **203**, 157, 247, 264; **204**, 8; **205**, 133; **206**, 137, 345; **213**, 57, 375; **217**, 273; **218**, 365
Lattice gas model **214**, 37
Lattice matching **214**, 133
Lattice parameters **202**, 162, 199; **203**, 436; **204**, 79, 117, 247; **205**, 377, 406; **206**, 139, 207; **207**, 51, 127, 339; **208**, 38, 143, 253; **210**, 447; **211**, 165; **214**, 1, 204, 261; **215**, 11, 83, 371, 411; **216**, 59, 124, 140; **217**, 265, 342; **218**, 407, 457
–of $DyBa_2Cu_4O_8$ **204**, 413
–of $YBa_2Cu_4O_8$ **204**, 413
Lawrence–Doniach model **207**, 193; **216**, 173
Layered superconductors **210**, 228; **216**, 173, 293
Layering effect **209**, 507
Leads **209**, 291
Levitation **216**, 89
Lithographic method **209**, 213, 306
Local electron pairing **210**, 61
Localization **204**, 30, 161; **205**, 91; **214**, 359, 377
London equation **213**, 103
London field **208**, 43
London theory **203**, 167
Lower critical field H_{c1} **203**, 271, 393; **210**, 417; **212**, 301; **215**, 265; **216**, 169

Magnetic circular dichroism **209**, 225
–field **209**, 35, 39, 63, 67, 72, 160, 187, 213, 229, 233, 243, 252, 271
–in YBCO **209**, 225
–order **209**, 21
Magnetic field **218**, 489
Magnetic hysteresis loop **207**, 85
Magnetic impurity **214**, 385
Magnetic measurements **211**, 375
Magnetic moment **208**, 59
Magnetic polaron **212**, 375
Magnetic relaxation **202**, 75, 393; **204**, 109; **205**, 266, 280; **206**, 305; **207**, 85, 112, 359; **208**, 11, 155, 347; **209**, 233, 256; **210**, 157; **211**, 121; **212**, 133, 292; **213**, 33; **217**, 127, 461
–in $Bi_2Sr_2CaCu_2O_8$ **203**, 277
–in $Bi_2Sr_2CaCu_2O_x$ **209**, 255
–in YBCO **209**, 243
Magnetic shielding **204**, 1; **212**, 395
Magnetic–superconductive phases **209**, *xi*, 17, 22, 155, 335
Magnetic superconductor **206**, 133
Magnetic superlattice **217**, 97
Magnetic susceptibility **202**, 104, 188; **203**, 163, 284, 369; **204**, 43, 50, 194,

247, 315; **205**, 129, 280, 323; **206**, 119; **207**, 127; **208**, 23, 91, 328; **209**, 573; **210**, 61; **211**, 409; **212**, 32, 43, 164, 169, 271, 372, 440; **213**, 438; **214**, 169; **215**, 83, 145, 181, 382, 407; **216**, 6, 17, 21, 59, 250, 305, 345, 417, 443, 478; **217**, 197; **218**, 59, 309
Magnetism **209**, 79, 63, 121, 147, 151
Magnetization **202**, 188; **203**, 7, 121, 129, 223, 277, 403; **204**, 127, 130; **205**, 247, 296, 383; **206**, 6, 51, 169, 220, 275, 285, 329; **207**, 273; **208**, 18, 86, 107, 155, 412; **209**, 19, 35, 144, 147, 151, 159, 168, 233, 243, 256, 271, 442, 463; **210**, 55, 417, 455; **211**, 65, 147, 227, 239, 288; **212**, 6, 133, 279, 301, 419; **213**, 33, 88, 109, 271, 483; **214**, 277, 403; **215**, 265, 313, 435, 439; **216**, 315, 447; **217**, 135, 376; **218**, 1, 5, 8, 373, 457, 476
–of BSCCO **209**, 159
–of $Tl_2Ba_2Cu_1O_6$ **203**, 393
–of YBCO **209**, 159
Magnetocaloric effect **208**, 356; **211**, 239
Magneto-optical imaging **216**, 205
Magneto-optical spectroscopy **216**, 284
Magneto-oscillations
–in $YBa_2Cu_3O_{7-\delta}$ **209**, 39
Magnetoresistance **203**, 16, 378; **204**, 325, 389, 406; **205**, 99, 111; **206**, 110; **207**, 37, 255; **208**, 23; **209**, 79, 341, 437, 559; **210**, 221, 466; **212**, 459; **213**, 403; **214**, 175; **215**, 375; **217**, 418; **218**, 69, 208
–in $YBa_2Cu_3O_{7-\delta}$ **209**, 79
–of $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ **209**, 229
Magnetothermal instabilities **211**, 239
Mass spectroscopy **214**, 408
Material designing **218**, 316
Mechanical relaxation **203**, 342
Mechanism of reaction **211**, 375
Meissner effect **202**, 263; **203**, 240, 369; **209**, 261; **210**, 343; **214**, 313; **215**, 297
Melt process **211**, 393; **213**, 483
Melt texturing **217**, 367
Metal contacts **217**, 405
Metal disordering **215**, 243
Metal–insulator transition **202**, 385; **203**, 91; **204**, 30, 161, 406; **205**, 170; **206**, 297; **207**, 119; **208**, 297; **209**, 553; **210**, 350, 373; **212**, 119; **215**, 253, 269; **217**, 418
–in $YBa_2Cu_3O_x$ **212**, 365
Metal-phthalocyanines **218**, 153
Microstructure **202**, 409, 417; **203**, 37, 235; **210**, 489; **214**, 9; **217**, 79; **218**, 141
–in Bi–Sr–Ca–Cu–O **213**, 483
Microwave absorption **202**, 151, 243, 303; **203**, 51, 139, 180, 315; **204**, 191; **205**, 296; **208**, 1; **209**, 362; **213**, 139, 287; **215**, 132, 167; **216**, 305; **218**, 109, 449
Microwave spectroscopy **209**, 179, 211, 264, 279, 337
Mixed solid precursor **214**, 297
Mixed state **207**, 255; **208**, 333; **210**, 473; **211**, 304; **213**, 305; **215**, 297; **217**, 63; **218**, 51, 295, 449
Mixed valence **211**, 421
Mobility **209**, 491
MOCVD **202**, 121; **212**, 101; **214**, 297
Modulated structures **202**, 327; **203**, 426; **206**, 27, 227; **207**, 175; **208**, 38, 51, 79, 226; **210**, 439; **211**, 209; **215**, 439; **217**, 156
Moiré pattern **211**, 179
Molecular orbital method **212**, 407
Monte Carlo simulations **211**, 93; **214**, 37; **217**, 34
Mössbauer effect **209**, 113, 137, 151
Mössbauer spectroscopy **202**, 379; **204**, 315; **205**, 63, 133; **207**, 347; **208**, 91, 412; **210**, 55; **214**, 169; **215**, 77; **217**, 175; **218**, 272, 283
–of $Bi_2Sr_2CaCu_2O_8$ **209**, 151
–of $La_{2-x-y}Gd_xSr_yCuO_4$ **209**, 428
–of $PrBa_2Cu_3(^{57}Co)O_{6+x}$ **209**, 137
–of R_2CuO_4 **209**, 151
–of $RBa_2Cu_3O_7$ **209**, 151
–of $RBa_2Cu_4O_8$ **209**, 151
Mott transition **209**, *xi*, 14, 113, 129
Multi-band superconductivity **208**, 170
Multilayers **202**, 23; **203**, 378; **204**, 341; **205**, 111; **206**, 110, 387; **207**, 231, 266; **209**, 579; **210**, 1, 179, 509; **211**, 205, 234; **212**, 81; **213**, 71; **215**, 113, 265; **217**, 280; **218**, 485
–of PrBCO **209**, 51
–of $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ **209**, 531
–of $YBa_2Cu_3O_{7-\delta}$ **209**, 31
–of YBCO **209**, 51
Muon spin rotation **207**, 366; **211**, 343; **213**, 126

Neutron diffraction **202**, 188; **203**, 45, 369; **204**, 147, 171; **205**, 105, 225; **206**, 27, 133, 158; **207**, 44; **208**, 59, 183; **209**, 140, 157; **210**, 164, 447, 529; **211**, 409; **212**, 259; **213**, 455; **214**, 64, 204, 231; **215**, 92, 159, 329; **216**, 29, 140, 417; **217**, 73, 253, 265; **218**, 43, 348, 356, 407
Neutron scattering **203**, 7; **206**, 233; **212**, 142, 413; **217**, 53
Neutron scattering (inelastic) **217**, 425
Nitroxyl radical **217**, 170
NMR **203**, 1; **204**, 247, 331; **205**, 45; **207**, 102; **208**, 328, 339; **209**, 26, 121, 407; **211**, 77, 93, 299; **213**, 229; **214**, 316; **215**, 97; **216**, 491; **218**, 295
–in La_2CuO_4 **209**, 121
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}Y_xCu_2O_{7-\delta}$ **215**, 253
Noise (see Fluctuation) **209**, 26, 121, 407
Nondestructive testing **209**, 269
Non-linear flux diffusion **215**, 173
Non-ohmic behaviour **202**, 75, 356, 393; **204**, 325; **205**, 240; **206**, 195, 335; **207**, 143; **208**, 155; **212**, 43, 95, 133, 292; **213**, 403, 477; **214**, 393; **215**, 51, 67; **217**, 297; **218**, 208, 471
–in Ag-BSCCO(2223) **209**, 167
–in YBCO **209**, 243
Nonresonant microwave response **211**, 147
Normal-state properties **203**, 193, 431; **204**, 406; **205**, 191; **207**, 102; **208**, 259, 328; **209**, 519, 537, 553, 597; **212**, 1, 372; **213**, 211; **215**, 145, 286; **216**, 66, 116, 195, 284; **217**, 1, 418; **218**, 103, 309
–of $Bi_2Sr_2CaCu_2O_x$ **209**, 585
–of $La_{1.84}Sr_{0.16}NiO_{4+\delta}$ **216**, 94
–of $La_{2-x}Sr_xCuO_4$ **214**, 377
–of Rb_3C_{60} **211**, 299
NQR **209**, 59, 121; **212**, 317
–in $YBa_2Cu_3O_7$ **209**, 59
n-type superconductor **209**, 14, 183
Nuclear specific heat **210**, 391
Nucleation **214**, 272

O^I–O^{II} transition **204**, 419
Optical absorption **203**, 277; **213**, 305; **215**, 97
Optical conductivity **203**, 419; **212**, 173; **216**, 94
Optical diffraction **207**, 208
Optical excitation **209**, 81
–spectroscopy **209**, 51, 81, 95, 117, 225
Optical reflectivity **202**, 219; **214**, 365
Optical spectroscopy **203**, 247; **204**, 30; **206**, 22; **210**, 308; **211**, 455; **212**, 365; **214**, 159; **215**, 359; **216**, 391; **218**, 153
Optimism **209**, *xi*, *xiii*, 1, 13, 224
Organic superconductor **203**, 247; **204**, 399; **208**, 277; **209**, *xi*, *xiii*, 1, 13, 224; **215**, 195
O–T transition **202**, 141, 385; **204**, 419; **205**, 63, 177, 225; **206**, 59, 183; **207**, 391; **210**, 391; **212**, 119, 451; **213**, 17, 383; **214**, 93; **215**, 269; **216**, 77, 83,

491; **217**, 189, 455; **218**, 443
Oxygen annealing **209**, 319
Oxygen content **209**, 31, 59, 139, 165, 174, 183, 199, 211, 215, 226, 237, 296, 302, 305
Oxygen diffusion **203**, 45; **209**, 585; **210**, 213, 282; **212**, 470, 478, 487; **213**, 185, 219; **214**, 408; **215**, 243; **217**, 182; **218**, 82
Oxygen equilibrium pressure **217**, 34
Oxygen ordering **203**, 223; **204**, 375; **206**, 51, 155; **207**, 97, 333; **210**, 391; **211**, 217; **212**, 317; **214**, 1, 143, 371; **216**, 36; **217**, 163
–in $YBa_2Cu_3O_z$ **214**, 37
Oxygen partial pressure **215**, 395
Oxygen pressure **208**, 64
Oxygen stoichiometry **202**, 12, 42, 97, 127, 188, 385, 417; **203**, 45, 223, 293; **204**, 43, 55, 103, 237, 359, 375; **205**, 45, 225; **206**, 27, 51, 103, 119, 155, 227, 291, 367; **207**, 58, 147, 347; **208**, 130, 143, 197, 286, 385; **209**, 381, 415, 456, 491, 499; **210**, 87, 213, 282, 315, 391; **212**, 75, 365, 381, 435, 470, 478, 487; **213**, 1, 78, 185, 219, 353, 455; **214**, 45, 80, 138, 182, 187, 261, 265, 291; **215**, 77, 113, 329; **216**, 36, 77, 99, 129, 417; **217**, 6, 73, 106, 175, 189, 203, 217, 227, 342; **218**, 63, 356

Pair breaking **202**, 363, 371; **203**, 277; **209**, 7, 21, 72, 229, 238, 472; **213**, 193; **218**, 245
Pairing interaction **205**, 154; **211**, 380, 440
Paraconductivity **209**, 72
Paramagnetic impurity effect **212**, 173
Parametric interaction **209**, 279
Parity violation **209**, 228
Peak effect **218**, 238
–in $Bi_2Sr_2CaCu_2O_{8+y}$ **213**, 33
Peierls potential **210**, 188
Penetration depth **203**, 315; **206**, 163; **208**, 43; **209**, 4, 30, 43, 80, 63, 87, 99, 128, 203, 234, 253, 579; **210**, 114; **212**, 19, 389; **214**, 350; **216**, 49, 432; **217**, 63; **218**, 295, 341
–in BSCCO **209**, 43
–in YBCO **209**, 43
–in YBCO-Ag **209**, 63
Percolation model **204**, 71; **206**, 127; **207**, 318; **208**, 107; **210**, 455; **212**, 323; **216**, 345
Peritectic point **212**, 32
Perovskite **209**, 55, 141, 163
Pessimism **209**, 22, 155
Phase decomposition **213**, 433
Phase diagram **202**, 109, 134, 209, 219; **203**, 25; **204**, 21, 55, 331, 419; **205**, 170, 177, 225; **206**, 155; **208**, 403; **209**, 22, 155, 597; **210**, 391; **211**, 217; **212**, 435; **213**, 283; **214**, 231; **216**, 83, 99; **217**, 34, 85, 203, 227, 347, 455; **218**, 137, 238
–of $Bi_2Sr_2CaCu_2O_x$ **203**, 299
–of BSCCO **209**, 179
Phase equilibria **206**, 43
Phase formation **207**, 134
Phase-locking **208**, 371
Phase segregation **202**, 209
Phase separation **202**, 345; **203**, 1; **205**, 91; **209**, 597; **210**, 529
Phase slip **209**, 437
Phase stability **209**, 381; **210**, 147; **214**, 291
Phase transformation **217**, 113
Phonon mean free path **216**, 147
Phonon mechanism **211**, 486; **213**, 375
Phonons **210**, 308
Phonon spectrum **203**, 347; **205**, 338; **209**, 5, 519; **210**, 35; **214**, 45; **216**, 439, 463
Phosphate superconductor **208**, 193
Photoconductivity **203**, 419
Photoemission **209**, 45, 117, 128, 315
Photoemission spectroscopy **214**, 73, 153
Photon-induced superconductivity **212**, 128
Photopyroelectric effect **215**, 286
Pinning force **208**, 86; **215**, 439; **218**, 485
Planar defect **213**, 421
Plasma **209**, 215
Plasma polymerization **213**, 78
Plasmons **209**, 507, 519
Point-contact spectroscopy **209**, 85, 103, 107, 559; **213**, 398
–of YBCO **209**, 85
Point defect **210**, 157
Polaronic superconductor **205**, 191
Polymer **209**, *xi*, 273
Positron annihilation **209**, 75
–in $YBa_2Cu_3O_{7-\delta}$ **209**, 75
Pressure effects **209**, 113, 197, 215, 308, 312
Product conservation **209**, 228
Proximity effect **204**, 341; **205**, 1; **206**, 22; **207**, 231; **209**, 34, 63, 99, 229, 342; **210**, 21; **212**, 81; **213**, 490; **214**, 413
Pulsed laser **209**, 96, 175

Quantum flux parametron **208**, 205
Quantum tunneling **207**, 112
Quasi-particle scattering **216**, 147
Raman scattering **202**, 175; **203**, 157, 347; **204**, 8, 375; **205**, 296; **206**, 137, 345; **209**, 519; **210**, 308; **213**, 224, 427; **215**, 195, 421; **216**, 439, 463; **217**, 273; **218**, 251, 365
Raman spectroscopy **209**, 52, 90, 123
Rare earth magnetism **217**, 53
Reaction rate **215**, 391
Reactions with CO_2 **208**, 403
Reaction with water **214**, 179; **215**, 391
Reactive ion etching **209**, 477
Real-space pairing **211**, 77, 93; **215**, 359
Reflectivity **209**, 52, 89, 96
Relaxation, magnetic **209**, 121, 247, 251, 319
Renormalization of spin waves **206**, 13
Resistive evaporation **209**, 307, 311
Resistivity **209**, 31, 47, 71, 79, 86, 113, 117, 125, 141, 192, 199, 229, 237, 307
Resonator **209**, 265
Rietveld analysis **210**, 529; **213**, 51; **216**, 453
RKKY interaction **206**, 13
Rotating superconductor **208**, 43
RVB model **203**, 347
RVB theory **209**, 1, 72

S/I/S junction **206**, 59
S/N/S junction **206**, 22
Sanderson electronegativity **209**, 549
Scanning Auger microscopy **218**, 220
Scanning electron microscopy **202**, 12, 19; **203**, 180; **213**, 71, 145
Scanning tunneling microscopy **202**, 1, 289; **203**, 180; **209**, 23; **216**, 153
Scepticism **209**, 9, 77
Schwinger bosons **204**, 88
Screen printing **210**, 489
Secondary neutrals mass spectrometry **215**, 445
Self-heating **202**, 234
SEM **208**, 69; **209**, 56, 81, 160, 163, 181, 199, 282, 295, 302; **215**, 123, 213, 291, 319
Semiconduction **209**, 17
Sessile drops **209**, 316
Shapiro steps **205**, 85; **207**, 203, 381; **209**, 212, 221; **217**, 151
Shear transformation **206**, 97
Shielding **203**, 441
SHS **218**, 130
Single-crystal growth **202**, 271; **203**, 257; **206**, 148; **207**, 391; **208**, 79; **215**, 350, 407, 429; **216**, 471
Single crystals **209**, 89, 147, 159, 167, 179, 199, 238, 255, 259
–of $YBa_2Cu_3O_{6.9}$ **213**, 321
–of $YBa_2Cu_3O_{7-x}$ **218**, 175

Single-crystal submicron specimens **211**, 158
Sintering **209**, 191, 273, 301, 314
Skin depth **209**, 337
Skin effect **216**, 111
Slave boson **218**, 251
Sol–gel method **218**, 429
Solid solubility
–in $Sm_{1+x}Ba_{2-x}Cu_3O_y$ **214**, 323
Solitons **207**, 281; **210**, 264
Solubility limit **210**, 147
Solution calorimetry **211**, 36
Space applications **209**, 263
Specific heat **202**, 33, 104; **203**, 264; **204**, 161; **205**, 129, 247; **207**, 9, 247; **209**, 19, 106, 121, 128, 142, 149, 237, 296, 407, 456; **210**, 61, 325; **211**, 319; **215**, 145; **216**, 6, 129, 443
–of $Dy_2Ba_4Cu_7O_{14+\delta}$ **216**, 140
–of $HgBa_2Ca_2Cu_3O_8$ **216**, 17
–of $Nd_2Ba_4Cu_7O_{14+\delta}$ **216**, 140
–of $PrBa_2NbCu_2O_8$ **214**, 169
Specific heat, linear coefficient **209**, 553
Specific heat at T_c **211**, 304
Specific heat in magnetic fields **211**, 304
Spinal decomposition **218**, 164
Spin bipolarons **205**, 191
Spin correlation **215**, 382
Spin dynamics **209**, 38; **218**, 463
Spin fluctuations **202**, 175; **206**, 90, 257, 269; **211**, 77, 132, 440; **215**, 145; **218**, 197
Spin glass superconductor **215**, 59
Spin-lattice relaxation **207**, 225
Spin-lattice relaxation time **211**, 77; **215**, 145
Spin relaxation rate **215**, 34
Spin susceptibility **218**, 463
Sputtering **209**, 216
SQUID **202**, 263, 268; **204**, 109; **207**, 203; **209**, 222, 269, 287; **210**, 228; **211**, 234; **216**, 305
Standard enthalpy of formation **211**, 36
Strength, mechanical **209**, 273
String **206**, 393
Strong correlation **214**, 159
Strong-coupling regime **216**, 432
Strong-coupling superconductors **210**, 325
Strong-coupling theory **213**, 139
Structural change **209**, 47, 55, 60, 113, 185
Structural phase transition **203**, 7, 240, 385; **204**, 79, 85, 103; **205**, 225; **206**, 158, 183; **207**, 281, 300, 339; **208**, 23, 277; **210**, 35, 235, 264, 413; **214**, 64; **215**, 329; **216**, 77, 83; **218**, 181
Structural stability **214**, 265
Structure **208**, 307; **209**, 55, 60, 113, 185; **218**, 316
–of ^{44}Ca in $YBa_2Cu_4O_8$ **205**, 259
–of $(B,Cu)Sr_2YCu_2O_7$ **205**, 118
–of $Ba_2Cu_3O_5$ **218**, 137
–of $Ba_3SrCu_2O_{6.2}CO_2$ **206**, 70
–of $BaPb_{0.70}Sb_{0.20}Bi_{0.05}O_3$ **202**, 379
–of $BaPbO_3$ **202**, 379
–of $(Bi,Cd)Sr_2(Y,Ca)Cu_2O_z$ **209**, 516
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ **206**, 251
–of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ **204**, 365
–of $Bi_{2+x}Sr_{2-x-y}La_yCuO_\delta$ **205**, 323
–of $Bi_{2+x}Sr_{2-y}Cu_1O_{6+\gamma+\epsilon}$ **217**, 203
–of $Bi_{2+y}Sr_{3-y-x}Ca_xCu_2O_{8+\delta}$ **216**, 211
–of $Bi_{2.1}Sr_{1.93}Ca_{0.97-x}Y_xCu_2O_{8+y}$ **218**, 117
–of $Bi_2Ba_2NdCu_2O_{8+\delta}$ **213**, 276
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) **209**, 393
–of $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ **215**, 39
–of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ **204**, 65
–of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **203**, 59
–of $Bi_2Sr_2CaCu_2O_8$ **202**, 134; **213**, 133; **217**, 319
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **203**, 180
–of $Bi_2Sr_2CaCu_2O_8(IBr)_{x/2}$ **212**, 191
–of $Bi_2Sr_2CaCu_2O_8I_x$ **208**, 363
–of $Bi_2Sr_2CaCu_2O_x$ **203**, 299
–of $Bi_2Sr_2CaCu_2O_y$ **217**, 85, 156
–of $Bi_2Sr_2CaCu_2O_y$ modulated structures **204**, 322
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+z}$ **207**, 208
–of $Bi_2Sr_2CuO_{6+\gamma}$ **203**, 180
–of $Bi_2Sr_4Cu_2(CO_3)O_8$ **208**, 121
–of $Bi_2Sr_{4-y}Cu_2(CO_3)O_{8-\delta}$ **217**, 27
–of $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$ **212**, 199
–of $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ **209**, 449
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **204**, 179
–of $Bi_{2-x}Pb_xSr_2CaCu_2O_8$ **218**, 301
–of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ **206**, 33
–of $Bi_4Sr_4CaCu_3O_{14+x}$ **215**, 371
–of $(BiPb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ **203**, 426
–of Bi–Pb–Sr–Ca–Cu–Fe–O **205**, 133
–of Bi–Pb–Sr–Ca–Cu–O **208**, 38
–of Bi–Sr–Ca–Cu–O **203**, 398, 436; **204**, 203, 267; **212**, 151; **214**, 195
–of Bi–Sr–Cu–Fe–O **208**, 51
–of Bi(Pb)–Sr–Ca–Cu–O **212**, 37
–of $(C_{0.4}\,Cu_{0.6})\,Sr_2\,(Y_{0.86}\,Sr_{0.14})\,Cu_2\,O_7$ **207**, 175
–of $CaLaBaCu_3O_x$ **217**, 73
–of $(Cu_{0.6}Ce_{0.4})Sr_2Y_{1.2}Ce_{0.8}Cu_2O_z$ **216**, 165
–of $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ **208**, 183
–of $GdBa_2Cu_3O_{7-\delta}$ **206**, 1
–of $Hg_{0.3}Pb_{0.7}Sr_{2-x}La_xCuO_{4+\delta}$ **216**, 243
–of $Hg_{0.4}Pr_{0.6}Sr_{2-x}Pr_xCuO_{4+\delta}$ **216**, 243
–of $Hg_{0.5}Bi_{0.5}Dr_2Ca_{1-x}R_xCu_2O_{6+\delta}$ (R=Nd, Y, Pr) **216**, 257
–of $Hg_{0.5}Bi_{0.5}Sr_{2-x}La_xCuO_{5-\delta}$ **214**, 87
–of $(Hg_{0.8}Pb_{0.2})_xBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 11
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 1, 265
–of $HgBa_2CaCu_2O_{6+\delta}$ **214**, 307; **216**, 29; **218**, 348, 356
–of $HgBa_2CaCu_2O_{6.22}$ **217**, 253
–of $HgBa_2CuO_{4+\delta}$ **212**, 223, 259; **218**, 365
–of Hg–Ba–Ca–Cu–O **216**, 250
–of Hg–Ba–Ca–Cu-oxides **215**, 11
–of $HgBaO_2$ **212**, 259
–of Hg–Pr–Sr–Ca–Cu–O **216**, 264
–of $La_{1.85}Ca_{1.15}Cu_2O_6$ **206**, 329
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4F_y$ **209**, 47
–of $La_{1.9}Bi_{0.1}CuO_{4+\delta}$ **217**, 189
–of $La_2CuO_{4+\delta}$ **202**, 209; **207**, 97
–of $La_2NiO_{4+\delta}$ **216**, 77, 83
–of $La_{2-x}(Ba,Sr)_xCuO_4$ **209**, 373
–of $La_{2-x}Ba_xCuO_4$ **214**, 64
–of $La_{2-x}Ba_xCuO_4$ (x=0.125) **206**, 183
–of $La_{2-x}Ca_xCuO_4$ **217**, 455
–of $La_{2-x}Sr_xCaCu_2O_6$ **213**, 455
–of $La_{2-x}Sr_xCu_{1-y}O_{4-\delta}$ **214**, 93
–of $La_{2-x}Sr_xCuO_4$ **204**, 155
–of $La_{2-x-y}Gd_xSr_yCuO_4$ **209**, 428
–of $LaBa_2Cu_3O_{7-\delta}$ **208**, 391
–of La–Ba–Cu–O **203**, 327
–of $(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$ **208**, 351
–of $LnBa_2Cu_3O_{7-\delta}$ (Ln=Er, Ho, Dy) **214**, 204
–of $LnBa_2Cu_4O_8$ (Ln=Er, Ho, Dy) **214**, 204
–of $LnBaCuO_2BO_3$ (Ln=La, Pr, Nd, Sm, Eu, Gd) **213**, 26
–of $(M',M)Sr_2(Y,Ca)Cu_2O_7$ (M′=Ce, Bi and M = Cd, Zn, Cu) **207**, 1
–of $NaTaO_3$ **209**, 55
–of Na_xWO_3 **204**, 79
–of $Nd_{1.85}Ce_{0.15}CuO_{4+y}$ **203**, 369
–of $Nd_{1-x}Ca_xBa_2Hg_{1-x}Cu_{2+x}O_{6+y}$ **216**, 1
–of $Nd_2CuO_{3.8}F_{0.2}$ **214**, 316
–of Nd_2NiO_4 **206**, 183
–of $Nd_{2-x}Ce_xCuO_4$ **218**, 437
–of $(Pb,Cu)(Sr,Ln)_2(Ln,Ce)_2Cu_2O_z$ (Ln = Sm, Eu, Gd, Dy and Ho) **212**, 75
–of $(Pb_{0.5}Hg_{0.5})(Sr_{2-x}La_x)CuO_{5-\delta}$ **216**, 237
–of $(Pb_{1-x}V_x)Sr_2\,(Ca_{1-z}Y_z)Cu_2\,O_{7-\delta}$ **217**, 121
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ **215**, 243
–of $Pb_2Sr_2YCu_3O_{8+\delta}$ (δ=0, 1.67) **210**, 529
–of $PbBaSrYCu_3O_{7+\delta}$ **215**, 243

–of Pb–Sr–Y–Ca–Ga–Cu–O **211**, 209
–of $PbTiO_3$ **209**, 55
–of $PrBa_2Cu_3O_{7-y}$ **203**, 320
–of $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R=Pr,Nd,Sm,Eu **204**, 212
–of $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) **213**, 224
–of $Sm_{1+x}Ba_{2-x}Cu_3O_y$ **214**, 323
–of Sm(Ca)SrBaCuO **213**, 88
–of $Sr_{0.6}Ca_{0.333}CuO_{2.00+z}$ **208**, 226
–of $Sr_{1-x}CuO_{2-\delta}$ **217**, 146
–of $Sr_{1-x}Re_xCuO_2$ **204**, 117
–of $Sr_2RCu_3O_z$ **204**, 43
–of $Sr_2(YCe)_nCuFeO_y$ **205**, 406
–of $(Sr_{2-x}Ba_x)CuO_{2+y}(CO_3)_z$ **215**, 159
–of $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ **217**, 342
–of $Sr_{4-x}Ba_xTlCu_2(CO_3)O_7$ **210**, 359
–of Sr–Ca–Cu–O **212**, 164
–of (SrNd)CuO_2 **210**, 80
–of $(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ **205**, 206
–of $Tl_{0.5}Pb_{0.5}Sr_2CuO_y$ **214**, 182
–of $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ **206**, 81
–of $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ **205**, 219; **209**, 163
–of $Tl_{0.8}Bi_{0.4}CaSr_2Cu_3O_9$ **217**, 325
–of $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$ **217**, 106
–of $Tl_{1-x}Bi_xSr_4Cu_2(CO_3)O_7$ **208**, 149
–of Tl-2201 **214**, 25
–of Tl-2212 **214**, 25
–of Tl-2223 **214**, 25
–of $Tl_2Ba_2Ca_1Cu_2O_x$ **210**, 97
–of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ **207**, 25
–of $Tl_2Ba_2Cu_{1.2}$ **210**, 502
–of $Tl_2Ba_2Cu_1O_{6+\delta}$ **205**, 247
–of $Tl_2Ba_2CuO_6$ **204**, 247; **213**, 17
–of $Tl_2Ba_2CuO_{6+\delta}$ **202**, 199
–of $Tl_2Ba_{2-x}La_xCuO_y$ **214**, 80
–of $Tl_2HgBa_4Cu_2O_{10+y}$ **212**, 274
–of Tl_2O_3 **215**, 205
–of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ **207**, 339
–of $TlBa_2PrCu_2O_{7-\delta}$ **202**, 104
–of $TlBa_{4-x}Sr_xCu_2(CO_3)O_y$ (x=2) **217**, 287
–of Tl–Ba–Ca–Cu–O **214**, 190
–of Tl(Bi,Pb)–Sr–Ca–Cu–O **202**, 327
–of Tl–Ca–Ba–Cu–O **203**, 25
–of $TlSr_2CaCu_2O_{7-\delta}$ **202**, 199
–of $TlSr_{3-x}Ln_xCu_2O_7$ **208**, 253
–of $Tl_xBa_2Cu_2O_6$ **216**, 59
–of (Y, Ca)(Ba, Sr)$_2Cu_{3-z}(BO_3)_zO_y$ **215**, 191
–of $Y_{0.6}Ca_{0.4}Ba_2Cu_2Hg_{1-x}M_xO_{6+y}$ **212**, 239
–of $(Y_{0.75}Ce_{0.25})_2(Sr_{0.85}Y_{0.15})_2AlCu_2O_{9+x}$ **217**, 444
–of $Y_1Ba_2Cu_3O_7$ **207**, 159
–of $Y_1Ba_2Cu_3O_{7-\delta}/CeO_2/MgO/SrTiO_3$ **211**, 205
–of $Y_1Ba_2Cu_3O_{7-x}$ **213**, 445
–of $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ **205**, 105
–of $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$ **210**, 164
–of $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ **202**, 51
–of $Y_{1-x}Pr_xBa_2Cu_4O_8$ **204**, 147
–of $Y_{1-z}Ca_zSr_2Cu_{2.5}Fe_{0.5}O_{6+x}$ **208**, 412
–of $Y_2Ba_4Cu_7O_{14+x}$ **211**, 165
–of $Y_4Sr_8Cu_{11}CO_3O_{25}$ **207**, 65
–of $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$ **213**, 383
–of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **205**, 39
–of $YBa_2Cu_3O_{6+x}$ **206**, 155
–of $YBa_2Cu_3O_{6+x}S_y$ **211**, 29
–of $YBa_2Cu_3O_{6.51}$ **207**, 333
–of $YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$ **209**, 531
–of $YBa_2Cu_3O_7$/YSZ **218**, 29
–of $(YBa_2Cu_3O_7)_m/(PrBa_2Cu_3O_7)_n$ **210**, 1
–of $YBa_2Cu_3O_{7-\delta}$ **202**, 277; **209**, 47, 55, 60, 113, 185
–of $YBa_2Cu_3O_{7-\delta}$–Ag **218**, 396
–of $YBa_2Cu_3O_{7-x}$ **203**, 342; **204**, 135; **207**, 79
–of $YBa_2Cu_3O_{7-x}/Ag_2O$ **205**, 186
–of $YBa_2Cu_{3-x}O_yI_z$ **211**, 366
–of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **212**, 279
–of $YBa_2Cu_4O_8$ **202**, 271; **204**, 21; **206**, 207; **207**, 167; **218**, 457
–of Y–Ba–Cu–O **204**, 85; **214**, 55
–of YBCO film **218**, 229
–of $YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$ **208**, 116
–of $YSr_2Cu_{2.7}M_{0.3}O_y$ (M=Mo and W) **212**, 451
–of $YSr_2Cu_{2.8}Cr_{0.2}O_7$ **207**, 44
–of [YSrCa]$Sr_2Cu_{2.78}(SO_4)_{0.22}O_{7-\delta}$ **210**, 439
Structure of C_{60} **214**, 19
Structure of cleaved surfaces **218**, 220
Substitution effects **202**, 109, 298, 363; **204**, 384; **205**, 1, 63, 280; **207**, 1, 79; **209**, 47, 133, 179, 237, 307; **212**, 169, 407; **214**, 257; **215**, 77, 395; **217**, 73; **218**, 316, 443
–in $A(Pb_{1-x}B_x)O_{3-\delta}$ (A=Ba,Sr, B=Sb,Bi) **204**, 194
–in (B,Cu)$Sr_2YCu_2O_7$ **205**, 118
–in $BaCa_xCd_{1-x}LaCu_3O_y$ **216**, 124
–in (Bi,Pb,Cu)Sr_2(Y,Ca)Cu_2O_{7-z} **215**, 83
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ **202**, 371
–in (Bi,Pb)SrCaCuO–F **208**, 347
–in $Bi_{1.6}Sr_{2.4}NdCu_2O_{8+x}$ **202**, 97
–in $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2-x}Sm_xCu_3O_y$ **204**, 299
–in $Bi_{2+\delta}Sr_{2-\delta}CuO_y$ **208**, 51
–in $Bi_{2+x}Sr_{2-x-y}La_yCuO_\delta$ **205**, 323
–in Bi-2212 **211**, 279
–in $Bi_2Ca_{3-x}La_xCo_2O_y$ **203**, 144
–in $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_y$ **206**, 139
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **210**, 350; **215**, 429
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ **204**, 65
–in $Bi_2Sr_2CaCu_2O_8$ **211**, 113
–in $Bi_2Sr_2CaCu_2O_x$ **203**, 299
–in $Bi_2Sr_2CaCu_2O_y$ **217**, 85
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+\delta}$ **214**, 265
–in $Bi_2Sr_2CuO_{6+\delta}$ **216**, 463
–in $Bi_2Sr_{2-x}La_xCuO_y$ **216**, 417
–in $Bi_2Sr_{4-y}Cu_2(CO_3)O_{8-\delta}$ **217**, 27
–in $Bi_{2-x}Sb_xSr_2Ca_2Cu_3O_y$ **212**, 381
–in Bi(Pb)–Sr–Ca–Cu–O **211**, 49
–in BSCCO **209**, 179
–in $Ca_{1-x}R_xBaLaCu_3O_{7-\delta}$ **216**, 181
–in $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ **217**, 217
–in $DyBa_2Cu_4O_8$ **204**, 413
–in Gd_2CuO_4 **204**, 127; **209**, 573
–in $GdBa_2(Cu_{1-x}M_x)_3O_7$ (M=Fe, Co, Ni, Zn) **207**, 225
–in $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ **216**, 273
–in $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7.02}$ **207**, 347
–in $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ **208**, 143
–in $La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$ **203**, 284
–in $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ **215**, 411
–in $(La_{1-x}Sr_x)_2Cu_{0.99}M_{0.01}O_{4-z}$ **206**, 257
–in La_2CuO_4 **203**, 115
–in $La_{2-x\mu}{}_xCuO_4$ (μ=Ca,Sr,Ba) **215**, 279
–in $La_{2-x}Sr_xCaCu_2O_6$ **213**, 455
–in $La_{2-x}Sr_xCuO_4$ **208**, 217, 339
–in $La_{2-y}M_yCuO_4$ **211**, 127
–in $La_{2-y}Sr_yCu_{1-x}M_xO_4$ **212**, 142
–in $La_3Ca_xBa_{4-x}Cu_7O_y$ **212**, 32
–in $LaBa_2Cu_3O_{7-\delta}$ **208**, 391
–in $LnBa_2Cu_{3-x}Ti_xO_{7+\delta}$ **215**, 269
–in (Mg,Pb)Sr_2(Y,Ca)Cu_2O_7 **204**, 262
–in $Nd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ **207**, 247
–in $Nd_2CuO_{4-\delta}$ **203**, 419
–in $Nd_{2-x}Ce_xCuO_{4-y}F_y$ **211**, 45
–in (Pb,Cu)$(Sr,Ln)_2(Ln,Ce)_2Cu_2O_z$ (Ln = Sm, Eu, Gd, Dy and Ho) **212**, 75
–in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ **211**, 409
–in Pb–Cd–Sr–La–Cu–O **205**, 383
–in Pb–Sr–Y–Ca–Ga–Cu–O **211**, 209
–in $Pr_{1-x}Y_xBa_2Cu_3O_7$ **218**, 283
–in $PrBa_2Cu_3O_{7-y}$ **203**, 320
–in $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R=Pr,Nd,Sm,Eu **204**, 212

–in $RBa_2Cu_{3-x}Ga_xO_{7-y}$ (R=Er, Y, Dy, Eu and Nd) **212**, 119
–in $RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ (RE=Pr, La) **213**, 224
–in $Sr_{1-x}Ln_xCuO_2$ (Ln=La, Nd, Sm, Gd) **210**, 367
–in $(Tl, Pb)Sr_{1.6}Ba_{0.4}(Ca_{0.8}R_{0.2})Cu_2O_x$ **214**, 286
–in $(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ **205**, 206
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R=Ce, Pr or Tb) **217**, 439
–in $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ **206**, 81
–in $(Tl_{1-x}Bi_x)Sr_2(Nd_{0.75}Ce_{0.25})_2Cu_2O_z$ **212**, 206
–in Tl(Bi,Pb)–Sr–Ca–Cu–O **202**, 327
–in $(Y,Ca,Sr)(Ba,Sr)_2Cu_{3-z}(SO_4)_zO_x$ **213**, 14
–in $(Y,Ca)(Ba,Sr)_2Cu_{3-z}(BO_3)_zO_y$ **215**, 191
–in $(Y_{0.8}Ca_{0.2})Ba_2Cu_3O_y$ **211**, 433
–in $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ **205**, 105
–in $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ **202**, 51
–in $Y_{1-x}Ca_xSr_2GaCu_2O_{7-\delta}$ **210**, 55
–in $Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$ **203**, 111
–in $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ **213**, 151
–in $(Y_{1-x}Pr_x)Ba_2Cu_3O_y$ **216**, 447
–in $Y_{1-x}Pr_xBa_2Cu_{3-y}Zn_yO_z$ **209**, 472
–in $Y_{1-x}Pr_xBa_2Cu_4O_8$ **204**, 147
–in $YBa_2(Cu_{0.94}Fe_{0.06})_3O_{6+y}$ **204**, 130
–in $YBa_2(Cu_{0.94}Zn_{0.06})_3O_x$ (x=6.0 to 7.0) **218**, 272
–in $YBa_2(Cu_{1-x}Fe_x)_3O_z$ **217**, 175
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ **208**, 263
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co, Al, Ga) **216**, 491
–in $YBa_2(Cu_{1-x}Zn_x)_3O_{6+y}$ **212**, 142
–in $YBa_2Cu_3O_{6+x}$ **214**, 143
–in $YBa_2Cu_3O_{6+x}S_y$ **211**, 29
–in $YBa_2Cu_3O_7$ **204**, 237; **214**, 350
–in $YBa_2Cu_3O_{7-\delta}$ **203**, 139; **207**, 147; **208**, 59; **213**, 185, 398
–in $YBa_2Cu_3O_{7-x}$ **211**, 319
–in $YBa_2Cu_3O_{\sim 6.5}$ **206**, 6
–in $YBa_2Cu_4O_8$ **204**, 413; **206**, 207; **218**, 457
–in YBCO **214**, 426
–in $YSr_2Cu_{2.7}M_{0.3}O_y$ (M=Mo and W) **212**, 451
–in $YSr_2Cu_{2.8}Cr_{0.2}O_7$ **207**, 44
Substitution effects of ^{44}Ca
–in $YBa_2Cu_4O_8$ **205**, 259
Substitution of Ca and Co
–in $YSrBaCu_3O_{6+z}$ **214**, 277
Sulphate superconductor **208**, 193; **213**, 14
Superconducting cylinder **213**, 103
Superconducting p-n junctions **216**, 401
Superconducting tapes **216**, 382
Superconducting transition
–in $Y_{1-x}Pr_xBa_2Cu_3O_y$ **216**, 345
Superconductivity
–in high-magnetic fields **213**, 394
Superconductor/semiconductor heterostructure **213**, 370
Superconductor superlattice **208**, 371
Superlattice **209**, 51
Surface analysis **216**, 333
Surface barrier **209**, 203, 233; **213**, 167
Surface impedance **202**, 42, 409; **203**, 37, 315; **206**, 195; **207**, 13; **215**, 132
Surface reactions **208**, 419
Surface resistance **209**, 33, 44, 46, 99, 272
Surface structure
–of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ **202**, 335
Susceptibility **209**, 19, 59, 118, 156, 166, 184, 198
Synthesis
–of $(B,Cu)Sr_2YCu_2O_7$ **205**, 118
–of $Ba_2Cu_3O_5$ **218**, 137
–of $Ba_3SrCu_2O_{6.2}CO_2$ **206**, 70
–of $(Bi,Cd)Sr_2(Y,Ca)Cu_2O_z$ **209**, 516
–of $(Bi,M)Sr_2(R,Ce)_3Cu_2O_{11-\delta}$ **216**, 458
–of $(Bi,Pb,Cu)Sr_2(Y,Ca)Cu_2O_{7-z}$ **215**, 83
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ **206**, 251
–of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ **204**, 365
–of $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_x$ **211**, 227
–of $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$ **215**, 305
–of $Bi_{2+y}Sr_{3-y-x}Ca_xCu_2O_{8+\delta}$ **216**, 211
–of Bi-2223 **217**, 360
–of $Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$ (Ln = Dy or Y) **209**, 393
–of $Bi_2Ca_{3-x}La_xCo_2O_y$ **203**, 144
–of $Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$ **215**, 39
–of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ **213**, 71
–of $Bi_2Sr_2Ca_1Cu_2O_x$/Ag tapes **205**, 271
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ **213**, 283
–of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ **217**, 227
–of $Bi_2Sr_2Ca_2Cu_3O_{10+y}$ **203**, 59
–of $Bi_2Sr_2Ca_2Cu_3O_x$ **210**, 413
–of $Bi_2Sr_2CaCu_2O_8$ **202**, 134; **206**, 148; **207**, 134; **213**, 133, 283; **217**, 319, 347
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **203**, 180; **215**, 123; **217**, 227
–of $Bi_2Sr_2CaCu_2O_x$ **218**, 181
–of $Bi_2Sr_2CaCu_2O_y$ **217**, 85
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ **211**, 58
–of $Bi_2Sr_2CuO_{6+y}$ **203**, 180
–of $Bi_2Sr_2CuO_x$ **206**, 367
–of $Bi_2Sr_{2-x}La_{2-y}Ln_{x+y}Cu_2O_z$ **218**, 495
–of $Bi_2Sr_4Cu_2(CO_3)O_8$ **208**, 121
–of $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$ **212**, 199
–of $Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$ **209**, 449
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ **204**, 179
–of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ **206**, 33
–of Bi–Ba–Ln–Cu–O **214**, 291
–of Bi–Pb–Sr–Ca–Cu–O **208**, 38; **212**, 66
–of Bi–Sr–Ca–Cu–O **202**, 42; **203**, 385, 403; **204**, 267; **209**, 486; **211**, 36; **214**, 195
–of Bi(Pb)-2223 **208**, 323
–of Bi(Pb)–Sr–Ca–Cu–O **210**, 16; **211**, 49; **212**, 37
–of BSCCO **209**, 295
–of BSCCO-2212 **218**, 191
–of $(C_{0.35}Cu_{0.65})Sr_2(Y_{0.73}Ce_{0.27})_2Cu_2O_x$ **202**, 162
–of $Ca_{1-x}R_xBaLaCu_3O_{7-\delta}$ **216**, 181
–of $(Cu_{0.6}Ce_{0.4})Sr_2Y_{1.2}Ce_{0.8}Cu_2O_z$ **216**, 165
–of $CuSr_{2-x}La_xYCu_2O_{7+\delta}$ **208**, 183
–of $DyBa_2Cu_3O_{7-x}$ **205**, 161
–of $DyBa_2Cu_4O_8$ **204**, 413
–of $Dy(Ba_{2-x}Sr_x)Cu_3O_{7-\delta}$ **204**, 384
–of $ErBa_2Cu_3O_{7-\delta}$ **212**, 301
–of $Hg_{0.3}Pb_{0.7}Sr_{2-x}La_xCuO_{4+\delta}$ **216**, 243
–of $Hg_{0.4}Pr_{0.6}Sr_{2-x}Pr_xCuO_{4+\delta}$ **216**, 243
–of $Hg_{0.5}Bi_{0.5}Sr_{2-x}La_xCuO_{5-\delta}$ **214**, 87
–of $(Hg_{0.8}Pb_{0.2})_xBa_2Ca_2Cu_3O_{8+\delta}$ **217**, 11
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ **216**, 21; **218**, 5
–of $HgBa_2CaCu_2O_{6+\delta}$ **212**, 266; **214**, 307; **216**, 21; **217**, 6; **218**, 5, 348
–of $HgBa_2CaCu_2O_{6.22}$ **217**, 253
–of $HgBa_2CuO_{4+\delta}$ **210**, 447; **213**, 271
–of $HgBa_2CuO_y$ **212**, 271
–of Hg–Ba–Ca–Cu–O **213**, 261; **214**, 313
–of Hg–Pr–Sr–Ca–Cu–O **216**, 264
–of $La_{1+z}Ba_{2-z}Cu_3O_y$ **216**, 99
–of $La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$ **208**, 143
–of $La_{1.85}Ca_{1.15}Cu_2O_6$ **206**, 329
–of La_2CuO_4 **203**, 115
–of $La_2CuO_{4+\delta}$ **207**, 97; **216**, 66, 478
–of $La_{2-x}Ba_xCuO_4$ **209**, 442
–of $La_{2-x}Ca_xCuO_4$ **217**, 455
–of $La_{2-x}Sr_xCu_{1-y}O_{4-\delta}$ **214**, 93
–of $La_{2-x}Sr_xCuO_4$ **208**, 217
–of $La_4BaCu_5O_{13-w}$ **216**, 99
–of $La_{4-x}Ca_xBa_3Cu_7O_y$ **214**, 261
–of $(Ln, Ca)(Sr, Ba)_2(C, Cu)Cu_2O_{7-\delta}$ **208**, 351
–of $Ln_{2-x}Ce_xCuO_{4-y}$ **218**, 309
–of $LnBaCuO_2BO_3$ (Ln=La, Pr, Nd, Sm, Eu, Gd) **213**, 26
–of LSCO **209**, 175
–of $(M',M)Sr_2(Y,Ca)Cu_2O_7$ (M'=Ce, Bi and M = Cd, Zn, Cu) **207**, 1
–of $(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$ **204**, 262

–of Nb/Al_2O_3–Al/Nb **214**, 365
–of $Nb/AlO_x/Nb$ **214**, 345
–of $NbSr_2(GdCe)_2Cu_2O_y$ **210**, 463
–of NCCO **209**, 175
–of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ **209**, 381
–of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ **204**, 288
–of $Nd_{1-x}Ca_xBa_2Hg_{1-x}Cu_{2+x}O_{6+y}$ **216**, 1
–of $Nd_2CuO_{4-\delta}$ **209**, 381
–of $Nd_2CuO_{4-x}F_x$ **209**, 183
–of $Nd_{2-x}Ce_xCuO_4$ **218**, 437
–of $Nd_{2-x}Ce_xCuO_{4-y}$ **208**, 79
–of $Nd_{2-x}Ce_xCuO_{4-y}F_y$ **211**, 45
–of $Nd_{2-z}Gd_zCuO_{4-x}F_x$ **209**, 183
–of Nd–Ba–Cu–O **210**, 147
–of $(Pb_{0.5}Hg_{0.5})(Sr_{2-x}La_x)CuO_{5-\delta}$ **216**, 237
–of $(Pb_{0.75}Cu_{0.25})Sr_2(Y_{1-x}, Ca_x)\ Cu_2\ O_{7-\delta}$ **213**, 161
–of $(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)\ Cu_2\ O_{7-\delta}$ **217**, 121
–of $Pb_2Sr_2(Ln_{2-y}Ce_y)Cu_3O_{10+\delta}$ **212**, 169
–of Pb–Cd–Sr–La–Cu–O **205**, 383
–of $Pr_2CuO_{4-x}F_x$ **209**, 183
–of $PrBa_2Cu_3O_{7-y}$ **214**, 231
–of $PrBa_2Cu_{3-x}Ga_xO_{7-y}$ **206**, 59
–of $R_{1+x}Sr_{2-x}Cu_{2+x}Nb_{1-x}O_{8-y}$ **215**, 181
–of Rb_3C_{60} **216**, 305
–of $Rb_xCs_yC_{60}$ **217**, 21
–of $SmBa_2Cu_3O_y$ **214**, 323
–of $SmBa_2NbO_6$ substrate **215**, 209
–of $Sr_{0.6}Ca_{0.333}CuO_{2.00+z}$ **208**, 226
–of $Sr_{1-x}Re_xCuO_2$ **204**, 117
–of $Sr_2CuO_2(CO_3)_{1-x}(BO_3)_x$ **216**, 453
–of $Sr_2(YCe)_nCuFeO_y$ **205**, 406
–of $(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$ **217**, 342
–of $Sr_{4-x}Ba_xTlCu_2(CO_3)O_7$ **210**, 359
–of Sr–Ca–Cu–O **212**, 164
–of (SrNd)CuO_2 **210**, 80
–of $(Tl_{0.5}Hg_{0.5})Sr_2\ (Ca_{1-x}Y_x)\ Cu_2\ O_{7-\delta}$ **205**, 206
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$ (R = Ce, Pr or Tb) **217**, 439
–of $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ **205**, 219
–of $Tl_{0.8}Bi_{0.4}Ca_{0.8}Sr_{1.7}Cu_2O_7$ **217**, 325
–of $Tl_{0.8}Bi_{0.4}CaSr_2Cu_3O_9$ **217**, 325
–of $Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$ **217**, 106
–of $Tl_{1-x}Bi_xSr_{2-y}Ba_yCa_2Cu_3O_{9-\delta}$ **216**, 199
–of $Tl_{1-x}Bi_xSr_4Cu_2(CO_3)O_7$ **208**, 149
–of Tl-2201 **214**, 25
–of Tl-2212 **214**, 25
–of Tl-2223 **214**, 25
–of $Tl_2Ba_2Ca_1Cu_2O_x$ **210**, 97
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **212**, 110
–of $Tl_2Ba_2Ca_2Cu_3O_{10+x}$ **207**, 25
–of $Tl_2Ba_2Cu_{1.2}$ **210**, 502
–of $Tl_2Ba_2Cu_1O_{6+\delta}$ **205**, 247
–of $Tl_2Ba_2CuO_6$ **205**, 177; **209**, 199; **213**, 17
–of $Tl_2HgBa_4Cu_2O_{10+y}$ **212**, 274
–of $Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$ **207**, 339
–of $TlBa_2Ca_2Cu_3O_9$ **212**, 110
–of Tl–Ba–Ca–Cu–O **203**, 257; **208**, 69; **211**, 475
–of $TlCa_2Ba_2Cu_3O_9$ **205**, 21
–of Tl–Ca–Ba–Cu–O **203**, 25
–of $TlSr_2Ca_2Cu_3O_x$ **213**, 438
–of $W_{0.7}Ge_{0.3}$ **214**, 359
–of $(Y, Ca)(Ba, Sr)_2Cu_{3-z}(BO_3)_z\ O_y$ **215**, 191
–of $(Y,Ho)_1Ba_2Cu_3O_x$ **212**, 339
–of $Y_{0.6}Ca_{0.4}Ba_2Cu_2Hg_{1-x}M_xO_{6+y}$ **212**, 239
–of $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **217**, 294
–of $Y_1Ba_2Cu_3O_{7-x}$ **213**, 445
–of $Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$ **210**, 164
–of $Y_{1-x}Ca_xBa_2Cu_4O_y$ **202**, 37
–of $(Y_{1-x}Pr_x)Ba_2Cu_3O_y$ **216**, 447
–of $(Y_{1-x}Pr_x)Ba_2Cu_4O_8$ **207**, 127
–of $Y_2Ba_4Cu_7O_{15-x}$ **215**, 435
–of Y_2BaCuO_5 **217**, 376
–of $Y_4Sr_8Cu_{11}CO_3O_{25}$ **207**, 65
–of $Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}\ O_{7-z}$ **213**, 383
–of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **205**, 39
–of $YBa_2(Cu_{1-x}Fe_x)_3O_z$ **217**, 175
–of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ **208**, 263
–of $YBa_2Cu_3O_{6+x}$ **213**, 219; **218**, 130
–of $YBa_2Cu_3O_7$ **211**, 227
–of $YBa_2Cu_3O_{7-\delta}$ **203**, 129; **206**, 43; **210**, 197; **212**, 101; **213**, 1; **216**, 333; **217**, 222, 367
–of $YBa_2Cu_3O_{7-x}$ **202**, 121; **204**, 135; **207**, 58, 79; **210**, 518; **214**, 272; **217**, 182; **218**, 429
–of $YBa_2Cu_3O_x$ **202**, 141; **217**, 376
–of $YBa_2Cu_3O_y$ **204**, 103; **206**, 103; **209**, 369
–of $YBa_2Cu_{3-x}O_yI_z$ **211**, 366
–of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ **212**, 279
–of $YBa_2Cu_{3-x}Sn_xO_{7-y}$ **215**, 319
–of $YBa_2Cu_4O_8$ **204**, 21, 413; **213**, 433
–of $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ **214**, 257
–of Y–Ba–Cu–O **203**, 103; **211**, 1; **214**, 55
–of YBCO **204**, 295, 359; **206**, 318; **209**, 175, 191, 195, 301; **213**, 370
–of YBCO wires **209**, 273
–of $YCaBa_4Cu_5\ (NO_3)_{0.3}(CO_3)_{0.7}\ O_{11}$ **208**, 116
–of $YSr_2Cu_{2.7}M_{0.3}O_y$ (M = Mo and W) **212**, 451
Synthesis of infinite-layer cuprates **215**, 395
Synthesis of Nb/AlO_x junctions **209**, 477
Synthesis of transition metal oxides **207**, 119

Tape **209**, 180, 273, 295, 301, 315
Tartaric acid gels **213**, 433
TEM **211**, 188; **214**, 247, 426
Texturing **217**, 113
Thermal conductivity **205**, 191; **209**, 35, 293; **213**, 327; **216**, 147, 187; **218**, 15, 417
–diffusion **209**, 27
–fluctuation **209**, 173
–treatment **209**, 295, 301, 307, 312
Thermal cycling **215**, 286
Thermal diffusivity **218**, 417
Thermal expansion **202**, 199; **203**, 240; **205**, 32, 139; **206**, 97, 158; **209**, 591; **216**, 77
Thermal history effects **212**, 317
Thermally activated flux motion **209**, 18, 233, 257
Thermodynamic critical fields **211**, 319
Thermodynamic stability
–of Y–Ba–Cu–O **208**, 403
Thermoelectric effects **202**, 97, 209, 321; **203**, 98; **204**, 237, 419; **207**, 147; **208**, 217, 263, 323; **209**, 4, 27, 129, 202, 309, 311; **212**, 1; **213**, 327; **217**, 6, 11
–in $SmBa_2Cu_3O_7$ **214**, 138
–in YBCO **209**, 311
Thermoelectric power **203**, 369; **213**, 211
Thermogravimetry **212**, 435
Thermomechanical detwinning **218**, 175
Thermopower **209**, 28, 199
Thick films **205**, 21; **209**, 31, 177, 197, 210, 301; **211**, 475; **216**, 325
–of YBCO **213**, 338
Thin-film growth **202**, 277, 289
Thin films **202**, 1, 42, 69, 121, 234, 243, 268, 409; **203**, 16, 37, 129, 235, 327, 378, 385, 445; **204**, 155, 229, 295, 359, 375; **205**, 55, 161, 307, 311, 347, 354; **206**, 6, 51, 75, 103, 242, 291, 318, 335, 367; **207**, 13, 25, 37, 58, 203, 239, 266, 381, 391; **208**, 1, 64, 96, 419; **209**, *xi*, 13, 23, 25, 31, 35, 45, 67, 71, 89, 96, 99, 175, 212, 215, 225, 229, 259, 264, 287, 305, 307, 311, 369, 421, 477, 486; **210**, 16, 42, 97, 109, 173, 386, 518; **211**, 1, 22, 58, 121, 179, 234, 338, 404; **212**, 110, 216, 323; **213**, 1, 71, 145,

151, 445; **214**, 1, 19, 55, 127, 187, 190, 195, 257, 272, 323, 359; **215**, 209, 213, 286, 439, 445; **216**, 153, 284, 333, 365; **217**, 97, 146, 280; **218**, 19, 29, 59, 191, 396
–of $Ba_{1-x}K_xBiO_3$ **212**, 459
–of $Bi_2Sr_{1.7}La_{0.3}CuO_{6+y}$ **215**, 375
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **204**, 15; **215**, 123
–of BSCCO **209**, 71
–of $GdBa_2Cu_3O_{7-\delta}$ **206**, 1
–of $GdBa_2Cu_3O_{7-y}$ **214**, 133
–of $Sr_{1-x}CuO_{2-\delta}$ **213**, 345
–of $Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$ **209**, 229
–of $Y_1Ba_2Cu_3O_{7-\delta}$ **210**, 417
–of $Y_{1-x}Pr_xBa_2Cu_3O_y$ ($x \geq 0.6$) **204**, 406
–of $YBa_2Cu_3O_{7-\delta}$ **212**, 101; **214**, 297
–of $YBa_2Cu_3O_x$ **209**, 287; **214**, 393
–of Y–Ba–Na–Cu–O **209**, 307
–of YBCO **209**, 71, 215, 305; **213**, 370
Three-band model **213**, 298
t–J model **204**, 88; **206**, 264, 269; **209**, 117; **211**, 329; **213**, 298; **215**, 382; **218**, 197, 251
Tl valence **215**, 205
Topological transitions **208**, 170
Torque magnetometry **203**, 335
Transmission electron microscopy **202**, 1, 277; **203**, 83; **204**, 288, 365; **205**, 347; **211**, 421; **213**, 345
Trilayered heterostructures **209**, 421
Triplet pairing **213**, 394; **218**, 75
Tunable laser **209**, 95
Tunnel barriers **207**, 21
Tunneling **202**, 33; **203**, 68; **205**, 338; **207**, 21; **208**, 385; **210**, 21, 106; **211**, 455, 467; **213**, 151; **214**, 107, 413; **215**, 97; **216**, 293; **218**, 82, 245, 387
Tunneling density of states **212**, 173
Tunneling junction **209**, 103, 127, 255
–rate **209**, 255
–spectroscopy **209**, 23, 26, 59, 77, 89, 103
Tunneling spectroscopy
–in BSCCO **209**, 23
–in YBCO **209**, 23
Twin boundaries **202**, 51; **203**, 139, 342; **205**, 32; **206**, 360; **207**, 318; **211**, 393; **214**, 19, 247, 426; **215**, 429; **216**, 205
Twins **209**, 251, 259
Two-band model **209**, 133; **210**, 221
Two-fluid model **218**, 15
Type-II superconductors **207**, 9, 307, 366; **211**, 343; **212**, 81, 155; **213**, 394; **214**, 239; **215**, 173, 297, 343; **216**, 49, 315, 432; **218**, 94

Ultrasound attenuation **202**, 33; **216**, 116
Ultrasound velocity **208**, 333
Upper critical field H_{c2} **203**, 16; **204**, 341; **206**, 373; **207**, 37, 231; **210**, 61, 133, 466, 509; **212**, 81, 459; **215**, 265, 350; **218**, 69, 75, 379, 485

Vacancy-ordering **214**, 335
Valence determination **208**, 130
Valence fluctuations **217**, 425
Van Hove singularity **209**, 88, 107, 201, 229; **212**, 233; **217**, 381
Vibrating reed **202**, 256
Vortex glass **217**, 16
Vortex lattice **211**, 343; **213**, 43, 229; **214**, 100
Vortex line **203**, 167
Vortex phase diagram **202**, 303
Vortex rings **215**, 343
Vortex states **209**, 27, 36, 146, 160, 233, 243, 247, 251, 341
–motion **209**, 27, 303

Weak links **202**, 151, 268; **203**, 51; **204**, 71; **205**, 1, 397; **207**, 203, 273, 381; **208**, 7, 371; **209**, 362; **210**, 114, 127, 138, 333; **211**, 13, 113; **212**, 43, 61, 110; **213**, 193, 266, 271, 287; **215**, 83, 167
Wetting **209**, 315
–in Pb–Bi–Sr–Ca–Cu–O **209**, 315
Whiskers **203**, 398; **211**, 49; **216**, 471; **218**, 181
–of 2:2:1:2 BiSCCO **215**, 67
Wires **209**, 273, 295, 315; **217**, 313

XAFS **209**, 55, 331; **214**, 119; **217**, 21
XANES **209**, 407
XPS **205**, 78; **206**, 139, 202; **207**, 266; **208**, 419; **211**, 29; **212**, 306; **214**, 153; **216**, 160, 333; **218**, 103, 117, 396
X-ray **209**, 19, 71, 113, 138, 160, 171, 177, 179, 184, 193, 198, 229, 295, 302, 305, 308
X-ray absorption **215**, 279
X-ray absorption spectroscopy **210**, 350
X-ray detector **214**, 345
X-ray diffraction **202**, 37, 134, 162, 271, 371; **203**, 257, 398; **204**, 65, 79, 135, 179, 262, 267, 288, 322, 384; **205**, 186, 296; **206**, 43, 81; **207**, 134, 159; **208**, 69, 143, 149, 217, 226, 253, 277, 323, 363; **209**, 353, 369, 407, 415, 449, 573; **210**, 87, 463; **211**, 49, 165, 205, 209, 279; **212**, 151, 206, 266, 271, 339, 381; **213**, 88, 133, 161, 179, 383, 438; **214**, 1, 25, 133, 182, 190, 195, 307, 313; **215**, 1, 123, 152, 205, 209, 213, 305, 371, 402; **216**, 21, 29, 59, 99, 129, 181, 195, 211, 257, 458, 478; **217**, 79, 85, 106, 156, 294, 319, 367, 439; **218**, 5, 309, 396, 495
–in V_3Si **209**, 171
XY-model **218**, 257

Physica C, Materials Index Vols. 202–218 (1994) 69–74
North-Holland

PHYSICA C

Materials Index to Volumes 202–218

^{44}Ca
–structure **205**, 259
–substitution effects **205**, 259

Al_2O_3–$Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$
–composites **210**, 455
$A(Pb_{1-x}B_x)O_{3-\delta}$
–substitution effects **204**, 194

$(B,Cu)Sr_2YCu_2O_7$
–structure **205**, 118
–substitution effects **205**, 118
–synthesis **205**, 118
$Ba_{1-x}K_xBiO_3$
–electrical resistivity **209**, 141
–Hall effect **209**, 141
–isotope effect **211**, 486
–thin films **212**, 459
$Ba_2Cu_3O_5$
–structure **218**, 137
–synthesis **218**, 137
$Ba_3SrCu_2O_{6.2}CO_2$
–structure **206**, 70
–synthesis **206**, 70
$BaCa_xCd_{1-x}LaCu_3O_y$
–substitution effects **216**, 124
$BaPb_{0.70}Sb_{0.20}Bi_{0.05}O_3$
–structure **202**, 379
$BaPbO_3$
–structure **202**, 379
$(Bi,Cd)Sr_2(Y,Ca)Cu_2O_z$
–structure **209**, 516
–synthesis **209**, 516
$(Bi,M)Sr_2(R,Ce)_3Cu_2O_{11-\delta}$
–synthesis **216**, 458
$(Bi,Pb,Cu)Sr_2(Y,Ca)Cu_2O_{7-z}$
–substitution effects **215**, 83
–synthesis **215**, 83
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$
–substitution effects **202**, 371
(Bi,Pb)SrCaCuO–F
–substitution effects **208**, 347
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$
–structure **206**, 251
–synthesis **206**, 251
$Bi_{1.6}Sr_{2.4}NdCu_2O_{8+x}$
–substitution effects **202**, 97
$Bi_{1.7}Pb_{0.3}Sr_2Ca_{2-x}Sm_xCu_3O_y$
–substitution effects **204**, 299

$Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$
–structure **204**, 365
–synthesis **204**, 365
$Bi_{1.8}Pb_{0.2}Sr_2CaCu_2OX$
–synthesis **211**, 227
$Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_x$
–synthesis **215**, 305
$Bi_{2+\delta}Sr_{2-\delta}CuO_y$
–substitution effects **208**, 51
$Bi_{2+x}Sr_{2-x-y}La_yCuO_\delta$
–structure **205**, 323
–substitution effects **205**, 323
$Bi_{2+x}Sr_{2-y}Cu_1O_{6+\gamma+\epsilon}$
–structure **217**, 203
$Bi_{2+y}Sr_{3-y-x}Ca_xCu_2O_{8+\delta}$
–structure **216**, 211
–synthesis **216**, 211
$Bi_{2.1}Sr_{1.93}Ca_{0.97-x}Y_xCu_2O_{8+y}$
–structure **218**, 117
Bi-2212
–substitution effects **211**, 279
Bi-2223
–synthesis **217**, 360
$Bi_2Ba_2NdCu_2O_{8+\delta}$
–structure **213**, 276
$Bi_2Ca_1Sr_2Cu_2O_{8+y}$
–high pressure effect **209**, 499
$Bi_2Ca_{1-x}Ln_xSr_2Cu_2O_{8+\delta}$
–glasses **209**, 393
–structure **209**, 393
–synthesis **209**, 393
$Bi_2Ca_{3-x}La_xCo_2O_y$
–substitution effects **203**, 144
–synthesis **203**, 144
$Bi_2Sr_{1.7}La_{0.3}CuO_{6+y}$
–thin films **215**, 375
$Bi_2Sr_2Ca_{0.6}Y_{0.4}Cu_2O_y$
–structure **215**, 39
–synthesis **215**, 39
$Bi_2Sr_2Ca_1Cu_2O_{8+x}$
–synthesis **213**, 71
$Bi_2Sr_2Ca_1Cu_2O_x/Ag$
–synthesis **205**, 271
$Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_y$
–substitution effects **206**, 139
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
–substitution effects **210**, 350; **215**, 429
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8I$
–intercalation **208**, 29

$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$
–structure **204**, 65
–substitution effects **204**, 65
$Bi_2Sr_2Ca_2Cu_3O_{10}$
–synthesis **213**, 283
$Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$
–synthesis **217**, 227
$Bi_2Sr_2Ca_2Cu_3O_{10+\gamma}$
–structure **203**, 59
–synthesis **203**, 59
$Bi_2Sr_2Ca_2Cu_3O_x$
–synthesis **210**, 413
$Bi_2Sr_2CaCu_2O_8$
–irradiation effect **209**, 251
–magnetic relaxation **203**, 277
–Mössbauer spectroscopy **209**, 151
–structure **202**, 134; **212**, 191; **213**, 133; **217**, 319
–substitution effects **211**, 113
–synthesis **202**, 134; **206**, 148; **207**, 134; **213**, 133, 283; **217**, 319, 347
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–structure **203**, 180
–synthesis **203**, 180; **215**, 123; **217**, 227
–thin films **204**, 15; **215**, 123
$Bi_2Sr_2CaCu_2O_{8+x}$
–dimensional crossover **214**, 175
–electrical resistivity **210**, 386
$Bi_2Sr_2CaCu_2O_{8+y}$
–peak effect **213**, 33
$Bi_2Sr_2CaCu_2O_8I_x$
–structure **208**, 363
$Bi_2Sr_2CaCu_2O_x$
–grain alignment **218**, 141
–irradiation effect **203**, 335
–magnetic relaxation **209**, 255
–normal-state properties **209**, 585
–phase diagram **203**, 299
–structure **203**, 299
–substitution effects **203**, 299
–synthesis **218**, 181
$Bi_2Sr_2CaCu_2O_y$
–structure **204**, 322; **217**, 85, 156
–substitution effects **217**, 85
–synthesis **217**, 85
$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+\delta}$
–substitution effects **214**, 265
$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4+z}$
–structure **207**, 208

$Bi_2Sr_2Ca_{n-1}Cu_nO_x$
–synthesis **211**, 58
$Bi_2Sr_2CoO_{6+\delta}$
–antiferromagnetic order **205**, 129
$Bi_2Sr_2CuO_{6+\delta}$
–substitution effects **216**, 463
$Bi_2Sr_2CuO_{6+y}$
–structure **203**, 180
–synthesis **203**, 180
$Bi_2Sr_zCuO_x$
–synthesis **206**, 367
$Bi_2Sr_{2-x}La_{2-y}Ln_{x+y}Cu_2O_z$
–synthesis **218**, 495
$Bi_2Sr_{2-x}La_xCuO_y$
–substitution effects **216**, 417
$Bi_2Sr_4Cu_2(CO_3)O_8$
–structure **208**, 121
–synthesis **208**, 121
$Bi_2Sr_{4-y}Cu_2(CO_3)O_{8-\delta}$
–structure **217**, 27
–substitution effects **217**, 27
$Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$
–structure **212**, 199
–synthesis **212**, 199
$Bi_{2-x}La_xBa_{2.5}La_{0.5}Cu_2O_{8.25}$
–structure **209**, 449
–synthesis **209**, 449
$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$
–structure **204**, 179
–synthesis **204**, 179
$Bi_{2-x}Pb_xSr_2CaCu_2O_8$
–band structure **218**, 301
–structure **218**, 301
$Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$
–structure **206**, 33
–synthesis **206**, 33
$Bi_{2-x}Sb_xSr_2Ca_2Cu_3O_y$
–substitution effects **212**, 381
$Bi_4Sr_4CaCu_3O_{14+x}$
–structure **215**, 371
Bi–Ba–Ln–Cu–O
–synthesis **214**, 291
$(BiPb)_2Sr_2Ca_2Cu_3O_{10+\delta}$
–structure **203**, 426
Bi–Pb–Sr–Ca–Cu–Fe–O
–structure **205**, 133
Bi–Pb–Sr–Ca–Cu–O
–structure **208**, 38; **212**, 37
–synthesis **208**, 38; **212**, 37, 66
Bi–Sr–Ca–Cu–O
–microstructure **213**, 483
–structure **203**, 398, 436; **204**, 203, 267; **212**, 151; **214**, 195
–synthesis **202**, 42; **203**, 385, 403; **204**, 267; **209**, 486; **211**, 36; **214**, 195
BiSrCaCuO–metal-composites
–critical current density **209**, 207
Bi–Sr–Cu–Fe–O
–structure **208**, 51
Bi(Pb)-2223
–synthesis **208**, 323
Bi(Pb)–Sr–Ca–Cu–O
–substitution effects **211**, 49
–synthesis **210**, 16; **211**, 49

$(C_{0.35}Cu_{0.65})Sr_2(Y_{0.73}Ce_{0.27})_2Cu_2O_x$
–synthesis **202**, 162
$(C_{0.4}Cu_{0.6})Sr_2(Y_{0.86}Sr_{0.14})Cu_2O_7$
–structure **207**, 175
$Ca_{1-x}R_xBaLaCu_3O_{7-\delta}$
–substitution effects **216**, 181
–synthesis **216**, 181
$CaLaBaCu_3O_x$
–structure **217**, 73
$(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$
–substitution effects **217**, 217
$(Cu_{0.6}Ce_{0.4})Sr_2Y_{1.2}Ce_{0.8}Cu_2O_z$
–structure **216**, 165
–synthesis **216**, 165
$CuSr_{2-x}La_xYCu_2O_{7+\delta}$
–structure **208**, 183
–synthesis **208**, 183

$Dy_2Ba_4Cu_7O_{14+\delta}$
–specific heat **216**, 140
$DyBa_2Cu_3O_{7-x}$
–synthesis **205**, 161
$DyBa_2Cu_4O_8$
–lattice parameters **204**, 413
–substitution effects **204**, 413
–synthesis **204**, 413
$Dy(Ba_{2-x}Sr_x)Cu_3O_{7-\delta}$
–synthesis **204**, 384

$ErBa_2Cu_3O_7$
–antiferromagnetic order **217**, 53
$ErBa_2Cu_3O_{7-\delta}$
–synthesis **212**, 301

Gd_2CuO_4
–substitution effects **204**, 127; **209**, 573
$GdBa_2(Cu_{1-x}M_x)_3O_7$
–substitution effects **207**, 225
$GdBa_2Cu_3O_{7-\delta}$
–structure **206**, 1
–thin films **206**, 1
$GdBa_2Cu_3O_{7-y}$
–thin films **214**, 133

$Hg_{0.3}Pb_{0.7}Sr_{2-x}La_xCuO_{4+\delta}$
–structure **216**, 243
–synthesis **216**, 243
$Hg_{0.4}Pr_{0.6}Sr_{2-x}Pr_xCuO_{4+\delta}$
–structure **216**, 243
–synthesis **216**, 243
$Hg_{0.5}Bi_{0.5}Dr_2Ca_{1-x}R_xCu_2O_{6+\delta}$
–structure **216**, 257
$Hg_{0.5}Bi_{0.5}Sr_{2-x}La_xCuO_{5-\delta}$
–structure **214**, 87
–synthesis **214**, 87
$(Hg_{0.8}Pb_{0.2})_xBa_2Ca_2Cu_3O_{8+\delta}$
–structure **217**, 11
–synthesis **217**, 11
$HgBa_2Ca_2Cu_3O_8$
–specific heat **216**, 17
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–structure **217**, 1, 265
–synthesis **216**, 21; **218**, 5
$HgBa_2Ca_2Cu_3O_y$
–high-pressure effect **218**, 1
$HgBa_2CaCu_2O_{6+\delta}$
–structure **214**, 307; **216**, 29; **218**, 348, 356
–synthesis **212**, 266; **214**, 307; **216**, 21; **217**, 6; **218**, 5, 348
$HgBa_2CaCu_2O_{6.22}$
–structure **217**, 253
–synthesis **217**, 253
$HgBa_2Ca_{n-1}Cu_nO_{2n+2}$
–electronic structure **216**, 12
$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–substitution effects **216**, 273
$HgBa_2CuO_4$
–electronic structure **212**, 228
$HgBa_2CuO_{4+\delta}$
–electronic structure **212**, 233
–flux dynamics **213**, 271
–structure **212**, 223, 259; **218**, 365
–synthesis **210**, 447; **213**, 271
$HgBa_2CuO_y$
–synthesis **212**, 271
Hg–Ba–Ca–Cu–O
–structure **216**, 250
–synthesis **213**, 261; **214**, 313
Hg–Ba–Ca–Cu-oxides
–structure **215**, 11
$HgBaO_2$
–structure **212**, 259
Hg–Pr–Sr–Ca–Cu–O
–structure **216**, 264
–synthesis **216**, 264
$HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7.02}$
–substitution effects **207**, 347

$La_{1+z}Ba_{2-z}Cu_3O_y$
–synthesis **216**, 99
$La_{1.5-x}Ba_{1.5-x}Ca_{2x}Cu_3O_{7-\delta}$
–substitution effects **208**, 143
–synthesis **208**, 143
$La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$
–substitution effects **203**, 284
$La_{1.84}Sr_{0.16}NiO_{4+\delta}$
–normal-state properties **216**, 94
$La_{1.85}Ca_{1.15}Cu_2O_6$

–structure **206**, 329
–synthesis **206**, 329
$La_{1.85-x}Nd_xSr_{0.15}CuO_4$
–substitution effects **215**, 411
$La_{1.85-x}Nd_xSr_{0.15}CuO_4F_y$
–structure **209**, 47
$La_{1.9}Bi_{0.1}CuO_{4+\delta}$
–structure **217**, 189
$(La_{1-x}Sr_x)_2Cu_{0.99}M_{0.01}O_{4-z}$
–substitution effects **206**, 257
La_2CuO_4
–antiferromagnetic order **209**, 327; **210**, 373
–NMR **209**, 121
–substitution effects **203**, 115
–synthesis **203**, 115
$La_2CuO_{4+\delta}$
–structure **202**, 209; **207**, 97
–synthesis **207**, 97; **216**, 66, 478
$La_2NiO_{4+\delta}$
–structure **216**, 77, 83
$La_{2-x}(Ba,Sr)_xCuO_4$
–structure **209**, 373
$La_{2-x}Ba_xCuO_4$
–structure **206**, 183; **214**, 64
–synthesis **209**, 442
$La_{2-x}Ca_xCuO_4$
–structure **217**, 455
–synthesis **217**, 455
$La_{2-x\mu\ x}CuO_4$
–substitution effects **215**, 279
$La_{2-x}Sr_xCaCu_2O_6$
–structure **213**, 455
–substitution effects **213**, 455
$La_{2-x}Sr_xCu_{1-y}O_{4-\delta}$
–structure **214**, 93
–synthesis **214**, 93
$La_{2-x}Sr_xCuO_4$
–normal-state properties **214**, 377
–structure **204**, 155
–substitution effects **208**, 217, 339
–synthesis **208**, 217
$La_{2-x-y}Gd_xSr_yCuO_4$
–Mössbauer spectroscopy **209**, 428
–structure **209**, 428
$La_{2-y}M_yCuO_4$
–substitution effects **211**, 127
$La_{2-y}Sr_yCu_{1-x}M_xO_4$,
–substitution effects **212**, 142
$La_3Ca_xBa_{4-x}Cu_7O_y$
–substitution effects **212**, 32
$La_4BaCu_5O_{13-w}$
–synthesis **216**, 99
$La_{4-x}Ca_xBa_3Cu_7O_y$
–synthesis **214**, 261
$LaBa_2Cu_3O_{7-\delta}$
–structure **208**, 391
–substitution effects **208**, 391
La–Ba–Cu–O
–structure **203**, 327
$(Ln,Ca)(Sr,Ba)_2(C,Cu)Cu_2O_{7-\delta}$
–structure **208**, 351
–synthesis **208**, 351
$Ln_{2-x}Ce_xCuO_{4-y}$
–high pressure effect **209**, 537
–synthesis **218**, 309
$LnBa_2Cu_3O_{7-\delta}$
–structure **214**, 204
$LnBa_2Cu_{3-x}Ti_xO_{7+\delta}$
–substitution effects **215**, 269
$LnBa_2Cu_4O_8$
–structure **214**, 204
$LnBaCuO_2BO_3$
–structure **213**, 26
–synthesis **213**, 26

$(M–,M)Sr_2(Y,Ca)Cu_2O_7$
–structure **207**, 1
–synthesis **207**, 1
$(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$
–substitution effects **204**, 262
–synthesis **204**, 262
$Mg_{2-y}Ti_{1+y}O_4$
–filamentory superconductivity **212**, 95
$MgO–Bi_2Sr_{1.8}Ca_{1.2}Cu_2O_y$
–composites **210**, 455

$NaTaO_3$
–structure **209**, 55
Na_xWO_3
–structure **204**, 79
$Nb/Al_2O_3–Al/Nb$
–synthesis **214**, 365
$Nb/AlO_x/Nb$
–synthesis **214**, 345
$NbSr_2(GdCe)_2Cu_2O_y$
–synthesis **210**, 463
$(Nd,Ce)_2(Ba,Nd)_2Cu_3O_y$
–electronic structure **210**, 315
$Nd_{1+x}Ba_{2-x}Cu_3O_{7+\delta}$
–flux dynamics **210**, 157
$Nd_{1.85}Ce_{0.15}CuO_{4+y}$
–structure **203**, 369
$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
–synthesis **209**, 381
$Nd_{1.85}Ce_{0.15}CuO_{4-y}$
–synthesis **204**, 288
$Nd_{1-x}Ca_xBa_2Hg_{1-x}Cu_{2+x}O_{6+y}$
–structure **216**, 1
–synthesis **216**, 1
$Nd_{1-x}Pr_xBa_2Cu_3O_{7-y}$
–substitution effects **207**, 247
$Nd_2Ba_4Cu_7O_{14+\delta}$
–specific heat **216**, 140
$Nd_2CuO_{3.8}F_{0.2}$
–structure **214**, 316
$Nd_2CuO_{4-\delta}$
–substitution effects **203**, 419
–synthesis **209**, 381
$Nd_2CuO_{4-x}F_x$
–synthesis **209**, 183
$Nd_{2-x}Ce_xCuO_4$
–structure **218**, 437
–synthesis **218**, 437
$Nd_{2-x}Ce_xCuO_{4-y}$
–synthesis **208**, 79
$Nd_{2-x}Ce_xCuO_{4-y}F_y$
–substitution effects **211**, 45
–synthesis **211**, 45
$Nd_{2-z}Gd_zCuO_{4-x}F_x$
–synthesis **209**, 183
Nd–Ba–Cu–O
–synthesis **210**, 147
NdCeCuO
–critical current density **204**, 50

$(Pb,Cu)(Sr,Ln)_2(Ln,Ce)_2Cu_2O_z$
–structure **212**, 75
–substitution effects **212**, 75
(Pb,Tl)-1212
–irreversibility (line) **209**, 237
$(Pb_{0.5}Hg_{0.5})(Sr_{2-x}La_x)CuO_{5-\delta}$
–structure **216**, 237
–synthesis **216**, 237
$(Pb_{0.75}Cu_{0.25})Sr_2(Y_{1-x},Ca_x)Cu_2O_{7-\delta}$
–synthesis **213**, 161
$(Pb_{1-x}V_x)Sr_2(Ca_{1-z}Y_z)Cu_2O_{7-\delta}$
–structure **217**, 121
–synthesis **217**, 121
$Pb_2Sr_2(Ln_{2-y}Ce_y)Cu_3O_{10+\delta}$
–synthesis **212**, 169
$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$
–substitution effect **211**, 409
$Pb_2Sr_2YCu_3O_{8+\delta}$
–structure **210**, 529; **215**, 243
$PbBaSrYCu_3O_{7+\delta}$
–structure **215**, 243
PbBiSrCaCuO
–wetting **209**, 315
Pb–Cd–Sr–La–Cu–O
–substitution effects **205**, 383
–synthesis **205**, 383
Pb–Sr–Y–Ca–Ga–Cu–O
–structure **211**, 209
–substitution effects **211**, 209
$PbTiO_3$
–structure **209**, 55
$(Pr_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$
–antiferromagnetic order **209**, 155
$Pr_{1-x}Y_xBa_2Cu_3O_7$
–substitution effects **218**, 283
$Pr_2CuO_{4-x}F_x$
–synthesis **209**, 183
$PrBa_2Cu_3(^{57}Co)O_{6+x}$

–Mössbauer spectroscopy **209**, 137
$PrBa_2Cu_3O_{7-y}$
–structure **203**, 320
–substitution effects **203**, 320
–synthesis **214**, 231
$PrBa_2Cu_{3-x}Ga_xO_{7-y}$
–synthesis **206**, 59
$PrBa_2NbCu_2O_8$
–specific heat **214**, 169
PrBCO
–multilayers **209**, 51

$R_{1+x}Sr_{2-x}Cu_{2+x}Nb_{1-x}O_{8-y}$
–synthesis **215**, 181
$(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$
–structure **204**, 212
–substitution effects **204**, 212
$(R_{1-x}Pr_x)Ba_2Cu_3O_7$ **209**, 55, 60, 113, 185
–antiferromagnetic order **209**, 19
R_2CuO_4
–Mössbauer spectroscopy **209**, 151
Rb_3C_{60}
–normal-state properties **211**, 299
–synthesis **216**, 305
$RBa_2Cu_3O_7$
–Mössbauer spectroscopy **209**, 151
$RBa_2Cu_{3-x}Ga_xO_{7-y}$
–substitution effects **212**, 119
$RBa_2Cu_4O_8$
–Mössbauer spectroscopy **209**, 151
$Rb_xCs_yC_{60}$
–synthesis **217**, 21
$RE_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$
–structure **213**, 224
–substitution effects **213**, 224

$Sm_{1+x}Ba_{2-x}Cu_3O_y$
–solid solubility **214**, 323
–structure **214**, 323
$Sm_{1.85}Ce_{0.15}CuO_{4-y}$
–electrical resistivity **213**, 403
$SmBa_2Cu_3O_7$
–thermoelectric effects **214**, 138
$SmBa_2Cu_3O_y$
–synthesis **214**, 323
$SmBa_2NbO_6$
–synthesis **215**, 209
Sm(Ca)SrBaCuO
–structure **213**, 88
$Sr_{0.6}Ca_{0.333}CuO_{2.00+z}$
–structure **208**, 226
–synthesis **208**, 226
$Sr_{1-x}Ca_xCuO_2$
–electronic structure **209**, 389; **210**, 301
$Sr_{1-x}CuO_{2-\delta}$
–structure **217**, 146
–thin films **213**, 345
$Sr_{1-x}Ln_xCuO_2$
–high-pressure synthesis **210**, 367
–substitution effects **210**, 367
$Sr_{1-x}Re_xCuO_2$
–structure **204**, 117
–synthesis **204**, 117
$Sr_2CuO_2(CO_3)_{1-x}(BO_3)_x$
–synthesis **216**, 453
$Sr_2RCu_3O_z$
–high-pressure synthesis **204**, 43
–structure **204**, 43
$Sr_2(YCe)_nCuFeO_y$
–structure **205**, 406
–synthesis **205**, 406
$(Sr_{2-x}Ba_x)CuO_{2+y}(CO_3)_z$
–structure **215**, 159
$(Sr_{2-x}Bi_x)(Ln_{2-y}Ce_y)Cu_2O_{8-\delta}$
–structure **217**, 342
–synthesis **217**, 342
$Sr_{4-x}Ba_xTlCu_2(CO_3)O_7$
–structure **210**, 359
–synthesis **210**, 359
Sr–Ca–Cu–O
–structure **212**, 164
–synthesis **212**, 164
(SrNd)CuO_2
–structure **210**, 80
–synthesis **210**, 80

$(Tl,Pb)Sr_{1.6}Ba_{0.4}(Ca_{0.8}R_{0.2})Cu_2O_x$
–substitution effects **214**, 286
$(Tl,Pb)Sr_2Ca_2Cu_3O_9$
–surface structure **202**, 335
$(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$
–structure **205**, 206
–substitution effects **205**, 206
–synthesis **205**, 206
$Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}R_xCu_2O_y$
–substitution effects **217**, 439
–synthesis **217**, 439
$Tl_{0.5}Pb_{0.5}Sr_2Ca_{1-x}Y_xCu_2O_{7-\delta}$
–NMR **215**, 253
$Tl_{0.5}Pb_{0.5}Sr_2CuO_y$
–structure **214**, 182
$Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$
–structure **206**, 81
–substitution effects **206**, 81
$Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$
–structure **205**, 219; **209**, 163
–synthesis **205**, 219
$Tl_{0.8}Bi_{0.4}Ca_{0.8}Sr_{1.7}Cu_2O_7$
–synthesis **217**, 325
$Tl_{0.8}Bi_{0.4}CaSr_2Cu_3O_9$
–structure **217**, 325
–synthesis **217**, 325
$Tl_{1+x}Ba_{2/3}Sr_{4/3}Ca_{2-x}Cu_3O_9$
–structure **217**, 106
–synthesis **217**, 106
$(Tl_{1-x}Bi_x)Sr_2(Nd_{0.75}Ce_{0.25})_2Cu_2O_z$
–substitution effects **212**, 206
$Tl_{1-x}Bi_xSr_{2-y}Ba_yCa_2Cu_3O_{9-\delta}$
–synthesis **216**, 199
$Tl_{1-x}Bi_xSr_4Cu_2(CO_3)O_7$
–structure **208**, 149
–synthesis **208**, 149
Tl-2201
–structure **214**, 25
–synthesis **214**, 25
Tl-2212
–structure **214**, 25
–synthesis **214**, 25
Tl-2223
–structure **214**, 25
–synthesis **214**, 25
Tl-2233
–irreversibility (line) **209**, 237
$Tl_2Ba_2Ca_1Cu_2O_x$
–structure **210**, 97
–synthesis **210**, 97
$Tl_2Ba_2Ca_2Cu_3O_{10}$
–synthesis **212**, 110
$Tl_2Ba_2Ca_2Cu_3O_{10+x}$
–structure **207**, 25
–synthesis **207**, 25
$Tl_2Ba_2Cu_{1.2}$
–structure **210**, 502
–synthesis **210**, 502
$Tl_2Ba_2Cu_1O_6$
–magnetization **203**, 393
$Tl_2Ba_2Cu_1O_{6+\delta}$
–structure **205**, 247
–synthesis **205**, 247
$Tl_2Ba_2CuO_6$
–electrical resistivity **209**, 199
–electronic structure **203**, 193
–structure **204**, 247; **213**, 17
–synthesis **205**, 177; **209**, 199; **213**, 17
$Tl_2Ba_2CuO_{6+\delta}$
–structure **202**, 199
$Tl_2Ba_{2-x}La_xCuO_y$
–structure **214**, 80
$Tl_2HgBa_4Cu_2O_{10+y}$
–structure **212**, 274
–synthesis **212**, 274
Tl_2O_3
–structure **215**, 205
$Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$
–band structure **214**, 153
$Tl_{2-y}Ba_2Ca_2Cu_3O_{10-x}$
–structure **207**, 339
–synthesis **207**, 339
$TlBa_2Ca_2Cu_3O_9$
–synthesis **212**, 110
$TlBa_2PrCu_2O_{7-\delta}$
–structure **202**, 104
$TlBa_{4-x}Sr_xCu_2(CO_3)O_y$

–structure **217**, 287
Tl–Ba–Ca–Cu–O
–structure **214**, 190
–synthesis **203**, 257; **208**, 69; **211**, 475
Tl(Bi,Pb)–Sr–Ca–Cu–O
–structure **202**, 327
–substitution effects **202**, 327
$TlCa_2Ba_2Cu_3O_9$
–synthesis **205**, 21
Tl–Ca–Ba–Cu–O
–structure **203**, 25
–synthesis **203**, 25
$TlSr_2Ca_2Cu_3O_x$
–synthesis **213**, 438
$TlSr_2CaCu_2O_{7-\delta}$
–structure **202**, 199
$TlSr_{3-x}Ln_xCu_2O_7$
–structure **208**, 253
$Tl_xBa_2Cu_2O_6$
–structure **216**, 59

V_3Si
–X-ray diffraction **209**, 171

$W_{0.7}Ge_{0.3}$
–synthesis **214**, 359

$(Y,Ca,Sr)(Ba,Sr)_2Cu_{3-z}(SO_4)_zO_x$
–substitution effects **213**, 14
$(Y,Ca)(Ba,Sr)_2Cu_{3-z}(BO_3)_zO_y$
–structure **215**, 191
–substitution effects **215**, 191
–synthesis **215**, 191
$(Y.Ho)_1Ba_2Cu_3O_x$
–synthesis **212**, 339
$Y_{0.6}Ca_{0.4}Ba_2Cu_2Hg_{1-x}M_xO_{6+y}$
–structure **212**, 239
–synthesis **212**, 239
$Y_{0.6}Pr_{0.4}Ba_2Cu_3O_7$
–magnetoresistance **209**, 229
–thin films **209**, 229
$(Y_{0.75}Ce_{0.25})_2(Sr_{0.85}Y_{0.15})_2AlCu_2O_{9+x}$
–structure **217**, 444
$(Y_{0.8}Ca_{0.2})Ba_2Cu_3O_y$
–substitution effects **211**, 433
$Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$
–synthesis **217**, 294
$Y_1Ba_2Cu_3O_7$
–structure **207**, 159
$Y_1Ba_2Cu_3O_{7-\delta}$
–thin films **210**, 417
$Y_1Ba_2Cu_3O_{7-\delta}/CeO_2/MgO/SrTiO_3$
–structure **211**, 205
$Y_1Ba_2Cu_3O_{7-x}$
–structure **213**, 445
–synthesis **213**, 445
$Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$
–structure **205**, 105
–substitution effects **205**, 105
$Y_{1-x}Ca_xBa_2Cu_{3-x}Co_xO_7$
–structure **210**, 164
–synthesis **210**, 164
$Y_{1-x}Ca_xBa_2Cu_4O_y$
–synthesis **202**, 37
$Y_{1-x}Ca_xSr_2Cu_2GaO_7$
–structure **202**, 51
–substitution effects **202**, 51
$Y_{1-x}Ca_xSr_2GaCu_2O_{7-\delta}$
–substitution effects **210**, 55
$Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$
–substitution effects **203**, 111
$Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$
–substitution effects **213**, 151
$Y_{1-x}Pr_xBa_2Cu_3O_y$
–substitution effects **216**, 447
–superconducting transition **216**, 345
–synthesis **216**, 447
–thin films **204**, 406
$Y_{1-x}Pr_xBa_2Cu_{3-y}Zn_yO_z$
–substitution effects **209**, 472
$Y_{1-x}Pr_xBa_2Cu_4O_8$
–structure **204**, 147
–substitution effects **204**, 147
–synthesis **207**, 127
$Y_{1-z}Ca_zSr_2Cu_{2.5}Fe_{0.5}O_{6+x}$
–structure **208**, 412
$Y_2Ba_4Cu_7O_{14+x}$
–structure **211**, 165
$Y_2Ba_4Cu_7O_{15-x}$
–synthesis **215**, 435
Y_2BaCuO_5
–synthesis **217**, 376
$Y_4Sr_8Cu_{11}CO_3O_{25}$
–structure **207**, 65
–synthesis **207**, 65
$Y(Ba_{1-x}Sr_x)_2Cu_{3-0.15x}Mo_{0.15x}O_{7-z}$
–structure **213**, 383
–synthesis **213**, 383
$YBa_2(Cu_{0.94}Fe_{0.06})_3O_{6+y}$
–substitution effects **204**, 130
$YBa_2(Cu_{0.94}Zn_{0.06})_3O_x$
–substitution effects **218**, 272
$YBa_2(Cu_{1-0.04}Fe_{0.04})_3O_7$
–infrared spectroscopy **209**, 89
$YBa_2(Cu_{1-x}Fe_x)_3O_y$
–structure **205**, 39
–synthesis **205**, 39
$YBa_2(Cu_{1-x}Fe_x)_3O_z$
–substitution effects **217**, 175
–synthesis **217**, 175
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
–substitution effects **208**, 263; **216**, 491
–synthesis **208**, 263
$YBa_2Cu_3O_{6+x}$
–structure **206**, 155
–substitution effects **214**, 143
–synthesis **213**, 219; **218**, 130
$YBa_2Cu_3O_{6+x}S_y$
–structure **211**, 29
–substitution effects **211**, 29
$YBa_2Cu_3O_{6.51}$
–structure **207**, 333
$YBa_2Cu_3O_{6.9}$
–single crystal **213**, 321
$YBa_2Cu_3O_7$
–band structure **204**, 279
–electron–phonon coupling **209**, 125
–irradiation effect **209**, 251
–NQR **209**, 59
–substitution effects **204**, 237; **214**, 350
–synthesis **211**, 227
$YBa_2Cu_3O_7/(La_{1-x}Sr_x)_2CuO_4$
–multilayers **209**, 531
–structure **209**, 531
$YBa_2Cu_3O_7$/YSZ
–structure **218**, 29
$(YBa_2Cu_3O_7)_m/(PrBa_2Cu_3O_7)_n$
–structure **210**, 1
$YBa_2Cu_3O_{7-\delta}$
–electronic structure **214**, 335; **216**, 391
–ESR **211**, 147
–magneto-oscillations **209**, 39
–magnetoresistance **209**, 79
–multilayers **209**, 31
–positron annihilation **209**, 75
–structure **202**, 277; **209**, 47, 55, 60, 113, 185
–substitution effects **203**, 139; **207**, 147; **208**, 59; **213**, 185, 398
–synthesis **203**, 129; **206**, 43; **210**, 197; **212**, 101; **213**, 1; **216**, 333; **217**, 222, 367
–thin films **212**, 101; **214**, 297
$YBa_2Cu_3O_{7-\delta}$–Ag
–structure **218**, 396
$YBa_2Cu_3O_{7-x}$
–defect structures **209**, 415
–single crystals **218**, 175
–structure **203**, 342; **204**, 135; **207**, 79
–substitution effects **211**, 319
–synthesis **202**, 121; **204**, 135; **207**, 58, 79; **210**, 518; **214**, 272; **217**, 182; **218**, 429
$YBa_2Cu_3O_{7-x}/Ag_2O$
–composites **205**, 186
–structure **205**, 186
$YBa_2Cu_3O_{\sim 6.5}$
–substitution effects **206**, 6
$YBa_2Cu_3O_x$
–metal–insulator transition **212**, 365
–synthesis **202**, 141; **217**, 376
–thin films **209**, 287; **214**, 393
$YBa_2Cu_3O_y$
–synthesis **204**, 103; **206**, 103; **209**, 369

$YBa_2Cu_3O_z$
–oxygen ordering **214**, 37
$YBa_2Cu_{3-x}O_yI_z$
–structure **211**, 366
–synthesis **211**, 366
$YBa_2Cu_{3-x}Sn_xO_{7-\delta}$
–structure **212**, 279
–synthesis **212**, 279
$YBa_2Cu_{3-x}Sn_xO_{7-y}$
–synthesis **215**, 319
$YBa_2Cu_4O_8$
–lattice parameters **204**, 413
–structure **202**, 271; **204**, 21; **206**, 207; **207**, 167; **218**, 457
–substitution effects **204**, 413; **206**, 207; **218**, 457
–synthesis **204**, 21, 413; **213**, 433
$YBa_{2-x}Sr_xCu_3O_{7-\delta}$
–synthesis **214**, 257
Y–Ba–Cu–O
–structure **204**, 85; **214**, 55
–synthesis **203**, 103; **211**, 1; **214**, 55
–thermodynamic stability **208**, 403
Y–Ba–Na–Cu–O
–thin films **209**, 307
$YCaBa_4Cu_5(NO_3)_{0.3}(CO_3)_{0.7}O_{11}$
–structure **208**, 116
–synthesis **208**, 116
$YSr_2Cu_{2.7}M_{0.3}O_y$
–structure **212**, 451
–substitution effects **212**, 451
–synthesis **212**, 451
$YSr_2Cu_{2.8}Cr_{0.2}O_7$
–structure **207**, 44
–substitution effects **207**, 44
$YSrBaCu_3O_{6+z}$
–substitution of Ca and Co **214**, 277
$[YSrCa]Sr_2Cu_{2.78}(SO_4)_{0.22}O_{7-\delta}$
–structure **210**, 439

Handbook of Crystal Growth

Edited by **D.T.J. Hurle**

The Handbook is, by far, the most comprehensive compendium on crystal growth ever published and, for the first time, authoritatively documents in one publication the fundamentals of the subject. It is designed to become the definitive work on the science of crystal growth and to remain so for a very long time.

Volume 1
Fundamentals

© 1993 1232 pages (in 2 parts)
Price: Dfl. 680.00 (US$388.50)
ISBN 0-444-88908-6

Part A - Thermodynamics and Kinetics

Volume I - Fundamentals addresses the underlying scientific principles relevant to all the techniques of crystal growth. Following a Foreword by Professor Sir Charles Frank and an historical introduction, the first part contains eight chapters devoted to thermodynamic, kinetic and crystallographic aspects including computer simulation by molecular dynamics and Monte Carlo methods.

Part B - Transport Processes and Stability

The second part, comprising a further seven chapters, is devoted to bulk transport effects and the influence of transport-limited growth on the stability of both isolated growth forms (such as the dendrite) and arrays, and on the cooperative effects which lead to pattern formation. All the presentations are superbly authoritative.

Volume 2
Bulk Crystal Growth

© 1994 1352 pages
Price: Dfl. 695.00 (US$397.00)
ISBN 0-444-81554-6

A. Basic Techniques

Part A reviews the principal techniques used for bulk single crystal growth from melt, solution and vapour and for industrial mass crystallisation starting, in chapter 1, with nature's techniques. The growth of synthetic crystals of a wide range of materials for research and commercial use is covered in depth, with emphasis placed on those techniques which are of current importance: techniques of only historical interest have not been included.

B. Growth Mechanisms and Dynamics

Part B covers the basic mechanisms and dynamics of melt and solution growth covering segregation, melt convection, stress in the cooling crystal, polyphase solidification, growth in gels, spherulitic crystallisation and the numerical modelling of Bridgman and Czochralski growth processes.

Volume 3
Thin Films and Epitaxy

In preparation
© 1994 ISBN 0-444-81556-2

A. Basic Techniques

Part A reviews the basic techniques of halide, organometallic and molecular beam epitaxy, liquid and solid phase epitaxial techniques, rapid solidification by pulsed laser annealing and laser ablation of oxide thin films. The final chapter is devoted to the growth of diamond films.

B. Growth and Dynamics

Part B covers the underlying mechanisms and dynamics of epitaxial growth processes including nucleation, structural, kinetic and transport effects. In addition, refinements of some of the growth techniques described in Part A such as atomic layer, migratioenhanced and photo-assisted epitaxial processes are also described.

Subscription Order

A subscription order for the Handbook of Crystal Growth (3 volumes) entitles the purchaser to a ***15% DISCOUNT.***

ELSEVIER SCIENCE

TO ORDER

Contact your regular supplier or:

ELSEVIER SCIENCE B.V.

attn. C. Ryan
P.O. Box 103, 1000 AC Amsterdam
The Netherlands
Fax: (+31) 20 5862580

Customers in the USA and Canada:

ELSEVIER SCIENCE INC.

attn. J. Weislogel
P.O. Box 882, Madison Square Station
New York, NY 10159, USA
Fax: (212) 633 3680

No postage will be added to prepaid book orders. Dutch Guilder price(s) quoted applies worldwide US Dollar price(s) quoted may be subject to exchange rate fluctuations. Customers in the European Union should add the appropriate VAT rate applicable in their country to the price(s). In New York State please add applicable sales tax. All prices are subject to change without prior notice.

415/b/627

CONTENTS ALERT™

A CURRENT AWARENESS SERVICE
FREE OF CHARGE
VIA ELECTRONIC MAIL

FOR SCIENTISTS WORKING IN THE FIELD OF SURFACES, INTERFACES AND THIN FILMS

FOR SCIENTISTS WORKING IN THE FIELD OF MATHEMATICAL & THEORETICAL METHODS IN PHYSICS

As the number of scientific publications grows daily it becomes increasingly important to trace the most interesting publications in a way that costs as little time as possible.

Elsevier Science Publishers now provides CONTENTS-Alert, ***a free electronic service*** that can assist you in carrying out time-saving searches on a regular, two-weekly basis.

CONTENTS-Alert is a current awareness service which delivers, through e-mail, the tables of contents of a selected group of journals. Not only will you receive these tables of contents ***before or upon publication*** of the journals but you can also browse through these tables of contents ***at your own terminal***, in your own time. A survey carried out among researchers using CONTENTS-Alert has shown that this free service is very convenient and time-effective.

We offer two versions of CONTENTS-Alert each covering a specific field. One version of CONTENTS-Alert includes journals on Surfaces, Interfaces and Thin Films, and one includes journals on Mathematical and Theoretical Methods in Physics.

Journals covering the field of Surfaces, Interfaces and Thin Films	Journals covering the field of Mathematical and Theoretical Methods in Physics
Applied Surface Science Chemical Physics Letters Materials Science and Engineering: R: Reports Nuclear Instruments and Methods in Physics Research: Section B Surface Science (including Surface Science Letters) Surface Science Reports Thin Solid Films Vacuum	Computer Physics Communications Journal of Geometry and Physics Nuclear Physics B Physica A Physica D Physics Letters A Physics Letters B Physics Reports Wave Motion
Our e-mail for this version is: RFC-822: C-ALERT@ELSEVIER.NL X.400: C=NL;A=400NET;P=SURF;O=ELSEVIER;S=C-ALERT	Our e-mail for this version is: RFC-822: C-ALERT.MATHPHYS@ELSEVIER.NL X.400: C=NL;A=400NET;P=SURF;O=ELSEVIER; S=MATHPHYS; G=C- ALERT

Subscribe now to this *free pre-publication service* and find out how useful CONTENTS-Alert really is. Just send your full address to the e-mail number quoted above that corresponds with the CONTENTS-Alert version you wish to receive, or send it by post and we will make sure you will receive CONTENTS-Alert every two weeks.
Please allow three weeks processing time for your free subscription.

Yes, please add my name to the circulation list of **CONTENTS-Alert.**

Version: ❑ Surfaces, Interfaces and Thin Films
❑ Mathematical and Theoretical Methods in Physics

Return to:

ELSEVIER SCIENCE PUBLISHERS B.V.,
Att: Mr. M. Stavenga,
P.O. BOX 103, 1000 AC Amsterdam, The Netherlands
Fax 31 20 5862580

Name _____
Initials _____ Title _____ Male ❑ Female
Institute _____
Department _____
Street/ PO Box _____
City _____
Country _____
Tel: _____ Fax: _____
E-mail _____

Handbook on the Physics and Chemistry of Rare Earths

Volume 17, Lanthanides/Actinides: Physics - I

edited by **K.A. Gschneidner, Jr., L.Eyring, G.R.Choppin** *and* **G.H.Lander**

©1993 788 pages ISBN 0-444-81502-3
Price: Dfl. 585.00 (US$334.25) Subscription price: Dfl. 497.00 (US$284.00)

This volume of the Handbook is the first of a three volume set of reviews devoted to the interrelationships, similarities, differences and contrasts of the lanthanide and actinide series of elements. In order to comprehensively cover this large field two leading scientists, G.H. Lander and G.R. Choppin, were invited to be guest editors for this special set of volumes. Together, the four editors carefully and critically chose the various topics and invited the appropriate experts to write reviews keeping in mind that the emphasis was to be on the interrelationships of the lanthanides and actinides. The volume contains eight chapters concerned with some of the physical aspects of the lanthanide and actinide series. The first three chapters are theoretical in nature and the last five are more heavily oriented towards experimental studies.

Contents: Preface. Dedication. Contents of Volumes 1 - 16.
110. Electronic structure, Fermi surfaces, and superconductivity in f electron metals *(M.R. Norman, D.D. Koelling).*
111. Phenomenological approach to heavy-fermion systems *(S.H. Liu).*
112. Theory of cohesion in rare earths and actinides *(B. Johansson, M.S.S. Brooks).*
113. High-pressure studies - Structural aspects *(U. Benedict, B. Holzapfel).*
114. Magnetic measurements on rare earth and actinide monopnictides and monochalcogenides *(O.Vogt, K. Mattenberger).*
115. Transport properties of rare earth and actinide intermetallics *(J.M. Fournier, E. Gratz).* 116. Mossbauer studies on electronic structure of intermetallic compounds *(W. Potzel, G.M. Kalvius, J. Gal).* 117. Neutron elastic scattering from actinides and anomalous lanthanides *(G.H. Lander).* Author index. Subject index.

TO ORDER

Contact your regular supplier or:

ELSEVIER SCIENCE B.V.
attn. K. van der Harst
P.O. Box 103
1000 AC Amsterdam
The Netherlands
Fax: (+31)20 5862580

Customers in the USA and Canada:

ELSEVIER SCIENCE INC.
P.O. Box 882
Madison Square Station
New York, NY 10159, USA
Fax: (212)6333680

No postage will be added to prepaid book orders. Dutch Guilder price(s) quoted applies worldwide. US Dollar price(s) quoted may be subject to exchange rate fluctuations Customers in the European Union should add the appropriate VAT rate applicable in their country to the price(s). In New York State please add applicable sales tax. All prices are subject to change without prior notice.

NORTH-HOLLAND
(AN IMPRINT OF ELSEVIER SCIENCE B.V.)

1994 PHYSICS and MATERIALS SCIENCE JOURNALS

Applied Surface Science
Volumes 72-81 in 40 issues. Price: US $ 2114.00 / Dfl. 3910.00

Astroparticle Physics
Volume 2 in 4 issues. Price: US $ 182.00 / Dfl. 336.00

Computational Materials Science
Volume 2 in 4 issues. Price: US $ 211.00 / Dfl. 391.00

Computer Physics Communications
Volumes 79-85 in 21 issues. Price: US $ 2236.00 / Dfl. 4137.00

International Journal of Applied Electromagnetics in Materials
Volume 5 in 4 issues. Price: US $ 203.00 / Dfl. 376.00

Journal of Crystal Growth
Volumes 135-145 in 44 issues. Price: US $ 4822.00 / Dfl. 8921.00

Journal of Geometry and Physics
Volumes 13 and 14 in 8 issues. Price: US $ 358.00 / Dfl. 662.00

Journal of Luminescence
Volumes 59-62 in 24 issues. Price: US $ 1083.00 / Dfl. 2004.00

Journal of Magnetism and Magnetic Materials
Volumes 126-137 in 36 issues. Price: US $ 3347.00 / Dfl. 6192.00

Journal of Non-Crystalline Solids
Volumes 162-176 in 45 issues. Price: US $ 3535.00 / Dfl. 6540.00

Journal of Nuclear Materials
Volumes 206-216 in 33 issues. Price: US $ 3098.00 / Dfl. 5731.00

Materials Letters
Volumes 19-22 in 24 issues. Price: US $ 899.00 / Dfl. 1664.00

Nuclear Instruments and Methods in Physics Research - Section A
Accelerators, Spectrometers, Detectors & Associated Equipment
Volumes 337-351 in 45 issues. Price: US $ 5441.00 / Dfl. 10,065.00

Nuclear Instruments and Methods in Physics Research - Section B
Beam Interactions with Materials and Atoms
Volumes 83-94 in 48 issues. Price: US $ 4352.00 / Dfl. 8052.00
Reduced combined 1994 subscription price to Nuclear Instruments and Methods - A and B: US $ 9063.00 / Dfl. 16,767.00

Nuclear Physics A
Volumes 566-580 in 60 issues. Price: US $ 4792.00 / Dfl. 8865.00

Nuclear Physics B
Volumes 409-432 in 72 issues. Price: US $ 7537.00 / Dfl. 13,944.00

Nuclear Physics B - Proceedings Supplements
Volumes 34-38 in 15 issues. Price: US $ 881.00 / Dfl. 1630.00
Reduced combined 1994 subscription price to Nuclear Physics A + Nuclear Physics B + NPB-Proceedings Supplements: US $ 11,202.00 / Dfl. 20,724.00

Optical Materials
Volume 3 in 4 issues. Price: US $ 206.00 / Dfl. 381.00

Optics Communications
Volumes 103-111 in 54 issues. Price: US $ 2121.00 / Dfl. 3924.00

Physica A - Statistical and Theoretical Physics
Volumes 201-211 in 44 issues. Price: US $ 2503.00 / Dfl. 4631.00*

Physica B - Condensed Matter Physics
Volumes 192-202 in 44 issues. Price: US $ 2503.00 / Dfl. 4631.00*

Physica C - Superconductivity
Volumes 219-236 in 72 issues. Price: US $ 4096.00 / Dfl. 7578.00*

Physica D - Nonlinear Phenomena
Volumes 70-78 in 36 issues. Price: US $ 2048.00 / Dfl. 3789.00*

**Reduced rates are available for combined subscriptions to Physica; please contact the publisher for details.*

Physics Letters A
Volumes 185-197 in 78 issues. Price: US $ 2537.00 / Dfl. 4693.00

Physics Letters B
Volumes 317-340 in 96 issues. Price: US $ 4683.00 / Dfl. 8664.00

Physics Reports
Volumes 240-251 in 72 issues. Price: US $ 2342.00 / Dfl. 4332.00
Reduced combined 1994 subscription price to Physics Letters A, Physics Letters B + Physics Reports: US $ 8502.00 / Dfl. 15,729.00

Solid State Ionics
Volumes 68-76 in 36 issues. Price: US $ 1805.00 / Dfl. 3339.00

Surface Science
(including Surface Science Letters)
Volumes 296-318 in 69 issues. Price: US $ 6104.00 / Dfl. 11,293.00

Surface Science Reports
Volume 18-20 in 24 issues. Price: US $ 618.00 / Dfl. 1143.00
Reduced combined 1994 subscription price to Surface Science (including Surface Science Letters), Applied Surface Science and Surface Science Reports: US $ 8192.00 / Dfl. 15,156.00

Ultramicroscopy
Volumes 52-56 in 20 issues. Price: US $ 1151.00 / Dfl. 2130.00

Dutch Guilder price(s) quoted applies worldwide, except in the Americas (North, Central and South America). US Dollar price(s) quoted applies in the Americas only. Journals are sent by Surface Mail to all countries except to the following where Air Delivery via SAL mail is ensured at no extra cost to the subscriber: Argentina, Australia/New Zealand, Brazil, Hong Kong, India, Israel, Japan, Malaysia, Mexico, Pakistan, P.R. China, Singapore, S. Africa, S. Korea, Taiwan, Thailand, USA & Canada. Customers in the European Community should add the appropriate VAT rate applicable in their country to the price(s).

ELSEVIER SCIENCE

ELSEVIER SCIENCE B.V.

P.O. Box 103, 1000 AC Amsterdam, The Netherlands

Elsevier Science Inc., Journal Information Center, PO Box 882, Madison Square Station, New York, NY 10159, U.S.A.

415/j/jnls.chp

0921-4534(199403)202/218*;1-Y